03 SPORTS & ATHLETIC SIGNAL 85

ACLR athletes may have altered decision-making under uncertainty.

This study suggests that ACLR athletes show persistent changes in cognitive control and brain activity during uncertain decision-making.

AJSM

ALSO TODAY

03 SPORTS IJSPT

03 SPORTS IJSPT

02 NEURO Physiother Res Int

02 NEURO NeuroRehabilitation

Use this consensus for athletic hamstring injury rehabilitation and return to sport.

This consensus statement provides a unified framework for classifying, rehabilitating, and returning athletes to sport after hamstring injuries.

SIGNAL 85
IJSPT

Neurocognitive factors are often overlooked in ACL rehabilitation and prevention.

This scoping review suggests that integrating neurocognitive challenges into ACL rehabilitation and testing could help identify athletes at risk for re-injury.

SIGNAL 80
IJSPT

Stroke patients' improved walking may not translate to less daily sitting.

This cross-sectional study found that despite better walking ability, stroke patients remained highly sedentary daily, suggesting a gap between capacity and performance.

SIGNAL 75
Physiother Res Int

Patient experience boosts psychosocial impact in robot-assisted gait rehab.

This observational study found that higher adherence and positive experiences in robot-assisted gait neurorehabilitation were linked to favorable psychosocial impact.

SIGNAL 75

NeuroRehabilitation

Five papers a day, read so you don't have to.

Cadence Evidence incadencept.com