02 NEUROLOGICAL SIGNAL 85

Capacity gains do not guarantee real-world upper limb use after stroke.

Why this matters: This study looked at how upper limb capacity and real-world use change after stroke over six months.

J NeuroEng Rehabil

ALSO TODAY

05 GERIATRIC — BMC Geriatrics

06 CARDIOPULM — Physiotherapy

01 ORTHO — BMC Musculoskeletal Disorders

02 NEURO — Disability and rehabilitation

Consider low-load BFR-RT for sarcopenia if high-load training is difficult.

Why this matters: This exploratory RCT investigated low-load BFR-RT for sarcopenia and mild cognitive impairment in oldest-old adults.

SIGNAL 80

BMC Geriatrics

Incorporate chair-based exercise for AECOPD patients during hospitalization.

Why this matters: This randomized controlled trial evaluated chair-based exercise for patients with acute exacerbation of COPD.

SIGNAL 80

Physiotherapy

Rehab protocols for medial meniscus repair need more active training details.

Why this matters: This scoping review examined published rehabilitation protocols for medial meniscus posterior root repair.

SIGNAL 75

BMC Musculoskeletal Disorders

01

Cervical lidocaine injections offer modest, short-term relief for cervicogenic dizziness.

Why this matters: This randomized, sham-controlled trial assessed low-dose cervical paraspinal lidocaine injections for cervicogenic dizziness.

SIGNAL 75

Disability and rehabilitation

Five papers a day, read so you don't have to.

Cadence Evidence incadencept.com