

05 GERIATRIC

SIGNAL 85

Exercise alone sharpens thinking in older adults without dementia.

A systematic review and meta-analysis of 227 studies compared exercise-only and exercise-plus-lifestyle programs for executive function, memory and processing speed.

British journal of sports medicine

ALSO TODAY

02 **NEURO**

Journal of rehabilitation medicine

03 **SPORTS**

BMC Sports Sci Med Rehabil

02 **NEURO**

Disability and rehabilitation

04 **PEDIATRIC**

J NeuroEng Rehabil



Resilience and health literacy predict better function after spinal cord injury.

A 6-month follow-up of 367 inpatients with traumatic spinal cord injury looked at which factors predicted functional ability; overall gains were modest.

SIGNAL 75

Journal of rehabilitation medicine

For teen basketball players, multimodal HIIT beat games and drills for fitness.

A randomized controlled trial of 36 adolescent players compared multimodal HIIT with small-sided games and drill-based HIIT on aerobic capacity and sprint time.

SIGNAL 75

BMC Sports Sci Med Rehabil

Read FIM cognitive scores item by item at stroke discharge.

A retrospective observational study of 974 patients found heterogeneity across items and two linked pairs: comprehension with expression, memory with problem solving.

SIGNAL 70

Disability and rehabilitation

VR-guided robotic gait training looks technically feasible for children.

A technical validation of the Discover2Walk platform in typically developing children tested speed and direction control; clinical efficacy data are still lacking.

SIGNAL 70

J NeuroEng Rehabil

Five papers a day, read so you don't have to.

