

Early quadriceps strength LSI predicts 2-year outcomes after ACLR.

This study assessed if early isometric quadriceps strength LSI at 3 months post-quadriceps tendon autograft ACL reconstruction predicts IKDC scores at 2 years.

AJSM

ALSO TODAY

- | | | |
|----|--------|------------------------------------|
| 01 | ORTHO | British Journal of Sports Medicine |
| 02 | NEURO | British Journal of Sports Medicine |
| 03 | SPORTS | AJSM |
| 01 | ORTHO | Physiotherapy theory and practice |



Traditional Chinese exercises may help musculoskeletal disorders.

This umbrella review examined the efficacy and certainty of evidence for Traditional Chinese Exercises for musculoskeletal disorders.

SIGNAL 80

British Journal of Sports Medicine

Vergence/accommodative therapy with movement helps concussions.

This study assessed the effectiveness of office-based vergence/accommodative therapy with movement for accommodative dysfunction in concussion-related convergence insufficiency.

SIGNAL 80

British Journal of Sports Medicine

Psychological readiness predicts return to sport after surgery.

This study assessed if psychological readiness scores predict successful return to sport after patellar stabilization surgery in adolescents.

SIGNAL 80

AJSM

Co-designing pain education with adolescents improves content.

This study explored adolescents' needs for pain neuroscience education for low back pain through co-design.

SIGNAL 75

Physiotherapy theory and practice

Five papers a day, read so you don't have to.

