Chapter 4 exercises

Use real Euclidean inner products unless stated otherwise. Specify the projected subspace, basis, rank assumptions, and residual.

CH04-E1

Let

$$A = \begin{bmatrix} 1 & 2 & 0 \\ 0 & 1 & 1 \end{bmatrix}.$$

1. Find a basis of $N(A)$.
2. Verify that a row-space basis is orthogonal to the nullspace.
3. Find $N(A^T)$ and explain why $C(A) = \mathbb{R}^2$.

CH04-E2

Let $a = (1, 1, 1)^T$ and $b = (2, 1, 4)^T$.

1. Find the projection p of b onto $L = \text{span}\{a\}$.
2. Find $e = b - p$.
3. Check $a^T e = 0$.
4. Give P and verify $P = P^T = P^2$.

Lin Cing
https://github.com/xinhi6716/computer-science-self-study

CH04-E3

Fit $y = c + mt$ to the points

$$(t, y) = (0, 1), (1, 2), (2, 2).$$

1. Give the design matrix A and parameter vector x.
2. Form and solve the normal equations.
3. Find p, e and check $A^T e = 0$.
4. Find the minimum sum of squared residuals.

CH04-E4

Let $A \in \mathbb{R}^{m \times n}$ have independent columns and define

$$P = A(A^T A)^{-1} A^T.$$

Chapter 4 exercises (continued)

1. Prove $P^T = P$ and $P^2 = P$.
2. Prove $I - P$ is a projector and $P(I - P) = 0$.
3. Prove $A^T A$ is invertible.
4. Conversely, prove dependent columns make $A^T A$ singular.

CH04-E5

For

$$a_1 = (1, 1, 0)^T, \qquad a_2 = (1, 0, 1)^T$$

perform Gram-Schmidt.

1. Find orthonormal q_1, q_2.
2. Give R in $A = [a_1\ a_2] = QR$.
3. Check $Q^T Q = I_2$ and $QR = A$.

CH04-E6

Use A from CH04-E5 to solve $Ax = b$ by least squares, with

$$b = (1, 2, 0)^T.$$

1. Compute $Q^T b$ explicitly and solve $Rx = Q^T b$.
2. Find $p = Ax$, $e = b - p$, and $\|e\|^2$.
3. Check $A^T e = 0$ column by column without first assuming the normal equations.

CH04-E7

Let

$$A = \begin{bmatrix} 1 & 1 \\ 2 & 2 \end{bmatrix}, \qquad b = \begin{bmatrix} 1 \\ 3 \end{bmatrix}.$$

1. Determine whether the columns are independent.
2. Project b onto $C(A)$.
3. Find every least-squares solution $x^\star$.
4. Explain why projection is unique but parameters are not.

CH04-E8

Let

Chapter 4 exercises (continued)

$$P = \begin{bmatrix} 1 & 1 \\ 0 & 0 \end{bmatrix}.$$

1. Prove $P^2 = P$.
2. Prove $P \neq P^T$.
3. Find the range and kernel of P.
4. Explain why idempotence does not imply orthogonal projection, identifying the failure of orthogonality between the range and kernel.

CH04-E9

For $A = \begin{bmatrix} 1 & 1 & 0 \\ 2 & 2 & 0 \end{bmatrix}$ and $b = (3, 1)^T$, find bases and dimensions for all four fundamental subspaces. Compute the orthogonal projection p and residual e. Prove the minimum residual norm using a Pythagorean identity and find all minimizing parameters x. Prove which parameter has minimum norm. Finally decompose the particular solution $(2, -1, 2)^T$ into row-space and nullspace parts and compare its norm with that minimum.

References and attribution

Gilbert Strang. Introduction to Linear Algebra, 5th Edition, 2016.

Original educational synthesis by Lin Cing. Original material is licensed under CC BY 4.0. The referenced textbook is not distributed with these notes.

https://github.com/xinhi6716/computer-science-self-study