Exercises

An irreducible polynomial is assumed to be nonzero and not a unit. Every field is nonzero. A line in finite geometry is an incidence block and need not appear straight in a drawing over the real numbers.

DM17-E01

Determine whether $p = x^3 + x + 1$ is irreducible in $\mathbb{F}_2[x]$. List every element of $\mathbb{F}_2[x]/(p)$. Compute $[x^2]^{-1}$ by Euclidean division and back-substitution, and check it by multiplication.

DM17-E02

In $GF(4) = \mathbb{F}_2[\alpha]$, where $\alpha^2 = \alpha + 1$, calculate $(\alpha + 1)^3$, $(\alpha + 1)^2 + \alpha$, and all nonzero inverses. Use additive element orders to prove that this ring is not isomorphic to $\mathbb{Z}_4$.

DM17-E03

Construct the cyclic Latin square of order 3 and determine whether it is reduced. Construct $L_2(x, y) = 2x + y \pmod 3$. Compare its orthogonality with the first square, first-row normalization, and reducedness.

Lin Cing
https://github.com/xinhi6716/computer-science-self-study

DM17-E04

Derive v, b, k, r and the number of directions for $AG(2, 3)$. Find the line through $(1, 2), (2, 1)$ and list all its points. Then find the parallel line through $(1, 1)$ and list its points.

DM17-E05

Use double counting, without quoting projective plane parameters, to find b, r for a $2 - (7, 3, 1)$ design. Check the divisibility conditions for $2 - (16, 6, 1)$, and prove that this design still cannot exist.

DM17-E06

In the subspace model of $PG(2, q)$, prove that two distinct points determine a unique line and that two distinct lines meet in exactly one point. Derive the number of points on each line, lines through each point, and total points and lines. Explain what is being grouped each time you divide by $q - 1$.

DM17-E07

In $GF(9) = \mathbb{F}_3[\alpha]$, where $\alpha^2 = 2$, prove that α does not generate the multiplicative group but $1 + \alpha$ does. List all eight powers of $1 + \alpha$ and find its inverse.

DM17-E08

Prove that $f = x^4 + x + 1 \in \mathbb{F}_2[x]$ is irreducible. Checking only that 0 and 1 are not roots is insufficient. Exclude quadratic factors. Then prove that $[x]$ has multiplicative order 15 in the quotient field.

DM17-E09

Over $\mathbb{Z}_4$, compare $L_1(x, y) = x + y$ and $L_3(x, y) = 3x + y$. Is each square Latin? Are they orthogonal? Give two different cells with the same ordered pair, and identify the operation that fails in the field proof.

DM17-E10

Construct three MOLS over $GF(4)$ using $L_a(x, y) = ax + y$. List the first column of each square, with rows ordered $0, 1, \alpha, \alpha + 1$. Find the unique cell giving the ordered pair $(1, \alpha)$ in $(L_\alpha, L_{\alpha+1})$. Use the general equations to explain orthogonality.

DM17-E11

For the Fano blocks $123, 145, 167, 246, 257, 347, 356$, verify the replication of each point and the coverage of every pair. After deleting line 123, list the three affine parallel classes. Translate line 145 into codeword positions for the matrix H in Chapter 16, and write the seven-bit word.

DM17-E12

Let M be the 7×7 real point-block incidence matrix of the Fano plane in Exercise 11. Find MM^T, $|\det M|$, and a formula for M^{-1}. Why is the same 0/1 matrix singular over $\mathbb{F}_2$? Explain why the real-rank proof does not transfer directly.

DM17-E13

Suppose finite fields satisfy $E \subseteq K$, with $|E| = p^d$ and $|K| = p^n$. Use products of basis elements to prove $d \mid n$. Decide whether $GF(4)$ can embed into $GF(8)$. Comparing set sizes alone is insufficient.

DM17-E14

Let $K = GF(16)$. Prove that $S = \{a \in K : a^4 = a\}$ has exactly four elements and is a subfield. Count its roots using the cyclic structure of $K^\times$, and verify closure under addition, multiplication, and inverses.

References and attribution

Lin Cing, handwritten discrete mathematics notes. Ralph P. Grimaldi, Discrete and Combinatorial Mathematics, 5th ed., Ch. 17.

Original educational synthesis by Lin Cing, licensed under CC BY 4.0.

https://github.com/xinhi6716/computer-science-self-study

Lin Cing
https://github.com/xinhi6716/computer-science-self-study