Chapter 6 exercises

Use real matrix entries unless specified otherwise. State stability conditions and the restrictions imposed by real initial data.

CH06-E1

For

$$A = \begin{bmatrix} 3 & 1 \\ 1 & 3 \end{bmatrix},$$

1. Find eigenvalues from the characteristic polynomial.
2. Give a basis of each eigenspace and its geometric multiplicity.
3. Solve $u_{k+1} = Au_k$ for $u_0 = (2, 0)^T$.

CH06-E2

Let

$$A = \begin{bmatrix} 4 & -2 \\ 1 & 1 \end{bmatrix}.$$

1. Find eigenvalues and eigenvectors.
2. Give $A = X\Lambda X^{-1}$.
3. Compute a closed form for A^5, rather than repeated multiplication as the final method.

Lin Cing
https://github.com/xinhi6716/computer-science-self-study

CH06-E3

Given

$$A = \begin{bmatrix} 2 & 1 \\ 0 & 2 \end{bmatrix}.$$

1. Find algebraic and geometric multiplicities.
2. Decide diagonalizability.
3. Use $A = 2I + N$ directly to compute A^k.

CH06-E4

Solve the initial-value system

$$\frac{du}{dt} = \begin{bmatrix} 2 & -1 \\ -1 & 2 \end{bmatrix} u, \qquad u(0) = \begin{bmatrix} 1 \\ 3 \end{bmatrix}.$$

Chapter 6 exercises (continued)

1. Find eigenvalues and orthonormal eigenvectors.
2. Project the initial vector onto both eigendirections.
3. Give $u(t)$ and its long-term behavior.

CH06-E5

Consider

$$\frac{du}{dt} = \begin{bmatrix} 0 & -1 \\ 1 & 0 \end{bmatrix} u.$$

1. Find the complex eigenvalues and eigenvectors.
2. Give the real-valued general solution $u(t)$.
3. Prove $\|u(t)\|^2 = \|u(0)\|^2$, so each orbit stays on a circle.
4. If the matrix is replaced by

$$\begin{bmatrix} \alpha & -1 \\ 1 & \alpha \end{bmatrix},$$

characterize stability as α varies.

Lin Cing
https://github.com/xinhi6716/computer-science-self-study

CH06-E6

Let

$$S = \begin{bmatrix} 2 & 1 & 0 \\ 1 & 2 & 1 \\ 0 & 1 & 2 \end{bmatrix}.$$

1. Check symmetry without first expanding the characteristic polynomial.
2. Prove every eigenvalue is real.
3. Prove eigenvectors for distinct eigenvalues are orthogonal.
4. State the spectral theorem's conclusion and explain why eigenvectors cannot be chosen arbitrarily.

CH06-E7

Let

$$S = \begin{bmatrix} 2 & -1 \\ -1 & 2 \end{bmatrix}.$$

1. Test positive definiteness through eigenvalues, leading minors, and energy.
2. Express $x^T S x = 1$ in eigen-coordinates and give its semiaxis lengths.
3. Find the maximum and minimum of $x^T S x$ subject to $\|x\| = 1$.

Chapter 6 exercises (continued)

CH06-E8

Let

$$A = \begin{bmatrix} -1 & 1 & 0 \\ 0 & -1 & 1 \\ 0 & 0 & -1 \end{bmatrix}.$$

1. Find the eigenvalues, trace, and determinant of A.
2. Compute $e^{At} = e^{-t}e^{Nt}$, where $A = -I + N$.
3. Determine asymptotic stability of the zero solution.
4. Explain why negative eigenvalue real parts do not in general imply monotone decrease of $\|e^{At}\|_2$. Use $A + A^T$ to determine whether this particular matrix is actually contractive. Give a different matrix and initial vector if needed to exhibit transient growth.

CH06-E9

1. For invertible square A, B, prove AB and BA have the same eigenvalues by similarity or determinants.
2. Prove a diagonalizable matrix with all eigenvalues zero is the zero matrix.
3. Give a nonzero 2×2 matrix with all eigenvalues zero and explain why it is not diagonalizable.

Lin Cing
https://github.com/xinhi6716/computer-science-self-study

References and attribution

Gilbert Strang. Introduction to Linear Algebra, 5th Edition, 2016.

Original educational synthesis by Lin Cing. Original material is licensed under CC BY 4.0. The referenced textbook is not distributed with these notes.

https://github.com/xinhi6716/computer-science-self-study