When AI Becomes the First Reader: From Peer Review to Proof of Contribution

[TO FILL]*

November 1, 2026

Abstract

Scholarly work has a new first reader. Before a human peer opens a manuscript, AI systems have often already helped draft it, and they increasingly screen, summarize, rank, and pre-evaluate it; in a measurable share of cases they also help write the review that judges it. This paper argues that the shift exposes a structural flaw in how academic credit is settled. In the post-war journal regime, peer review became the sole settlement mechanism for credit, designed for a world where humans read first. It settles credit at the level of whole papers, through the channel of scarce human reading. Both design assumptions are now failing. Contributions increasingly live in components—datasets, methods, evidence, replications—while credit is still issued per paper, a granularity mismatch. And the human-reading channel is overloaded by volume and fraud, while the AI detectors adopted to protect it are demonstrably unreliable, a channel mismatch. We propose upgrading academic credit from a peer-review stamp to proof of contribution: credit represented as a five-dimensional vector (origination, evidence quality, verification, maintenance, and downstream use), accounted at the level of knowledge components and supported by provenance records, with peer review retained as one settlement mechanism among several. The proposal is an upgrade of peer review, not its abolition. Throughout, we separate established facts, trend judgments, and conditional scenarios, and we state the boundaries of the proposal explicitly. We close with a three-paper design-science research agenda and three testable propositions, one for each of the paper's claims.

Keywords: peer review; academic credit; generative AI; contribution accounting; research provenance; scholarly communication

*[TO FILL: affiliation and contact.] Working paper, first draft. Comments welcome.

1 The first reader has changed

Every scholarly text is read first by someone. For most of the history of modern science, that someone was a human: an editor deciding whether a manuscript merited review, a referee deciding whether it merited publication, a colleague deciding whether it merited citation. This paper starts from a simple observation with large consequences: the first reader of scholarship is increasingly not human.

A note on epistemic status. Because the subject invites overstatement, we label our claims. *Established facts* are documented in the cited sources. *Trend judgments* are our reading of the direction in which documented facts point. *Conditional scenarios* describe what would follow if a trend continues, and are not predictions. *Hypotheses* are claims we propose to test. Claims whose primary source is not yet in our reference list are marked [**TO VERIFY: . . .**]. They illustrate a point but carry no argumentative weight.

1.1 The phenomenon

Consider first the evaluative side of the system. Analysing peer reviews submitted to ICLR 2024 and three other major AI conferences, Liang et al. [4] estimate that between 6.5% and 16.9% of review text was substantially modified by large language models (LLMs). An independent study of ICLR 2024 finds that at least 15.8% of reviews were written with AI assistance, and that AI-assisted reviews gave higher scores [6]. These are established facts about specific venues, and they coexist with formal prohibitions. In June 2023 the U.S. National Institutes of Health (NIH) barred its reviewers from using generative AI in the peer review process [10], and the Australian Research Council adopted a comparable restriction for its grant programs [15]. The rule says humans read first; the measurements say that, in a non-trivial share of cases, they do not.

The productive side shows the same pattern. Measuring 950,965 papers across arXiv, bioRxiv, and Nature-portfolio journals, Liang et al. [5] estimate that by February 2024 about 17.5% of sentences in computer science abstracts had been modified by LLMs. A 2025 survey of 4,946 researchers reports that 63% name a lack of guidelines or training as a key barrier to responsible AI use [**TO VERIFY: Wiley 2025 researcher survey**]. AI use in writing is already widespread; whether disclosure keeps pace with it is taken up in Section 2.

The publication side is changing too. eLife has replaced binary accept/reject decisions with public review and curation [**TO VERIFY: eLife announcement**]. On 28 October 2026, a coalition of more than forty stakeholders convened by COAR and ASAPbio launched the Publish, Review, Curate (PRC) Alliance to formalize a model in which work is published

first and reviewed afterwards [16]. Under this model a work is public before any human peer has evaluated it.

Discovery has moved as well. A 2025 survey found that 61% of researchers use AI tools to discover and summarize papers rather than reading them on journal platforms; in the same year Perplexity AI passed 30 million daily searches and partnered with Wiley to deliver peer-reviewed content directly [14]. Both figures need qualifying. A self-reported share of researchers who use AI tools is not the share of first readings that AI mediates, and platform-wide search volume is not academic retrieval volume. Taken together, however, the two observations show that platforms outside the journal now shape which scholarship first becomes visible, and in what form. That this holds for most first contact with the literature is a trend judgment, not a measured fact.

1.2 The first reader as an analytical concept

We use *first reader* in an operational sense. The claim is not that every paper is opened by a machine before a human opens it. It is that AI systems now mediate, at scale, humans' first contact with scholarly content, through discovery, summarization, ranking, and pre-evaluation. By *first contact* we mean the first effective informational contact on which a decision to read, cite, or evaluate further is based—not a download or access event. Whether the mediation changes that decision is a separate question, to be measured rather than assumed. The first reader in this sense is not necessarily the most authoritative reader. It is the one that sets the agenda for everyone else. An editor's desk rejection, a referee's summary, or a search engine's ranking each acts as a filter: it shapes which work reaches later readers and how that work is framed when it arrives.

The concept matters because *whoever reads first shapes what counts*. When the first reader was a human peer, the system of academic credit could reasonably treat human reading as the place where value was recognized. When the first reader is an AI system—summarizing a paper for a reviewer, drafting part of the review, ranking the paper in a discovery feed—recognition is mediated before any human judgment occurs. This mediation is not neutral. A summary picks out some contributions and leaves others out. A ranking rewards some signals and ignores others.

The point is not that AI reading is worse than human reading. In some respects it is faster, broader, and more consistent. The point is that the credit system was not built for it. The analysis also excludes a misreading: we do not claim that AI has replaced human judgment. We claim that it now stands *in front of* human judgment, and that the institutions which convert scholarly work into career-relevant credit have not adjusted.

1.3 What would count against the claim

The first-reader claim is empirical and should be held to evidence. Three kinds of data would strengthen or shrink it: audited logs of AI-system access to publisher content; workflow logs collected from researchers with their consent; and behavioral measures that separate a researcher's first exposure to an AI-generated summary from their first reading of the full text. If representative samples show that AI mediation of first contact is low, or that it has no measurable effect on what researchers choose to read, cite, or evaluate, then the strong version of the claim must be narrowed or abandoned. The argument of Sections 2 and 3 would then rest on the weaker, already documented facts about AI use in writing and review.

1.4 The question

The situation can be stated as a single question: *when AI simultaneously helps produce, evaluate, and read scholarship, what should settle academic credit?* The rest of the paper answers it in three steps. Section 2 argues that peer review, as the *sole* settlement mechanism for credit, fails on two counts: granularity and channel. Section 3 proposes an upgrade—proof of contribution—in which credit is a vector, the accounting unit is the knowledge component, and peer review becomes one settlement mechanism among several. Section 4 sets out a research agenda and three testable propositions.

2 The settlement failure

By *settlement* we mean the process by which a scholarly contribution is converted into recognized credit that institutions—hiring committees, promotion panels, funding agencies—can act on. Settlement is distinct from dissemination (making work available) and from evaluation in the broad sense (forming any judgment about it). In the regime that now dominates formal academic evaluation, settlement happens mainly at one point: a paper passes peer review at a venue, and the resulting publication, attributed to an ordered list of authors, becomes the unit of credit.

Historical scope. The critique has a specific target. We do not claim that academic credit has historically had only one channel. Preprint cultures, monographs, conference proceedings, patents, and traditions of credit for software and data all show that plurality is old. Our target is the post-war regime in which the whole journal paper became the dominant credential of credit, and in which formal resource allocation—hiring, promotion, funding—came to be keyed to the venues where papers appear. It is within this regime that

peer review functions as the sole settlement mechanism. Seen this way, the plural settlement proposed in Section 3 is not an invention. It is a return to, and reorganization of, an older plurality, now on auditable infrastructure.

Peer review performs this role on the basis of three design assumptions, rarely stated but built into the institution:

(A1) *Human first reading.* A qualified human reads the work before it is credited, and that reading is the source of the credit's legitimacy.

(A2) *Whole-paper granularity.* The paper is the natural unit of contribution, and its author list is an adequate summary of who contributed what.

(A3) *A slow, scarce channel.* Reviewing capacity is limited and reading is slow, which makes the stamp informative: passing through a narrow gate signals quality.

Under these assumptions, making peer review the sole settlement mechanism was a reasonable design. Our claim is that two mismatches have opened between these assumptions and the system they govern.

2.1 The granularity mismatch

The first mismatch concerns the *unit* of credit. Much contemporary research is assembled from components: datasets, software and analysis code, methods and protocols, individual empirical findings, replications. These components have different authors, different lifespans, and different patterns of reuse. A dataset may support dozens of papers; a replication may confirm or overturn a finding years after publication; a widely used piece of code may be maintained by people who appear on none of the papers that depend on it. Settling credit per paper compresses all of this into a single author list, attached to a single document, at a single moment in time.

Generative AI makes the compression harder to sustain. The prevailing norm in journal policy is that AI tools cannot be listed as authors, because authorship entails accountability that a tool cannot bear [**TO VERIFY: publisher and COPE authorship policies**]. The norm is sound, but it shows the limits of the author list as an accounting device. AI can contribute substantially to drafting, coding, or analysis, yet the only available record of that contribution is a free-text disclosure, if one is made at all. In parallel, the author list is a tradeable commodity. Paper mills—organizations that produce fraudulent manuscripts to order—sell authorship slots, and their output accounts for a large share of recent mass retractions [8]. A unit of credit that can neither record a genuine non-human contribution nor resist the sale of fictitious human ones is too coarse to carry the weight placed on it.

2.2 The channel mismatch

The second mismatch concerns the *channel* through which credit is settled. Peer review is a channel of human reading. It has two properties that once made it work: it was assumed to be human (A1), and its scarcity made it selective (A3). Both properties are under pressure.

Scarcity has become overload. More than 10,000 research papers were retracted in 2023, a record, of which more than 8,000 came from a single publisher's clean-up of special issues compromised by organized fraud; the retraction rate more than tripled over the preceding decade [8]. These are established facts. Our trend judgment is that they indicate a channel whose capacity to screen has fallen behind the volume and sophistication of what passes through it.

The human property can no longer be assured. Institutions have tried to restore assumption (A1) by banning AI from review [10] and by screening submissions with AI-text detectors. The measurement literature suggests the first measure is widely circumvented [4, 6]. The second rests on unreliable instruments. Seven widely used detectors misclassified essays by non-native English writers as AI-generated 61.3% of the time on average, against 5.1% for native writers [7]. A systematic test of fourteen detection tools concluded that they are neither accurate nor reliable [12]. On the theoretical side, as the distributions of human and machine text converge, the performance of even the best possible detector approaches that of random guessing [13]. OpenAI withdrew its own AI-text classifier in July 2023, citing low accuracy [**TO VERIFY: OpenAI announcement**]. A channel whose defining property cannot be verified cannot certify that property.

Institutional responses are also fragmented. A 2024 survey of 200 psychiatry journals found that only 39% had any AI policy, with coverage falling from 56% of top-quartile journals to 20% of bottom-quartile ones; among 60 oncology journals, 96.7% required disclosure of AI use but only 35% specified how the requirement would be enforced [**TO VERIFY: psychiatry and oncology journal policy surveys**]. Disclosure without verification is a statement, not a record.

2.3 Why "sole" is the problem

None of this shows that peer review is worthless. Expert human judgment remains the best available instrument for assessing significance, coherence, and fit with a field's open questions. The failure lies in the word *sole*. Because peer review is the only settlement point, every pressure on the system lands on it: the volume of AI-assisted submissions, the fraud of paper mills, the need to police AI use, and the demand to credit contributions it was never designed to see. A mechanism tuned for one function is being asked to perform five.

The consequences, if the trends persist, can be sketched as conditional scenarios rather than forecasts. *If* AI-assisted submission volume continues to grow faster than reviewer capacity, *then* reviewers will rely more on AI assistance, and the human first reading that legitimizes the stamp will become increasingly nominal. *If* detection remains unreliable, as theory suggests it will [13], *then* enforcement of AI bans will fall disproportionately on groups whose writing detectors misjudge, such as non-native English writers [7]. *If* credit continues to settle only per paper, *then* incentives will continue to favour producing papers over producing reusable, verified, maintained components. A further risk compounds these: AI tools may expand scientific output without a matching growth in understanding, producing what Messeri and Crockett [9] call "illusions of understanding." A credit system that counts papers cannot tell the two apart. None of these scenarios is inevitable. Each follows from keeping a single settlement mechanism under conditions it was not designed for.

3 From peer review to proof of contribution

We propose upgrading academic credit from a peer-review stamp to *proof of contribution*. By this we mean a verifiable record, supported by provenance, stating that a particular agent made a particular kind of contribution to a particular knowledge component, together with a record of how that component has been checked and used. The proposal has three parts: a vector of credit, a change in the accounting unit, and a plurality of settlement mechanisms. We state plainly what it is not: *this is an upgrade of peer review, not its abolition.* Peer review remains, with a narrower and better-defined role.

3.1 Credit as a vector

A peer-review stamp is effectively a scalar: a paper is published or it is not, in a venue of a given rank. We propose to represent credit as a vector with five dimensions: origination, evidence quality, verification, maintenance, and downstream use. Table 1 sets them out as a candidate measurement design. For each dimension it asks three questions: what existing data sources could record it (*observability*), whether the indicator measures what it claims and where it is biased (*construct validity*), and which institutions could use it in which decisions (*institutional applicability*).

The three columns play different roles. *Observability is the admission ticket*: a dimension that no existing source can record cannot enter any accounting. *Construct validity is honesty*: each indicator must be read together with its known biases, so that an availability badge is not mistaken for correctness or a timestamp for importance. *Institutional applicability is*

Dimension	**Observability** (candidate sources)	**Construct validity** (main biases)	**Institutional applicability** (who decides what)
Origination	Structured novelty statements; timestamped archives; retrospective "first" attributions	Retrospective attribution is a winner's narrative; timestamps prove priority, not importance	Hiring and tenure; prizes
Evidence quality	Data and code availability badges; named reviews of method–conclusion fit	Availability is not correctness; badges can become formalistic	Journal and conference acceptance; grant review
Verification	Replication badges; open review records; locatable counterexamples	A replicable error is still an error; negative replications are hard to publish, so observation is skewed	Grant renewal and completion; field consensus
Maintenance	Version histories; erratum response records; long-term availability checks	Update frequency is not maintenance quality; value is hard to compare across fields	Funders of infrastructure and long-term projects; repository operators
Downstream use	Citations, code dependencies, dataset citations (excluding self, reciprocal, and automated)	Citation motives are mixed; citation cultures differ by discipline	Institutional impact assessment; policy evaluation

Table 1: The credit vector as a measurement matrix. Candidate design, not empirical results.

use: it states which decisions an indicator may inform. Different decisions need different combinations of dimension and validity requirement. A tenure committee weighing origination must work around the winner's-narrative bias of retrospective attribution; a funder of research infrastructure weighing maintenance faces a different bias and needs a different safeguard. This is the positive, measurement-theoretic reason for not collapsing the vector into a single total score. Any fixed weighting would impose one decision's validity requirements on every other decision. The absence of a sum is a design choice, not a defensive omission.

The vector does two further things a scalar cannot. It separates dimensions that AI affects very differently. Generative AI has sharply reduced the cost of producing fluent text, which bears on how origination is attributed. It has done far less to reduce the cost of independent verification or long-term maintenance. A scalar credit system cannot register that shift; a vector can. And a vector removes the need to treat AI involvement as a yes-or-no property of a whole document.

Current policy shows why that last point matters. At one extreme, the NIH has stated that applications substantially developed by AI will not be considered the original ideas of the applicant [11]: AI involvement disqualifies the whole document on the origination dimension. At the other, an experiment at ICLR 2025 reports that LLM-generated feedback on reviews led 27% of reviewers to revise them, and that the revised reviews were rated higher in quality

[**TO VERIFY: ICLR 2025 review-feedback experiment**]: AI involvement improves an evaluative contribution. Both judgments may be correct, because they concern different dimensions. A vector lets an institution record that a component's origination was human, that its text was AI-assisted, and that its verification was carried out by an independent team, without forcing these facts into a single verdict.

3.2 The knowledge component as the unit of account

The second move is to shift the unit of account from the paper to the *knowledge component*. We use the term for any separately identifiable, reusable unit of scholarly work that can be attributed, checked, and built on. We distinguish four kinds: *data* (datasets and their documentation), *methods* (protocols, models, and code), *evidence* (specific claims together with the analyses that support them), and *replications* (independent attempts to reproduce or extend a claim). The paper does not disappear. It becomes a narrative that assembles components, motivates them, and interprets them, and it can itself be credited for those functions.

Contribution accounting at the component level involves four operations, described here in neutral terms rather than as a specific system design:

(i) *Identification.* Each component receives a persistent identifier and a description sufficient for others to locate and reuse it.

(ii) *Provenance.* Each component carries a record of its derivation: which earlier components it builds on, which agents—human researchers and, where relevant, AI tools—performed which operations, and when. Provenance replaces after-the-fact disclosure with a record made as the work is done.

(iii) *Verification.* Claims about a component (that the code runs, that the analysis reproduces, that the finding replicates) are attached to it as separate, attributable contributions.

(iv) *Crediting.* Credit to persons is computed by aggregating their contributions across components, dimension by dimension, rather than inferred from position in an author list.

Two features of this design bear directly on the failures described in Section 2. Provenance gives AI involvement a place in the record that is neither forbidden nor hidden, which removes the dependence on unreliable detection. And because verification and reuse are recorded as contributions, the incentives that currently favour producing new papers over checking and maintaining existing work are, at least in principle, rebalanced.

3.3 Plural settlement mechanisms

The third move is to replace a single settlement point with several, each matched to the dimensions it can assess well:

- *Peer review* settles judgments of significance, coherence, and contribution to a field's open questions—the dimensions where expert human reading has no substitute. It also continues to assess evidence quality.
- *Verification settlement* credits replications, re-executions, and audits as contributions in their own right.
- *Use-based settlement* credits components according to recorded reuse and derivation, not only citation.
- *Maintenance settlement* credits the continuing work of keeping components correct and usable.

In this arrangement AI systems can legitimately act as first readers—screening, summarizing, checking consistency—provided their role is recorded in the provenance of the evaluation. Human peer review then concentrates on the judgments that most need it, instead of absorbing every pressure on the system.

Plural settlement also needs an institutional chain, which we describe as *record* → *adopt* → *allocate*. (1) *Record*: open, interoperable infrastructure records identifiers, attribution, dependencies, evidence, and timestamps for each component. (2) *Adopt*: plural accountable agents—field peers, independent replicators, data and software auditors, and the affected contributors themselves—verify what has been recorded, and the record leaves room for dissent. (3) *Allocate*: institutions act on what has been adopted. Universities can disclose per-dimension contributions in hiring and promotion files; funders can record which evidence a grant rests on; journals can display the verification and maintenance status of what they publish. The three links must be held by different hands. Those who operate the recording infrastructure must not also monopolize verification and allocation. This separation of powers keeps the record from becoming a new single gate. Plural channels of credit are old; what is new is the possibility of connecting them through records that others can audit.

3.4 Incentive compatibility

Any credit record will be gamed, so the design must say in advance what counts. Credit attaches only to observable, checkable acts: submissions of verifiable versions, replications with stated sources, dependencies by external parties, recorded response times to errata, and

declared interests. Some signals are never credited automatically: unverified downloads, bot traffic, reciprocal citation rings, and mass-produced surface-level reviews. When gaming is suspected, the first step is to record the checkable anomaly, which is then judged by independent persons in its disciplinary context. A statistical anomaly alone never establishes misconduct. Affected contributors must be able to see the basis of any judgment about them, rebut it, and request human review.

3.5 Boundaries of the proposal

The proposal has limits, and we state them so that it is not read as claiming more than it does.

It does not abolish peer review. It narrows peer review's role and relieves it of functions it performs poorly.

It does not hand evaluation to AI. Recording AI's role as a first reader is different from endorsing AI as a final judge. Accountability for every contribution remains with identifiable humans.

It is not a metric to be maximized. Section 3.4 addresses deliberate gaming, but over-weighting can distort even without it. Downstream use is especially exposed. A 2026 study of 41.3 million papers reports that AI tools expand individual researchers' impact while narrowing science's collective topical focus by 4.63% [**TO VERIFY: Nature 2026 study of 41.3M papers**]. If that finding holds, a credit system that over-weighted use would reward convergence and deepen the monocultures that Messeri and Crockett [9] warn of. The vector is meant to inform judgment, not to replace it.

It is not tied to a particular technology. Identification, provenance, and verification can be implemented in many ways. The argument concerns what should be recorded and credited, not the infrastructure that records it.

It has costs. Component-level accounting adds overhead, may disadvantage researchers with fewer resources for documentation, and raises questions of privacy for unpublished work. The bias of AI detectors against non-native writers [7] is a warning that measurement instruments can encode inequity. Any implementation must be evaluated for such effects before it is relied on.

4 Research agenda

The argument so far is a position, not a demonstration. Turning it into knowledge requires a sequence of studies. We frame that sequence as design-science research: building and

evaluating artefacts that address a recognized problem, with the artefact and the evaluation as the main sources of knowledge [1].

4.1 A three-paper sequence

1. *Position* (this paper). It identifies the problem—a sole settlement mechanism mismatched to an AI-mediated system in granularity and channel—and states the objectives a solution must meet, corresponding to the problem-identification and objective-definition stages of the design-science research process [2].

2. *System.* A working artefact that implements component-level contribution accounting for a bounded domain, with identification, provenance, verification, and crediting operations, demonstrated on real research workflows that include AI tools.

3. *Design-science evaluation.* A structured assessment of the artefact against the stated objectives, and the derivation of design principles that can be carried to other domains, presented so that both the artefact and the principles are recognizable as contributions [3].

4.2 Three testable propositions

Each of the paper's claims yields a proposition that later work can test. They are hypotheses, not findings.

P1 (first reader).
In fields where AI-text measurement is feasible, the share of manuscripts that receive an AI-mediated assessment—screening, summarization, or review drafting—before the first evaluative human reading is substantial and rising over time. This can be tested by extending distributional measurement methods [4, 5] and by auditing editorial and review workflows.

P2 (settlement failure).
Credit signals settled solely through whole-paper peer review predict later verification outcomes—successful replication, correction, or retraction—less well than signals derived from component-level records of evidence and verification. This can be tested retrospectively on corpora that link publications to replication and retraction data.

P3 (proof of contribution).
Evaluators given vectorized, component-level contribution records make credit decisions that are more consistent across evaluators, and better aligned with independently verified

contributions, than evaluators given paper-level records alone, at an added cost they judge acceptable. This can be tested in controlled evaluation experiments using the artefact from the second paper.

4.3 A call to the scholarly community

The institutions that settle academic credit—publishers, funders, research-evaluation bodies, and the communities that write their rules—are currently responding to AI mainly through prohibition and disclosure. Both responses assume that the old settlement mechanism can be protected by policing its boundary. The evidence reviewed here suggests that the boundary cannot be reliably policed and that the mechanism behind it is overloaded. We invite these communities to treat the moment as a design problem: to experiment with recording contributions at the level where they actually occur, to give verification and maintenance the credit they deserve, and to let peer review do what it does best. AI has already become the first reader of scholarship. The question is whether the credit system will continue to rely on a single gate, or will learn to account for contributions directly.

References

[1] Hevner, A. R., March, S. T., Park, J., & Ram, S. (2004). Design science in information systems research. *MIS Quarterly*, 28(1), 75–105.

[2] Peffers, K., Tuunanen, T., Rothenberger, M. A., & Chatterjee, S. (2007). A design science research methodology for information systems research. *Journal of Management Information Systems*, 24(3), 45–77.

[3] Gregor, S., & Hevner, A. R. (2013). Positioning and presenting design science research for maximum impact. *MIS Quarterly*, 37(2), 337–355.

[4] Liang, W., Izzo, Z., Zhang, Y., et al. (2024). Monitoring AI-modified content at scale: A case study on the impact of ChatGPT on AI conference peer reviews. In *Proc. ICML*. arXiv:2403.07183.

[5] Liang, W., Zhang, Y., Wu, Z., et al. (2024). Mapping the increasing use of LLMs in scientific papers. arXiv:2404.01268.

[6] Latona, G. R., Ribeiro, M. H., Davidson, T. R., Veselovsky, V., & West, R. (2024). The AI review lottery: Widespread AI-assisted peer reviews boost paper scores and acceptance rates. arXiv:2405.02150.

[7] Liang, W., Yuksekgonul, M., Mao, Y., Wu, E., & Zou, J. (2023). GPT detectors are biased against non-native English writers. *Patterns*, 4(7), 100779.

[8] Van Noorden, R. (2023). More than 10,000 research papers were retracted in 2023—a new record. *Nature*, 624, 479–481.

[9] Messeri, L., & Crockett, M. J. (2024). Artificial intelligence and illusions of understanding in scientific research. *Nature*, 627, 49–58.

[10] National Institutes of Health. (2023). The use of generative artificial intelligence technologies is prohibited for the NIH peer review process. Notice NOT-OD-23-149.

[11] National Institutes of Health. (2025). Notice NOT-OD-25-132.

[12] Weber-Wulff, D., et al. (2023). Testing of detection tools for AI-generated text. *Int. J. Educational Integrity*, 19, 26.

[13] Sadasivan, V. S., Kumar, A., Balasubramanian, S., Wang, W., & Feizi, S. (2023). Can AI-generated text be reliably detected? arXiv:2303.03635.

[14] Shaping the AI systems that speak for science. (2026). Editorial. *Nature Sensors*, 1, 559–560. `https://doi.org/10.1038/s44460-026-00109-0`.

[15] Australian Research Council. (2023). Policy on the use of generative AI tools in the ARC's grants programs. Released 7 July 2023.

[16] Publish, Review, Curate (PRC) Alliance. (2026). Launch announcement, 28 October 2026. Joint initiative of COAR and ASAPbio.