# Spring 2021 MATH231 Section CDQ Discussion

WF 9-10am

This document can be found on my website.

### Contact

• TA for section CDQ: Xinran Yu

• Email: xinran4@illinois.edu

• Office hour: Wed 10-11am

### **Format**

- 20 min group working in break out rooms
- 20 min working out examples in main room

### Worksheets

- Should be submitted to Moodle
- 1 submission per group<sup>1</sup>
- Groups remain the same until each midterm
- 1st worksheet due on **Thursday** at 8AM CST  $^2$
- $\bullet\,$  2nd worksheet due on  ${\bf Saturday}$  at  ${\bf 8AM}$  CST

 $<sup>^1{\</sup>rm Groups}$  are assigned randomly by Moodle

<sup>&</sup>lt;sup>2</sup>Central Standard Time

# Contents

1	Week 1 Wed	3
2	Week 1 Fri	4
3	Week 2 Wed	4

### 1 Week 1 Wed

**Theorem 1.1** (Fundamental Theorem of Calculus). Ref p.26

Part 1 If f(x) is **continuous** over an interval [a,b], and the function F(x) is defined by

$$F(x) = \int_{a}^{x} f(t) dt, \quad x \in [a, b]$$

then F'(x) = f(x) over [a, b].

Part 2 If f(x) is **continuous** over an interval [a,b], and F(x) is any antiderivative of f(x) i.e. F'(x) = f(x), then

$$\int_{a}^{b} f(x) \, \mathrm{d}x = F(a) - F(b).$$

Example 1.2.

$$g(x) = \int_{a}^{b(x)} f(t) dt$$

Apply chain rule and FTC

$$g(x) = \frac{\mathrm{d}}{\mathrm{d}x} \int_{c}^{b(x)} f(t) \, \mathrm{d}t = b'(x) f(b(x))$$

# 2 Week 1 Fri

 $\operatorname{Recall}$ 

•

$$\frac{d}{dx}\arctan(x) = \frac{1}{1+x^2}$$

• If u = x + C,

$$\mathrm{d}u = \frac{\mathrm{d}u}{\mathrm{d}x} \, \mathrm{d}x = 1 \cdot \, \mathrm{d}x.$$

• Change of variable, let u = g(x), then

$$\int_a^b f(g(x))g'(x) dx = \int_c^d f(u) du.$$

## 3 Week 2 Wed

Recall the area between g(x) and f(x) is

$$\int_{a}^{b} g(x) - f(x) \, \mathrm{d}x.$$