## CSCI 570 - Spring 2018 - HW 2

## Due January 28th

## 1 Graded Problems

- 1. Solve Kleinberg and Tardos, Chapter 2, Exercise 3.
- 2. Solve Kleinberg and Tardos, Chapter 2, Exercise 4.
- 3. Solve Kleinberg and Tardos, Chapter 2, Exercise 5.
- 4. Which of the following statements are **true**?
  - (a) If f, g, and h are positive increasing functions with f in O(h) and g in  $\Omega(h)$ , then the function f + g must be in  $\Theta(h)$ .
  - (b) Given a problem with input of size n, a solution with O(n) time complexity always costs less in computing time than a solution with  $O(n^2)$  time complexity.
  - (c)  $F(n) = 4n + \sqrt{3n}$  is both O(n) and  $\Theta(n)$ .
  - (d) For a search starting at node s in graph G, the DFS Tree is never as the same as the BFS tree.
  - (e) BFS can be used to find the shortest path between any two nodes in a non-weighted graph.
- 5. Solve Kleinberg and Tardos, Chapter 3, Exercise 2.

## 2 Practice Problems

- 1. Reading Assignment: Kleinberg and Tardos, Chapter 2 and 3.
- 2. Solve Kleinberg and Tardos, Chapter 2, Exercise 6.
- 3. Solve Kleinberg and Tardos, Chapter 3, Exercise 6.