

COMP 8567
Winter 2023
Assignment 4
Due: Apr/9/2023

Write a bash script **backup.sh** that runs continuously in the background and performs the following operations:

STEP 1 Create a **complete backup** of all the **.txt files (only)** found in the entire directory tree rooted at /home/username by tarring all the .txt files into **cb*****.tar** stored at **~/home/backup/cb**

- Update backup.log with the timestamp and the name of the tar file (See Fig.1.0 for file naming)

(2 minutes interval)

STEP 2 Create an **incremental backup** of only those .txt files in the entire directory tree rooted at /home/username that were **newly created or modified (only)** since the previous complete backup.

- If there are any newly created/modified .txt files since the previous complete backup, create a tar file of those text files (only): **ib*****.tar** at **~/home/backup/ib** and update backup.log with the timestamp and the name of the tar file (see Fig. 1.0 for logging and the file naming)
- Else update backup.log with the timestamp and a message (See Fig.1.0)

(2 minutes interval)

STEP 3 Create an **incremental backup** of only those .txt files in the entire directory tree rooted at /home/username that were **newly created or modified (only)** since the previous incremental backup.

- If there are any newly created/modified .txt files since the previous incremental backup, create a tar file of those text files (only): **ib*****.tar** at **~/home/backup/ib** and update backup.log with the timestamp and the name of the tar file (see Fig. 1.0 for logging and the file naming)
- Else update backup.log with the timestamp and a message (See Fig.1.0)

(2 minutes interval)

STEP 4 Create an **incremental backup** of only those .txt files in the entire directory tree rooted at /home/username that were **newly created or modified (only)** since the previous incremental backup.

- If there are any newly created/modified .txt files since the previous incremental backup, create a tar file of those text files (only): **ib*****.tar** at **~/home/backup/ib** and update backup.log with the timestamp and the name of the tar file (see Fig. 1.0 for logging and the file naming)
- Else update backup.log with the timestamp and a message (See Fig.1.0)

(2 minutes Interval)

STEP 5 Create a **complete backup** of all the **.txt files (only)** found in the entire directory tree rooted at /home/username by tarring all the .txt files into **cb*****.tar** stored at **~/home/backup/cb**

- Update backup.log with the timestamp and the name of the tar file (See Fig.1.0 for file naming)

(2 minutes Interval)

(PROCEED TO STEP 2)

//Continuous loop

Fig. 1.0 backup.log (sample)

```
Sun 19 Mar 2023 06:16:08 PM EDT  cb20001.tar was created

Sun 19 Mar 2023 06:18:08 PM EDT  ib10001.tar was created

Sun 19 Mar 2023 06:20:08 PM EDT  No changes-Incremental backup was not created

Sun 19 Mar 2023 06:22:08 PM EDT  ib10002.tar was created

Sun 19 Mar 2023 06:24:08 PM EDT  cb20002.tar was created

Sun 19 Mar 2023 06:26:08 PM EDT  ib10003.tar was created

Sun 19 Mar 2023 06:28:08 PM EDT  ib10004.tar was created

Sun 19 Mar 2023 06:30:08 PM EDT  No changes-Incremental backup was not created

Sun 19 Mar 2023 06:32:08 PM EDT  cb20003.tar was created

Sun 19 Mar 2023 06:34:08 PM EDT  1b10005.tar was created

----
----
----
```

Note: Typically in practical scenarios, one can normally expect a weekly complete backup and a daily incremental backup (or could also be differential backup) of files.

Submission:

backup.sh

backup.log (Recorded at least for 60 minutes)