Mock Manuscript

Xinyue Hagley

2026-02-12

Data

In this manuscript I have created tables and graphs to compair skull sizes between male and female grizzly bears in BC. this was downloaded from the data "Compulsory Inspection Data 1900 to 2023-24" from the British Columbia database, linked in the reference.

The original data becomes filtered to include only Grizzly Bear related data, which will be the data set used for the following graphs and tables.

Here is a Skim overview of the Grizzly Bears Data.

Table 1: Data summary

Name	Piped data
Number of rows	9843
Number of columns	18
Column type frequency:	
character	10
numeric	8
Group variables	None

Variable type: character

skim_variable	n_missing	complete_rate	min	max	empty	n_unique	whitespace
CID	0	1.00	6	6	0	9843	0
Species	0	1.00	4	4	0	1	0
Kill Type	0	1.00	7	12	0	5	0
Sex	0	1.00	1	1	0	3	0
Sub Region	0	1.00	1	1	0	3	0
LEH Hunt Area	6094	0.38	3	4	0	188	0
Skull Type	0	1.00	1	1	0	4	0
Tooth Code	1014	0.90	1	1	0	3	0
Wear/Stain Code	9390	0.05	1	1	0	1	0
Other Code	9352	0.05	1	1	0	2	0

Variable type: numeric

skim_variable	n_missing	complete_rate	mean	sd	p0	p25	p50	p75	p100
Kill Date	0	1.00	19963350.85	125997.84	19750401	19850916	19960501.0	20080523.50	20210910
Region	0	1.00	6.04	1.30	1	6	6.0	7.00	9
WMU	0	1.00	630.40	134.71	114	604	629.0	738.00	900
Skull Length	0	1.00	336.85	38.95	21	311	334.0	362.00	750
Skull Width	0	1.00	191.05	29.99	18	170	187.0	211.00	426
Tooth Age	1001	0.90	7.88	5.61	1	4	6.0	11.00	99
Wear/Stain Age	9390	0.05	8.38	12.81	1	4	6.0	8.00	99
Other Age	9793	0.01	13.58	22.47	1	3	4.5	8.75	99

Here is a comparison of two scatter plot of Grizzly Bear skull size by sexes, this data shows only the skulls reported in Region 4, which represents bears found in the Kootenay Area of British Columbia, Canada.



Figure 1: Grizzly Skulls Comparison of Bears found in Kootenay Area from 1900-2023. Female bears n=3280, Male bears n=6489. Excluding from Dataset bear skulls catagorized as U=Unknown. In Females Mean Length=319mm, Mean Width=179mm. In Males Mean Length=346mm, Mean Width=197mm. Male Grizzly skulls on average are larger than females in both length and width.

Articles

(Fu et al. 2024)

(Hacioglu and Ozkul 2024)

("Compulsory Inspection Data 1900 to 2023-24 - Datasets - Data Catalogue," n.d.)

(Forests, n.d.)

References

"Compulsory Inspection Data 1900 to 2023-24 - Datasets - Data Catalogue." n.d. https://catalogue.data.gov.bc.ca/dataset/45711667-7878-4d86-8b5e-d0be5997dd16.

Forests, Ministry of. n.d. "Hunter compulsory inspection - Province of British Columbia." https://www2.gov.bc.ca/gov/content/sports-culture/recreation/fishing-hunting/hunting/compulsory-inspection.

Fu, Yanmei, Ayub M. O. Oduor, Ming Jiang, and Yanjie Liu. 2024. "Soil Biota Modulate the Effects of Microplastics on Biomass and Diversity of Plant Communities." *Journal of Applied Ecology* 61 (11): 2653–65. https://doi.org/10.1111/1365-2664.14777.

Hacioglu, Sabri, and Aykut Ozkul. 2024. "Do Birds Play a Role in the Transmission of Toscana Virus? Initial Isolation Results from Birds in Northernmost Türkiye." *Zoonoses and Public Health* 71 (3): 225–35. https://doi.org/10.1111/zph.13100.