

Topos

en.wikipedia.org

March 20, 2022

On the 28th of April 2012 the contents of the English as well as German Wikibooks and Wikipedia projects were licensed under Creative Commons Attribution-ShareAlike 3.0 Unported license. A URI to this license is given in the list of figures on page 25. If this document is a derived work from the contents of one of these projects and the content was still licensed by the project under this license at the time of derivation this document has to be licensed under the same, a similar or a compatible license, as stated in section 4b of the license. The list of contributors is included in chapter Contributors on page 19. The licenses GPL, LGPL and GFDL are included in chapter Licenses on page 29, since this book and/or parts of it may or may not be licensed under one or more of these licenses, and thus require inclusion of these licenses. The licenses of the figures are given in the list of figures on page 25. This PDF was generated by the L^AT_EX typesetting software. The L^AT_EX source code is included as an attachment (`source.7z.txt`) in this PDF file. To extract the source from the PDF file, you can use the `pdfdetach` tool including in the `poppler` suite, or the <http://www.pdflabs.com/tools/pdftk-the-pdf-toolkit/> utility. Some PDF viewers may also let you save the attachment to a file. After extracting it from the PDF file you have to rename it to `source.7z`. To uncompress the resulting archive we recommend the use of <http://www.7-zip.org/>. The L^AT_EX source itself was generated by a program written by Dirk Hünniger, which is freely available under an open source license from http://de.wikibooks.org/wiki/Benutzer:Dirk_Huenniger/wb2pdf.

Contents

1 Topos	3
1.1 Grothendieck topos (topos in geometry)	4
1.2 Elementary topoi (topoi in logic)	8
1.3 See also	13
1.4 Notes	13
1.5 References	14
2 Contributors	19
List of Figures	25
3 Licenses	29
3.1 GNU GENERAL PUBLIC LICENSE	29
3.2 GNU Free Documentation License	30
3.3 GNU Lesser General Public License	31

1 Topos

For other uses, see [Topos \(disambiguation\)](#)¹.



This article **needs additional citations for verification**². Please help improve this article³ by adding citations to reliable sources⁴. Unsourced material may be challenged and removed.

Find sources: "Topos"⁵ – news⁶ · newspapers⁷ · books⁸ · scholar⁹ · JSTOR¹⁰ (July 2015) (Learn how and when to remove this template message)¹¹)

In mathematics¹², a **topos** (UK¹³: /'tɒpɒs/¹⁴, US¹⁵: /'tu:pəʊs, 'tu:pɒs/¹⁶; plural **topoi** /'tu:pɔɪ/¹⁷ or /'tu:pɔɪ/¹⁸, or **toposes**) is a category¹⁹ that behaves like the category of sheaves²⁰ of sets²¹ on a topological space²² (or more generally: on a site²³). Topoi behave much like the category of sets²⁴ and possess a notion of localization; they are a direct generalization of point-set topology²⁵.^[1] The **Grothendieck topoi** find applications in algebraic geometry²⁶; the more general **elementary topoi** are used in logic²⁷.

-
- 1 [https://en.wikipedia.org/wiki/Topos_\(disambiguation\)](https://en.wikipedia.org/wiki/Topos_(disambiguation))
 - 2 <https://en.wikipedia.org/wiki/Wikipedia:Verifiability>
 - 3 <https://en.wikipedia.org/w/index.php?title=Topos&action=edit>
 - 4 https://en.wikipedia.org/wiki/Help:Referencing_for_beginners
 - 5 http://www.google.com/search?as_eq=wikipedia&q=%22Topos%22
 - 6 <http://www.google.com/search?tbm=nws&q=%22Topos%22+-wikipedia&tbs=ar:1>
 - 7 <http://www.google.com/search?q=%22Topos%22&tbs=bkt:s&tbm=bks>
 - 8 <http://www.google.com/search?tbs=bks:1&q=%22Topos%22+-wikipedia>
 - 9 <http://scholar.google.com/scholar?q=%22Topos%22>
 - 10 <https://www.jstor.org/action/doBasicSearch?Query=%22Topos%22&acc=on&wc=on>
 - 11 https://en.wikipedia.org/wiki/Help:Maintenance_template_removal
 - 12 <https://en.wikipedia.org/wiki/Mathematics>
 - 13 https://en.wikipedia.org/wiki/British_English
 - 14 <https://en.wikipedia.org/wiki/Help:IPA/English>
 - 15 https://en.wikipedia.org/wiki/American_English
 - 16 <https://en.wikipedia.org/wiki/Help:IPA/English>
 - 17 <https://en.wikipedia.org/wiki/Help:IPA/English>
 - 18 <https://en.wikipedia.org/wiki/Help:IPA/English>
 - 19 [https://en.wikipedia.org/wiki/Category_\(mathematics\)](https://en.wikipedia.org/wiki/Category_(mathematics))
 - 20 [https://en.wikipedia.org/wiki/Sheaf_\(mathematics\)](https://en.wikipedia.org/wiki/Sheaf_(mathematics))
 - 21 [https://en.wikipedia.org/wiki/Set_\(mathematics\)](https://en.wikipedia.org/wiki/Set_(mathematics))
 - 22 https://en.wikipedia.org/wiki/Topological_space
 - 23 [https://en.wikipedia.org/wiki/Site_\(mathematics\)](https://en.wikipedia.org/wiki/Site_(mathematics))
 - 24 https://en.wikipedia.org/wiki/Category_of_sets
 - 25 https://en.wikipedia.org/wiki/Point-set_topology
 - 26 https://en.wikipedia.org/wiki/Algebraic_geometry
 - 27 https://en.wikipedia.org/wiki/Mathematical_logic

1.1 Grothendieck topos (topos in geometry)

Since the introduction of sheaves into mathematics in the 1940s, a major theme has been to study a space by studying sheaves on a space. This idea was expounded by Alexander Grothendieck²⁸ by introducing the notion of a "topos". The main utility of this notion is in the abundance of situations in mathematics where topological heuristics are very effective, but an honest topological space is lacking; it is sometimes possible to find a topos formalizing the heuristic. An important example of this programmatic idea is the étale topos²⁹ of a scheme³⁰. Another illustration of the capability of Grothendieck toposes to incarnate the "essence" of different mathematical situations is given by their use as bridges for connecting theories which, albeit written in possibly very different languages, share a common mathematical content.^{[2][3]}

1.1.1 Equivalent definitions

A Grothendieck topos is a category³¹ C which satisfies any one of the following three properties. (A theorem³² of Jean Giraud³³ states that the properties below are all equivalent.)

- There is a small category³⁴ D and an inclusion $C \hookrightarrow \text{Presh}(D)$ that admits a finite-limit-preserving³⁵ left adjoint³⁶.
- C is the category of sheaves on a Grothendieck site³⁷.
- C satisfies Giraud's axioms, below.

Here $\text{Presh}(D)$ denotes the category of contravariant functors³⁸ from D to the category of sets; such a contravariant functor is frequently called a presheaf³⁹.

Giraud's axioms

Giraud's axioms for a category⁴⁰ C are:

- C has a small set of generators⁴¹, and admits all small colimits⁴². Furthermore, fiber products⁴³ distribute over coproducts. That is, given a set I , an I -indexed coproduct mapping to A , and a morphism $A' \rightarrow A$, the pullback is an I -indexed coproduct of the pullbacks:

28 https://en.wikipedia.org/wiki/Alexander_Grothendieck

29 https://en.wikipedia.org/wiki/%C3%89tale_topos

30 [https://en.wikipedia.org/wiki/Scheme_\(mathematics\)](https://en.wikipedia.org/wiki/Scheme_(mathematics))

31 [https://en.wikipedia.org/wiki/Category_\(mathematics\)](https://en.wikipedia.org/wiki/Category_(mathematics))

32 https://en.wikipedia.org/w/index.php?title=Giraud%27s_theorem&action=edit&redlink=1

33 [https://en.wikipedia.org/wiki/Jean_Giraud_\(mathematician\)](https://en.wikipedia.org/wiki/Jean_Giraud_(mathematician))

34 [https://en.wikipedia.org/wiki/Category_\(mathematics\)#Small_and_large_categories](https://en.wikipedia.org/wiki/Category_(mathematics)#Small_and_large_categories)

35 https://en.wikipedia.org/wiki/Adjoint_functor#Limit_preservation

36 https://en.wikipedia.org/wiki/Left_adjoint

37 https://en.wikipedia.org/wiki/Grothendieck_site

38 https://en.wikipedia.org/wiki/Contravariant_functor#Covariance_and_contravariance

39 [https://en.wikipedia.org/wiki/Presheaf_\(category_theory\)](https://en.wikipedia.org/wiki/Presheaf_(category_theory))

40 [https://en.wikipedia.org/wiki/Category_\(mathematics\)](https://en.wikipedia.org/wiki/Category_(mathematics))

41 [https://en.wikipedia.org/wiki/Generator_\(category_theory\)](https://en.wikipedia.org/wiki/Generator_(category_theory))

42 <https://en.wikipedia.org/wiki/Colimit>

43 https://en.wikipedia.org/wiki/Fiber_product

$$(_{i \in I} B_i) \times_A A' \cong_{i \in I} (B_i \times_A A').$$

- Sums in C are disjoint. In other words, the fiber product of X and Y over their sum is the initial object⁴⁴ in C .
- All equivalence relations⁴⁵ in C are effective⁴⁶.

The last axiom needs the most explanation. If X is an object of C , an "equivalence relation" R on X is a map $R \rightarrow X \times X$ in C such that for any object Y in C , the induced map $\text{Hom}(Y, R) \rightarrow \text{Hom}(Y, X) \times \text{Hom}(Y, X)$ gives an ordinary equivalence relation on the set $\text{Hom}(Y, X)$. Since C has colimits we may form the coequalizer⁴⁷ of the two maps $R \rightarrow X$; call this X/R . The equivalence relation is "effective" if the canonical map

$$R \rightarrow X \times_{X/R} X$$

is an isomorphism.

1.1.2 Examples

Giraud's theorem already gives "sheaves on sites" as a complete list of examples. Note, however, that nonequivalent sites often give rise to equivalent topoi. As indicated in the introduction, sheaves on ordinary topological spaces motivate many of the basic definitions and results of topos theory.

Category of sets and G-sets

The category⁴⁸ of sets is an important special case: it plays the role of a point in topos theory. Indeed, a set may be thought of as a sheaf on a point since functors on the singleton category with a single object and only the identity morphism are just specific sets in the category of sets.

Similarly, there is a topos BG for any group⁴⁹ G which is equivalent to the category of G -sets. We construct this as the category of presheaves on the category with one object, but now the set of morphisms is given by the group⁵⁰ G . Since any functor must give a G -action on the target, this gives the category of G -sets. Similarly, for a groupoid⁵¹ \mathcal{G} the category of presheaves on \mathcal{G} gives a collection of sets indexed by the set of objects in \mathcal{G} , and the automorphisms of an object in \mathcal{G} has an action on the target of the functor.

Topoi from ringed spaces

More exotic examples, and the *raison d'être* of topos theory, come from algebraic geometry. The basic example of a topos comes from the Zariski topos of a scheme⁵². For each scheme X

⁴⁴ https://en.wikipedia.org/wiki/Initial_and_terminal_objects

⁴⁵ https://en.wikipedia.org/wiki/Equivalence_relation

⁴⁶ [https://en.wikipedia.org/wiki/Regular_category#Exact_\(effective\)_categories](https://en.wikipedia.org/wiki/Regular_category#Exact_(effective)_categories)

⁴⁷ <https://en.wikipedia.org/wiki/Coequalizer>

⁴⁸ [https://en.wikipedia.org/wiki/Category_\(mathematics\)](https://en.wikipedia.org/wiki/Category_(mathematics))

⁴⁹ [https://en.wikipedia.org/wiki/Group_\(mathematics\)](https://en.wikipedia.org/wiki/Group_(mathematics))

⁵⁰ [https://en.wikipedia.org/wiki/Group_\(mathematics\)](https://en.wikipedia.org/wiki/Group_(mathematics))

⁵¹ <https://en.wikipedia.org/wiki/Groupoid>

⁵² [https://en.wikipedia.org/wiki/Scheme_\(mathematics\)](https://en.wikipedia.org/wiki/Scheme_(mathematics))

there is a site $\text{Open}(X)$ (of objects given by open subsets and morphisms given by inclusions) whose category of presheaves forms the Zariski topos $(X)_{\text{Zar}}$. But once distinguished classes of morphisms are considered, there are multiple generalizations of this which leads to non-trivial mathematics. Moreover, topoi give the foundations for studying schemes purely as functors on the category of algebras.

To a scheme and even a stack⁵³ one may associate an étale⁵⁴ topos, an fppf⁵⁵ topos, or a Nisnevich⁵⁶ topos. Another important example of a topos is from the crystalline site⁵⁷. In the case of the étale topos, these form the foundational objects of study in anabelian geometry⁵⁸, which studies objects in algebraic geometry that are determined entirely by the structure of their étale fundamental group⁵⁹.

Pathologies

Topos theory is, in some sense, a generalization of classical point-set topology. One should therefore expect to see old and new instances of pathological⁶⁰ behavior. For instance, there is an example due to Pierre Deligne⁶¹ of a nontrivial topos that has no points (see below for the definition of points of a topos).

1.1.3 Geometric morphisms

If X and Y are topoi, a *geometric morphism* $u : X \rightarrow Y$ is a pair of adjoint functors⁶² (u^*, u_*) (where $u^* : Y \rightarrow X$ is left adjoint to $u_* : X \rightarrow Y$) such that u^* preserves finite limits. Note that u^* automatically preserves colimits by virtue of having a right adjoint.

By Freyd's adjoint functor theorem⁶³, to give a geometric morphism $X \rightarrow Y$ is to give a functor $u^* : Y \rightarrow X$ that preserves finite limits and all small colimits. Thus geometric morphisms between topoi may be seen as analogues of maps of locales⁶⁴.

If X and Y are topological spaces and u is a continuous map between them, then the pullback and pushforward operations on sheaves yield a geometric morphism between the associated topoi for the sites $\text{Open}(X), \text{Open}(Y)$.

Points of topoi

A point of a topos X is defined as a geometric morphism from the topos of sets to X .

53 [https://en.wikipedia.org/wiki/Stack_\(mathematics\)](https://en.wikipedia.org/wiki/Stack_(mathematics))

54 https://en.wikipedia.org/wiki/%C3%89tale_topology

55 https://en.wikipedia.org/wiki/Flat_topology

56 https://en.wikipedia.org/wiki/Nisnevich_topology

57 [https://en.wikipedia.org/wiki/Crystal_\(mathematics\)](https://en.wikipedia.org/wiki/Crystal_(mathematics))

58 https://en.wikipedia.org/wiki/Anabelian_geometry

59 https://en.wikipedia.org/wiki/%C3%89tale_fundamental_group

60 [https://en.wikipedia.org/wiki/Pathological_\(mathematics\)](https://en.wikipedia.org/wiki/Pathological_(mathematics))

61 https://en.wikipedia.org/wiki/Pierre_Deligne

62 https://en.wikipedia.org/wiki/Adjoint_functor

63 https://en.wikipedia.org/wiki/Adjoint_functors#Existence

64 https://en.wikipedia.org/wiki/Frames_and_locales

If X is an ordinary space and x is a point of X , then the functor that takes a sheaf F to its stalk F_x has a right adjoint (the "skyscraper sheaf" functor), so an ordinary point of X also determines a topos-theoretic point. These may be constructed as the pullback-pushforward along the continuous map $x: 1 \rightarrow X$.

For the étale topos $(X)_{et}$ of a space X , a point is a bit more refined of an object. Given a point $x: \text{Spec}(\kappa(x)) \rightarrow X$ of the underlying scheme X a point x' of the topos $(X)_{et}$ is given by a separable field extension k of $\kappa(x)$ such that the associated map $x': \text{Spec}(k) \rightarrow X$ factors through the original point x . Then, the factorization map

$$\text{Spec}(k) \rightarrow \text{Spec}(\kappa(x))$$

is an étale morphism⁶⁵ of schemes.

More precisely, those are the *global* points. They are not adequate in themselves for displaying the space-like aspect of a topos, because a non-trivial topos may fail to have any. *Generalized* points are geometric morphisms from a topos Y (the *stage of definition*) to X . There are enough of these to display the space-like aspect. For example, if X is the classifying topos⁶⁶ $S[T]$ for a geometric theory T , then the universal property says that its points are the models of T (in any stage of definition Y).

Essential geometric morphisms

A geometric morphism (u^*, u_*) is *essential* if u^* has a further left adjoint $u_!$, or equivalently (by the adjoint functor theorem) if u^* preserves not only finite but all small limits.

1.1.4 Ringed topoi

Main article: Ringed topos⁶⁷ A **ringed topos** is a pair (X, R) , where X is a topos and R is a commutative ring object⁶⁸ in X . Most of the constructions of ringed spaces⁶⁹ go through for ringed topoi. The category of R -module⁷⁰ objects in X is an abelian category⁷¹ with enough injectives. A more useful abelian category is the subcategory of quasi-coherent⁷² R -modules: these are R -modules that admit a presentation.

Another important class of ringed topoi, besides ringed spaces, are the étale topoi of Deligne–Mumford stacks⁷³.

⁶⁵ https://en.wikipedia.org/wiki/%C3%89tale_morphism

⁶⁶ https://en.wikipedia.org/wiki/Classifying_topos

⁶⁷ https://en.wikipedia.org/wiki/Ringed_topos

⁶⁸ https://en.wikipedia.org/wiki/Ring_object

⁶⁹ https://en.wikipedia.org/wiki/Ringed_space

⁷⁰ [https://en.wikipedia.org/wiki/Module_\(mathematics\)](https://en.wikipedia.org/wiki/Module_(mathematics))

⁷¹ https://en.wikipedia.org/wiki/Abelian_category

⁷² https://en.wikipedia.org/wiki/Coherent_sheaf

⁷³ https://en.wikipedia.org/wiki/Algebraic_stack

1.1.5 Homotopy theory of topoi

Michael Artin⁷⁴ and Barry Mazur⁷⁵ associated to the site underlying a topos a pro-simplicial set⁷⁶ (up to homotopy⁷⁷).^[4] (It's better to consider it in $\text{Ho}(\text{pro-SS})$; see Edwards) Using this inverse system⁷⁸ of simplicial sets one may *sometimes* associate to a homotopy invariant⁷⁹ in classical topology an inverse system of invariants in topos theory. The study of the pro-simplicial set associated to the étale topos of a scheme is called étale homotopy theory⁸⁰.^[5] In good cases (if the scheme is Noetherian⁸¹ and geometrically unibranch⁸²), this pro-simplicial set is pro-finite⁸³.

1.2 Elementary topoi (topoi in logic)

1.2.1 Introduction

Since the early 20th century, the predominant axiomatic foundation of mathematics has been set theory⁸⁴, in which all mathematical objects are ultimately represented by sets (including functions⁸⁵, which map between sets). More recent work in category theory allows this foundation to be generalized using topoi; each topos completely defines its own mathematical framework. The category of sets forms a familiar topos, and working within this topos is equivalent to using traditional set-theoretic mathematics. But one could instead choose to work with many alternative topoi. A standard formulation of the axiom of choice⁸⁶ makes sense in any topos, and there are topoi in which it is invalid. Constructivists⁸⁷ will be interested to work in a topos without the law of excluded middle⁸⁸. If symmetry under a particular group⁸⁹ G is of importance, one can use the topos consisting of all G -sets⁹⁰.

It is also possible to encode an algebraic theory⁹¹, such as the theory of groups, as a topos, in the form of a classifying topos⁹². The individual models of the theory, i.e. the groups in our example, then correspond to functors⁹³ from the encoding topos to the category of sets that respect the topos structure.

74 https://en.wikipedia.org/wiki/Michael_Artin

75 https://en.wikipedia.org/wiki/Barry_Mazur

76 https://en.wikipedia.org/wiki/Pro-simplicial_set

77 https://en.wikipedia.org/wiki/Homotopy_category

78 https://en.wikipedia.org/wiki/Inverse_system

79 https://en.wikipedia.org/wiki/Homotopy#Homotopy_invariance

80 https://en.wikipedia.org/wiki/%C3%89tale_homotopy_theory

81 https://en.wikipedia.org/wiki/Noetherian_scheme

82 https://en.wikipedia.org/wiki/Geometrically_unibranch

83 <https://en.wikipedia.org/wiki/Pro-finite>

84 https://en.wikipedia.org/wiki/Set_theory

85 [https://en.wikipedia.org/wiki/Function_\(mathematics\)](https://en.wikipedia.org/wiki/Function_(mathematics))

86 https://en.wikipedia.org/wiki/Axiom_of_choice

87 https://en.wikipedia.org/wiki/Mathematical_constructivism

88 https://en.wikipedia.org/wiki/Law_of_excluded_middle

89 [https://en.wikipedia.org/wiki/Group_\(mathematics\)](https://en.wikipedia.org/wiki/Group_(mathematics))

90 [https://en.wikipedia.org/wiki/Group_action_\(mathematics\)](https://en.wikipedia.org/wiki/Group_action_(mathematics))

91 https://en.wikipedia.org/wiki/Universal_algebra

92 https://en.wikipedia.org/wiki/Classifying_topos

93 <https://en.wikipedia.org/wiki/Functor>

1.2.2 Formal definition

When used for foundational work a topos will be defined axiomatically; set theory is then treated as a special case of topos theory. Building from category theory, there are multiple equivalent definitions of a topos. The following has the virtue of being concise:

A topos is a category that has the following two properties:

- All limits⁹⁴ taken over finite index categories exist.
- Every object has a power object. This plays the role of the powerset⁹⁵ in set theory.

Formally, a **power object** of an object X is a pair (PX, \exists_X) with $\exists_X \subseteq PX \times X$, which classifies relations, in the following sense. First note that for every object I , a morphism $r: I \rightarrow PX$ ("a family of subsets") induces a subobject $\{(i, x) \mid x \in r(i)\} \subseteq I \times X$. Formally, this is defined by pulling back \exists_X along $r \times X: I \times X \rightarrow PX \times X$. The universal property of a power object is that every relation arises in this way, giving a bijective correspondence between relations $R \subseteq I \times X$ and morphisms $r: I \rightarrow PX$.

From finite limits and power objects one can derive that

- All colimits⁹⁶ taken over finite index categories exist.
- The category has a subobject classifier⁹⁷.
- The category is Cartesian closed⁹⁸.

In some applications, the role of the subobject classifier is pivotal, whereas power objects are not. Thus some definitions reverse the roles of what is defined and what is derived.

1.2.3 Logical functors

A *logical functor* is a functor between toposes that preserves finite limits and power objects. Logical functors preserve the structures that toposes have. In particular, they preserve finite colimits, subobject classifiers⁹⁹, and exponential objects¹⁰⁰.^[6]

1.2.4 Explanation

A topos as defined above can be understood as a Cartesian closed category for which the notion of subobject of an object has an elementary¹⁰¹ or first-order definition. This notion, as a natural categorical abstraction of the notions of subset¹⁰² of a set, subgroup¹⁰³ of a group, and more generally subalgebra¹⁰⁴ of any algebraic structure¹⁰⁵, predates the notion

⁹⁴ [https://en.wikipedia.org/wiki/Limit_\(category_theory\)](https://en.wikipedia.org/wiki/Limit_(category_theory))

⁹⁵ <https://en.wikipedia.org/wiki/Powerset>

⁹⁶ [https://en.wikipedia.org/wiki/Limit_\(category_theory\)](https://en.wikipedia.org/wiki/Limit_(category_theory))

⁹⁷ https://en.wikipedia.org/wiki/Subobject_classifier

⁹⁸ https://en.wikipedia.org/wiki/Cartesian_closed_category

⁹⁹ https://en.wikipedia.org/wiki/Subobject_classifier

¹⁰⁰ https://en.wikipedia.org/wiki/Exponential_object

¹⁰¹ https://en.wikipedia.org/wiki/First-order_logic

¹⁰² <https://en.wikipedia.org/wiki/Subset>

¹⁰³ <https://en.wikipedia.org/wiki/Subgroup>

¹⁰⁴ <https://en.wikipedia.org/wiki/Subalgebra>

¹⁰⁵ https://en.wikipedia.org/wiki/Algebraic_structure

of topoi. It is definable in any category, not just topoi, in second-order¹⁰⁶ language, i.e. in terms of classes of morphisms instead of individual morphisms, as follows. Given two monics m, n from respectively Y and Z to X , we say that $m \leq n$ when there exists a morphism $p : Y \rightarrow Z$ for which $np = m$, inducing a preorder¹⁰⁷ on monics to X . When $m \leq n$ and $n \leq m$ we say that m and n are equivalent. The subobjects of X are the resulting equivalence classes of the monics to it.

In a topos "subobject" becomes, at least implicitly, a first-order notion, as follows.

As noted above, a topos is a category C having all finite limits and hence in particular the empty limit or final object 1 . It is then natural to treat morphisms of the form $x : 1 \rightarrow X$ as *elements* $x \in X$. Morphisms $f : X \rightarrow Y$ thus correspond to functions mapping each element $x \in X$ to the element $fx \in Y$, with application realized by composition.

One might then think to define a subobject of X as an equivalence class of monics $m : X' \rightarrow X$ having the same image¹⁰⁸ $\{ mx \mid x \in X' \}$. The catch is that two or more morphisms may correspond to the same function, that is, we cannot assume that C is concrete in the sense that the functor $C(1,-) : C \rightarrow \mathbf{Set}$ is faithful. For example the category **Grph** of graphs¹⁰⁹ and their associated homomorphisms¹¹⁰ is a topos whose final object 1 is the graph with one vertex and one edge (a self-loop), but is not concrete because the elements $1 \rightarrow G$ of a graph G correspond only to the self-loops and not the other edges, nor the vertices without self-loops. Whereas the second-order definition makes G and the subgraph of all self-loops of G (with their vertices) distinct subobjects of G (unless every edge is, and every vertex has, a self-loop), this image-based one does not. This can be addressed for the graph example and related examples via the Yoneda Lemma¹¹¹ as described in the Further examples¹¹² section below, but this then ceases to be first-order. Topoi provide a more abstract, general, and first-order solution.

106 https://en.wikipedia.org/wiki/Second-order_logic

107 <https://en.wikipedia.org/wiki/Preorder>

108 [https://en.wikipedia.org/wiki/Image_\(mathematics\)](https://en.wikipedia.org/wiki/Image_(mathematics))

109 <https://en.wikipedia.org/wiki/Multidigraph>

110 <https://en.wikipedia.org/wiki/Homomorphism>

111 https://en.wikipedia.org/wiki/Yoneda_Lemma

112 https://en.wikipedia.org/wiki/Topos#Further_examples




Figure 2 Figure 1. m as a pullback of the generic subobject t along f .

As noted above, a topos C has a subobject classifier Ω , namely an object of C with an element $t \in \Omega$, the *generic subobject* of C , having the property that every monic¹¹³ $m: X' \rightarrow X$ arises as a pullback of the generic subobject along a unique morphism $f: X \rightarrow \Omega$, as per Figure 1. Now the pullback of a monic is a monic, and all elements including t are monics since there is only one morphism to 1 from any given object, whence the pullback of t along $f: X \rightarrow \Omega$ is a monic. The monics to X are therefore in bijection with the pullbacks of t along morphisms from X to Ω . The latter morphisms partition the monics into equivalence classes each determined by a morphism $f: X \rightarrow \Omega$, the characteristic morphism of that class, which we take to be the subobject of X characterized or named by f .

All this applies to any topos, whether or not concrete. In the concrete case, namely $C(1,-)$ faithful, for example the category of sets, the situation reduces to the familiar behavior of functions. Here the monics $m: X' \rightarrow X$ are exactly the injections (one-one functions) from X' to X , and those with a given image $\{ mx \mid x \in X' \}$ constitute the subobject of X

¹¹³ <https://en.wikipedia.org/wiki/Monomorphism>

corresponding to the morphism $f: X \rightarrow \Omega$ for which $f^{-1}(t)$ is that image. The monics of a subobject will in general have many domains, all of which however will be in bijection with each other.

To summarize, this first-order notion of subobject classifier implicitly defines for a topos the same equivalence relation on monics to X as had previously been defined explicitly by the second-order notion of subobject for any category. The notion of equivalence relation on a class of morphisms is itself intrinsically second-order, which the definition of topos neatly sidesteps by explicitly defining only the notion of subobject *classifier* Ω , leaving the notion of subobject of X as an implicit consequence characterized (and hence namable) by its associated morphism $f: X \rightarrow \Omega$.

1.2.5 Further examples and non-examples

Every Grothendieck topos is an elementary topos, but the converse is not true (since every Grothendieck topos is cocomplete, which is not required from an elementary topos).

The categories of finite sets, of finite G -sets (actions of a group¹¹⁴ G on a finite set), and of finite graphs are elementary topoi that are not Grothendieck topoi.

If C is a small category, then the functor category¹¹⁵ \mathbf{Set}^C (consisting of all covariant functors from C to sets, with natural transformations¹¹⁶ as morphisms) is a topos. For instance, the category **Grph** of graphs of the kind permitting multiple directed edges between two vertices is a topos. Such a graph consists of two sets, an edge set and a vertex set, and two functions s, t between those sets, assigning to every edge e its source $s(e)$ and target $t(e)$. **Grph** is thus equivalent¹¹⁷ to the functor category \mathbf{Set}^C , where C is the category with two objects E and V and two morphisms $s, t: E \rightarrow V$ giving respectively the source and target of each edge.

The Yoneda lemma¹¹⁸ asserts that C^{op} embeds in \mathbf{Set}^C as a full subcategory. In the graph example the embedding represents C^{op} as the subcategory of \mathbf{Set}^C whose two objects are V' as the one-vertex no-edge graph and E' as the two-vertex one-edge graph (both as functors), and whose two nonidentity morphisms are the two graph homomorphisms from V' to E' (both as natural transformations). The natural transformations from V' to an arbitrary graph (functor) G constitute the vertices of G while those from E' to G constitute its edges. Although \mathbf{Set}^C , which we can identify with **Grph**, is not made concrete by either V' or E' alone, the functor $U: \mathbf{Grph} \rightarrow \mathbf{Set}^2$ sending object G to the pair of sets $(\mathbf{Grph}(V', G), \mathbf{Grph}(E', G))$ and morphism $h: G \rightarrow H$ to the pair of functions $(\mathbf{Grph}(V', h), \mathbf{Grph}(E', h))$ is faithful. That is, a morphism of graphs can be understood as a *pair* of functions, one mapping the vertices and the other the edges, with application still realized as composition but now with multiple sorts of *generalized* elements. This shows that the traditional concept of a concrete category as one whose objects have an underlying set can be generalized to cater for a wider range of topoi by allowing an object to have multiple underlying sets, that is, to be multisorted.

114 https://en.wikipedia.org/wiki/Group_action

115 https://en.wikipedia.org/wiki/Functor_category

116 https://en.wikipedia.org/wiki/Natural_transformation

117 https://en.wikipedia.org/wiki/Equivalent_categories

118 https://en.wikipedia.org/wiki/Yoneda_lemma

The category of pointed sets¹¹⁹ with point-preserving functions is *not* a topos, since it doesn't have power objects: if PX were the power object of the pointed set X , and 1 denotes the pointed singleton, then there is only one point-preserving function $r: 1 \rightarrow PX$, but the relations in $1 \times X$ are as numerous as the pointed subsets of X . The category of abelian groups¹²⁰ is also not a topos, for a similar reason: every group homomorphism must map 0 to 0 .

1.3 See also

-  Mathematics portal¹²¹
- History of topos theory¹²²
- Homotopy hypothesis¹²³
- Intuitionistic type theory¹²⁴
- ∞ -topos¹²⁵
- Quasitopos¹²⁶
- Geometric logic¹²⁷

1.4 Notes

1. Illusie 2004¹²⁸
2. CARAMELLO, OLIVIA¹²⁹ (2016). *Grothendieck toposes as unifying ‘bridges’ in Mathematics*¹³⁰ (PDF) (HDR). PARIS DIDEROT UNIVERSITY (PARIS 7).
3. CARAMELLO, OLIVIA (2017). *Theories, Sites, Toposes: Relating and studying mathematical theories through topos-theoretic ‘bridges’*¹³¹. OXFORD UNIVERSITY PRESS. DOI¹³²:10.1093/oso/9780198758914.001.0001¹³³. ISBN¹³⁴ 9780198758914¹³⁵.

119 https://en.wikipedia.org/wiki/Pointed_set

120 https://en.wikipedia.org/wiki/Category_of_abelian_groups

121 <https://en.wikipedia.org/wiki/Portal:Mathematics>

122 https://en.wikipedia.org/wiki/History_of_topos_theory

123 https://en.wikipedia.org/wiki/Homotopy_hypothesis

124 https://en.wikipedia.org/wiki/Intuitionistic_type_theory

125 <https://en.wikipedia.org/wiki/%E2%88%9E-topos>

126 <https://en.wikipedia.org/wiki/Quasitopos>

127 https://en.wikipedia.org/wiki/Geometric_logic

128 #CITEREFIllusie2004

129 https://en.wikipedia.org/wiki/Olivia_Caramello

130 <https://www.oliviacaramello.com/Unification/HDR0liviaCaramello.pdf>

131 <https://oxford.universitypressscholarship.com/view/10.1093/oso/9780198758914.001.0001/oso-9780198758914>

132 [https://en.wikipedia.org/wiki/Doi_\(identifier\)](https://en.wikipedia.org/wiki/Doi_(identifier))

133 <https://doi.org/10.1093%2Foso%2F9780198758914.001.0001>

134 [https://en.wikipedia.org/wiki/ISBN_\(identifier\)](https://en.wikipedia.org/wiki/ISBN_(identifier))

135 <https://en.wikipedia.org/wiki/Special:BookSources/9780198758914>

4. ARTIN, MICHAEL¹³⁶; MAZUR, BARRY¹³⁷ (1969). *Etale homotopy*. Lecture Notes in Mathematics. Vol. 100. Springer-Verlag¹³⁸. doi¹³⁹:10.1007/BFb0080957¹⁴⁰. ISBN¹⁴¹ 978-3-540-36142-8¹⁴².
5. FRIEDLANDER, ERIC M.¹⁴³ (1982), *Étale homotopy of simplicial schemes*, Annals of Mathematics Studies, vol. 104, Princeton University Press¹⁴⁴, ISBN¹⁴⁵ 978-0-691-08317-9¹⁴⁶
6. McLarty 1992¹⁴⁷, p. 159¹⁴⁸

1.5 References

Some gentle papers

- EDWARDS, D.A.; HASTINGS, H.M. (SUMMER 1980). "ČECH THEORY: ITS PAST, PRESENT, AND FUTURE"¹⁴⁹. *Rocky Mountain Journal of Mathematics*. **10** (3): 429–468. doi¹⁵⁰:10.1216/RMJ-1980-10-3-429¹⁵¹. JSTOR¹⁵² 44236540¹⁵³.
- BAEZ, JOHN¹⁵⁴. "TOPOS THEORY IN A NUTSHELL"¹⁵⁵. A gentle introduction.
- Steven Vickers¹⁵⁶: "Toposes pour les nuls"¹⁵⁷, and "Toposes pour les vraiment nuls."¹⁵⁸ Elementary and even more elementary introductions to toposes as generalized spaces.
- ILLUSIE, LUC¹⁵⁹ (2004). "WHAT IS...A TOPOS?"¹⁶⁰ (PDF). *Notices of the AMS*. **51** (9): 160–1.

The following texts are easy-paced introductions to toposes and the basics of category theory. They should be suitable for those knowing little mathematical logic and set theory, even non-mathematicians.

136 https://en.wikipedia.org/wiki/Michael_Artin

137 https://en.wikipedia.org/wiki/Barry_Mazur

138 <https://en.wikipedia.org/wiki/Springer-Verlag>

139 [https://en.wikipedia.org/wiki/Doi_\(identifier\)](https://en.wikipedia.org/wiki/Doi_(identifier))

140 <https://doi.org/10.1007%2FBFb0080957>

141 [https://en.wikipedia.org/wiki/ISBN_\(identifier\)](https://en.wikipedia.org/wiki/ISBN_(identifier))

142 <https://en.wikipedia.org/wiki/Special:BookSources/978-3-540-36142-8>

143 https://en.wikipedia.org/wiki/Eric_Friedlander

144 https://en.wikipedia.org/wiki/Princeton_University_Press

145 [https://en.wikipedia.org/wiki/ISBN_\(identifier\)](https://en.wikipedia.org/wiki/ISBN_(identifier))

146 <https://en.wikipedia.org/wiki/Special:BookSources/978-0-691-08317-9>

147 #CITEREFMcLarty1992

148 <https://books.google.com/books?id=V8cON1x39bIC&dq=%22Logical+functor%22>

149 <https://doi.org/10.1216%2FRMJ-1980-10-3-429>

150 [https://en.wikipedia.org/wiki/Doi_\(identifier\)](https://en.wikipedia.org/wiki/Doi_(identifier))

151 <https://doi.org/10.1216%2FRMJ-1980-10-3-429>

152 [https://en.wikipedia.org/wiki/JSTOR_\(identifier\)](https://en.wikipedia.org/wiki/JSTOR_(identifier))

153 <http://www.jstor.org/stable/44236540>

154 https://en.wikipedia.org/wiki/John_Baez

155 <http://math.ucr.edu/home/baez/topos.html>

156 [https://en.wikipedia.org/wiki/Steve_Vickers_\(computer_scientist\)](https://en.wikipedia.org/wiki/Steve_Vickers_(computer_scientist))

157 <http://www.cs.bham.ac.uk/~sjv/papers.php>

158 <http://www.cs.bham.ac.uk/~sjv/TopPLVN.pdf>

159 https://en.wikipedia.org/wiki/Luc_Illusie

160 <http://www.ams.org/notices/200409/what-is-illusie.pdf>

- LAWVERE, F. WILLIAM¹⁶¹; SCHANUEL, STEPHEN H. (1997). *Conceptual Mathematics: A First Introduction to Categories*¹⁶². CAMBRIDGE UNIVERSITY PRESS. ISBN¹⁶³ 978-0-521-47817-5¹⁶⁴. An "introduction to categories for computer scientists, logicians, physicists, linguists, etc." (cited from cover text).
- LAWVERE, F. WILLIAM; ROSEBRUGH, ROBERT (2003). *Sets for Mathematics*¹⁶⁵. CAMBRIDGE UNIVERSITY PRESS. ISBN¹⁶⁶ 978-0-521-01060-3¹⁶⁷. Introduces the foundations of mathematics from a categorical perspective.

Grothendieck foundational work on toposes:

- GROTHENDIECK, A.¹⁶⁸; VERDIER, J.L.¹⁶⁹ (1972). *Théorie des Topos et Cohomologie Etale des Schémas*. Lecture notes in mathematics. Vol. 269. Springer. doi¹⁷⁰:10.1007/BFb0081551¹⁷¹. ISBN¹⁷² 978-3-540-37549-4¹⁷³. Tome 2 **270** doi¹⁷⁴:10.1007/BFb0061319¹⁷⁵ ISBN¹⁷⁶ 978-3-540-37987-4¹⁷⁷

The following monographs include an introduction to some or all of topos theory, but do not cater primarily to beginning students. Listed in (perceived) order of increasing difficulty.

- MCLARTY, COLIN¹⁷⁸ (1992). *Elementary Categories, Elementary Toposes*¹⁷⁹. CLARENCE DON PRESS. ISBN¹⁸⁰ 978-0-19-158949-2¹⁸¹. A nice introduction to the basics of category theory, topos theory, and topos logic. Assumes very few prerequisites.
- GOLDBLATT, ROBERT¹⁸² (2013) [1984]. *Topoi: The Categorial Analysis of Logic*¹⁸³. COURIER CORPORATION. ISBN¹⁸⁴ 978-0-486-31796-0¹⁸⁵. A good start. Available online¹⁸⁶ at Robert Goldblatt's homepage.¹⁸⁷

161 https://en.wikipedia.org/wiki/F._William_Lawvere

162 <https://books.google.com/books?id=o1tHw4W5MZQC>

163 [https://en.wikipedia.org/wiki/ISBN_\(identifier\)](https://en.wikipedia.org/wiki/ISBN_(identifier))

164 <https://en.wikipedia.org/wiki/Special:BookSources/978-0-521-47817-5>

165 <https://archive.org/details/setsformathemati0000lawv>

166 [https://en.wikipedia.org/wiki/ISBN_\(identifier\)](https://en.wikipedia.org/wiki/ISBN_(identifier))

167 <https://en.wikipedia.org/wiki/Special:BookSources/978-0-521-01060-3>

168 <https://en.wikipedia.org/wiki/Grothendieck>

169 https://en.wikipedia.org/wiki/Jean-Louis_Verdier

170 [https://en.wikipedia.org/wiki/Doi_\(identifier\)](https://en.wikipedia.org/wiki/Doi_(identifier))

171 <https://doi.org/10.1007/2FBFb0081551>

172 [https://en.wikipedia.org/wiki/ISBN_\(identifier\)](https://en.wikipedia.org/wiki/ISBN_(identifier))

173 <https://en.wikipedia.org/wiki/Special:BookSources/978-3-540-37549-4>

174 [https://en.wikipedia.org/wiki/Doi_\(identifier\)](https://en.wikipedia.org/wiki/Doi_(identifier))

175 <https://doi.org/10.1007/2FBFb0061319>

176 [https://en.wikipedia.org/wiki/ISBN_\(identifier\)](https://en.wikipedia.org/wiki/ISBN_(identifier))

177 <https://en.wikipedia.org/wiki/Special:BookSources/978-3-540-37987-4>

178 https://en.wikipedia.org/wiki/Colin_McLarty

179 <https://books.google.com/books?id=V8cON1x39bIC>

180 [https://en.wikipedia.org/wiki/ISBN_\(identifier\)](https://en.wikipedia.org/wiki/ISBN_(identifier))

181 <https://en.wikipedia.org/wiki/Special:BookSources/978-0-19-158949-2>

182 https://en.wikipedia.org/wiki/Robert_Goldblatt

183 <https://books.google.com/books?id=hLPDAgAAQBAJ>

184 [https://en.wikipedia.org/wiki/ISBN_\(identifier\)](https://en.wikipedia.org/wiki/ISBN_(identifier))

185 <https://en.wikipedia.org/wiki/Special:BookSources/978-0-486-31796-0>

186 <http://historical.library.cornell.edu/cgi-bin/cul.math/docviewer?did=Gold010&id=3>

187 <http://www.mcs.vuw.ac.nz/~rob/>

- BELL, JOHN L.¹⁸⁸ (2001). "THE DEVELOPMENT OF CATEGORICAL LOGIC"¹⁸⁹. IN GABBAY, D.M.; GUENTHNER, FRANZ (EDS.). *Handbook of Philosophical Logic*. Vol. 12 (2nd ed.). Springer. pp. 279–. ISBN¹⁹⁰ 978-1-4020-3091-8¹⁹¹. Version available online¹⁹² at John Bell's homepage.¹⁹³
- MACLANE, SAUNDERS¹⁹⁴; MOERDIJK, IEKE¹⁹⁵ (2012) [1994]. *Sheaves in Geometry and Logic: A First Introduction to Topos Theory*¹⁹⁶. SPRINGER. ISBN¹⁹⁷ 978-1-4612-0927-0¹⁹⁸. More complete, and more difficult to read.
- BARR, MICHAEL¹⁹⁹; WELLS, CHARLES²⁰⁰ (2013) [1985]. *Toposes, Triples and Theories*²⁰¹. SPRINGER. ISBN²⁰² 978-1-4899-0023-4²⁰³. (Online version). More concise than *Sheaves in Geometry and Logic*, but hard on beginners.

Reference works for experts, less suitable for first introduction

- EDWARDS, D.A.; HASTINGS, H.M. (1976). *Cech and Steenrod homotopy theories with applications to geometric topology*. Lecture Notes in Maths. Vol. 542. Springer-Verlag. doi²⁰⁴:10.1007/BFb0081083²⁰⁵. ISBN²⁰⁶ 978-3-540-38103-7²⁰⁷.
- BORCEUX, FRANCIS (1994). *Handbook of Categorical Algebra: Volume 3, Sheaf Theory*²⁰⁸. ENCYCLOPEDIA OF MATHEMATICS AND ITS APPLICATIONS. VOL. 52. CAMBRIDGE UNIVERSITY PRESS. ISBN²⁰⁹ 978-0-521-44180-3²¹⁰. The third part of "Borceux' remarkable magnum opus", as Johnstone has labelled it. Still suitable as an introduction, though beginners may find it hard to recognize the most relevant results among the huge amount of material given.

188 https://en.wikipedia.org/wiki/John_Lane_Bell

189 <https://books.google.com/books?id=y0bMqG9EcCEC&pg=PA279>

190 [https://en.wikipedia.org/wiki/ISBN_\(identifier\)](https://en.wikipedia.org/wiki/ISBN_(identifier))

191 <https://en.wikipedia.org/wiki/Special:BookSources/978-1-4020-3091-8>

192 <http://publish.uwo.ca/~jbell/catalogprime.pdf>

193 <http://publish.uwo.ca/~jbell/>

194 https://en.wikipedia.org/wiki/Saunders_Mac_Lane

195 https://en.wikipedia.org/wiki/Ieke_Moerdijk

196 <https://books.google.com/books?id=LZWLBAAAQBAJ>

197 [https://en.wikipedia.org/wiki/ISBN_\(identifier\)](https://en.wikipedia.org/wiki/ISBN_(identifier))

198 <https://en.wikipedia.org/wiki/Special:BookSources/978-1-4612-0927-0>

199 [https://en.wikipedia.org/wiki/Michael_Barr_\(mathematician\)](https://en.wikipedia.org/wiki/Michael_Barr_(mathematician))

200 [https://en.wikipedia.org/wiki/Charles_Wells_\(mathematician\)](https://en.wikipedia.org/wiki/Charles_Wells_(mathematician))

201 <http://www.tac.mta.ca/tac/reprints/articles/12/tr12abs.html>

202 [https://en.wikipedia.org/wiki/ISBN_\(identifier\)](https://en.wikipedia.org/wiki/ISBN_(identifier))

203 <https://en.wikipedia.org/wiki/Special:BookSources/978-1-4899-0023-4>

204 [https://en.wikipedia.org/wiki/Doi_\(identifier\)](https://en.wikipedia.org/wiki/Doi_(identifier))

205 <https://doi.org/10.1007%2FBFb0081083>

206 [https://en.wikipedia.org/wiki/ISBN_\(identifier\)](https://en.wikipedia.org/wiki/ISBN_(identifier))

207 <https://en.wikipedia.org/wiki/Special:BookSources/978-3-540-38103-7>

208 <https://books.google.com/books?id=7jgots78faUC>

209 [https://en.wikipedia.org/wiki/ISBN_\(identifier\)](https://en.wikipedia.org/wiki/ISBN_(identifier))

210 <https://en.wikipedia.org/wiki/Special:BookSources/978-0-521-44180-3>

- JOHNSTONE, PETER T.²¹¹ (2014) [1977]. *Topos Theory*²¹². COURIER. ISBN²¹³ 978-0-486-49336-7²¹⁴. For a long time the standard compendium on topos theory. However, even Johnstone describes this work as "far too hard to read, and not for the faint-hearted."
- JOHNSTONE, PETER T. (2002). *Sketches of an Elephant: A Topos Theory Compendium*²¹⁵. VOL. 2. CLARENDON PRESS. ISBN²¹⁶ 978-0-19-851598-2²¹⁷. As of early 2010, two of the scheduled three volumes of this overwhelming compendium were available.
- CARAMELLO, OLIVIA (2017). *Theories, Sites, Toposes: Relating and studying mathematical theories through topos-theoretic 'bridges'*²¹⁸. OXFORD UNIVERSITY PRESS. DOI²¹⁹:10.1093/oso/9780198758914.001.0001²²⁰. ISBN²²¹ 9780198758914²²².

Books that target special applications of topos theory

- PEDICCHIO, MARIA CRISTINA; THOLEN, WALTER; ROTA, G.C., EDS. (2004). *Categorical Foundations: Special Topics in Order, Topology, Algebra, and Sheaf Theory*²²³. ENCYCLOPEDIA OF MATHEMATICS AND ITS APPLICATIONS. VOL. 97. CAMBRIDGE UNIVERSITY PRESS. ISBN²²⁴ 978-0-521-83414-8²²⁵. Includes many interesting special applications.

Category theory

Major topics in Foundations of Mathematics

Authority control

211 [https://en.wikipedia.org/wiki/Peter_Johnstone_\(mathematician\)](https://en.wikipedia.org/wiki/Peter_Johnstone_(mathematician))

212 <https://books.google.com/books?id=z08WAgAAQBAJ>

213 [https://en.wikipedia.org/wiki/ISBN_\(identifier\)](https://en.wikipedia.org/wiki/ISBN_(identifier))

214 <https://en.wikipedia.org/wiki/Special:BookSources/978-0-486-49336-7>

215 <https://books.google.com/books?id=TLHfQPHNs0QC>

216 [https://en.wikipedia.org/wiki/ISBN_\(identifier\)](https://en.wikipedia.org/wiki/ISBN_(identifier))

217 <https://en.wikipedia.org/wiki/Special:BookSources/978-0-19-851598-2>

218 <https://oxford.universitypressscholarship.com/view/10.1093/oso/9780198758914.001.0001/oso-9780198758914>

219 [https://en.wikipedia.org/wiki/Doi_\(identifier\)](https://en.wikipedia.org/wiki/Doi_(identifier))

220 <https://doi.org/10.1093%2Foso%2F9780198758914.001.0001>

221 [https://en.wikipedia.org/wiki/ISBN_\(identifier\)](https://en.wikipedia.org/wiki/ISBN_(identifier))

222 <https://en.wikipedia.org/wiki/Special:BookSources/9780198758914>

223 <https://books.google.com/books?id=WHudOFwuMn8C>

224 [https://en.wikipedia.org/wiki/ISBN_\(identifier\)](https://en.wikipedia.org/wiki/ISBN_(identifier))

225 <https://en.wikipedia.org/wiki/Special:BookSources/978-0-521-83414-8>

- This page was last edited on 23 February 2022, at 16:56 (UTC).
- Text is available under the Creative Commons Attribution-ShareAlike License 3.0²²⁶²²⁷; additional terms may apply. By using this site, you agree to the Terms of Use²²⁸ and Privacy Policy²²⁹. Wikipedia® is a registered trademark of the Wikimedia Foundation, Inc.²³⁰, a non-profit organization.

226 http://en.wikipedia.org/wiki/Wikipedia:Text_of_Creative_Commons_Attribution-ShareAlike_3.0_Unported_License
227 <http://creativecommons.org/licenses/by-sa/3.0/>
228 http://foundation.wikimedia.org/wiki/Terms_of_Use
229 http://foundation.wikimedia.org/wiki/Privacy_policy
230 <http://www.wikimediafoundation.org/>

2 Contributors

Edits	User
1	Addbot ¹
3	AndriusKulikauskas ²
1	AnomieBOT ³
2	Apsward ⁴
1	Asward2 ⁵
17	AxelBoldt ⁶
1	B4hand ⁷
1	BD2412 ⁸
1	BotMultichill ⁹
1	Brainpolice ¹⁰
1	Brion VIBBER ¹¹
1	BrownHairedGirl ¹²
1	Byorgey ¹³
1	Carcharoth ¹⁴
3	Cenarium ¹⁵
1	Chalst ¹⁶
9	Changbao ¹⁷
9	Charles Matthews ¹⁸
1	Chithanh~enwiki ¹⁹
2	Classicalecon ²⁰

-
- 1 <https://en.wikipedia.org/wiki/User:Addbot>
 - 2 <https://en.wikipedia.org/wiki/User:AndriusKulikauskas>
 - 3 <https://en.wikipedia.org/wiki/User:AnomieBOT>
 - 4 <https://en.wikipedia.org/w/index.php?title=User:Apsward&action=edit&redlink=1>
 - 5 <https://en.wikipedia.org/w/index.php?title=User:Asward2&action=edit&redlink=1>
 - 6 <https://en.wikipedia.org/wiki/User:AxelBoldt>
 - 7 <https://en.wikipedia.org/wiki/User:B4hand>
 - 8 <https://en.wikipedia.org/wiki/User:BD2412>
 - 9 <https://en.wikipedia.org/wiki/User:BotMultichill>
 - 10 <https://en.wikipedia.org/wiki/User:Brainpolice>
 - 11 https://en.wikipedia.org/wiki/User:Brion_VIBBER
 - 12 <https://en.wikipedia.org/wiki/User:BrownHairedGirl>
 - 13 <https://en.wikipedia.org/w/index.php?title=User:Byorgey&action=edit&redlink=1>
 - 14 <https://en.wikipedia.org/wiki/User:Carcharoth>
 - 15 <https://en.wikipedia.org/wiki/User:Cenarium>
 - 16 <https://en.wikipedia.org/wiki/User:Chalst>
 - 17 <https://en.wikipedia.org/wiki/User:Changbao>
 - 18 https://en.wikipedia.org/wiki/User:Charles_Matthews
 - 19 <https://en.wikipedia.org/w/index.php?title=User:Chithanh~enwiki&action=edit&redlink=1>
 - 20 <https://en.wikipedia.org/wiki/User:Classicalecon>

2 ClueBot NG²¹
1 Conversion script²²
1 Crasshopper²³
2 Cronholm144²⁴
1 Cspan64²⁵
1 Cyclicduck²⁶
1 Cydebot²⁷
2 David Eppstein²⁸
2 Davidaedwards²⁹
2 DefLog~enwiki³⁰
1 Discospinster³¹
3 Dominus³²
1 Dori³³
1 Dpaking³⁴
1 Dreamyshade³⁵
1 DumZiBoT³⁶
1 Ed g2s³⁷
1 Elwikipedista~enwiki³⁸
1 Excirial³⁹
1 Filll⁴⁰
1 FlaBot⁴¹
1 Galoubet⁴²
5 Gauge⁴³
3 GeoffreyT2000⁴⁴
1 Ghewgill⁴⁵

-
- 21 https://en.wikipedia.org/wiki/User:ClueBot_NG
22 https://en.wikipedia.org/wiki/User:Conversion_script
23 <https://en.wikipedia.org/wiki/User:Crasshopper>
24 <https://en.wikipedia.org/wiki/User:Cronholm144>
25 <https://en.wikipedia.org/wiki/User:Cspan64>
26 <https://en.wikipedia.org/w/index.php?title=User:Cyclicduck&action=edit&redlink=1>
27 <https://en.wikipedia.org/wiki/User:Cydebot>
28 https://en.wikipedia.org/wiki/User:David_Eppstein
29 <https://en.wikipedia.org/w/index.php?title=User:Davidaedwards&action=edit&redlink=1>
30 <https://en.wikipedia.org/wiki/User:DefLog~enwiki>
31 <https://en.wikipedia.org/wiki/User:Discospinster>
32 <https://en.wikipedia.org/wiki/User:Dominus>
33 <https://en.wikipedia.org/wiki/User:Dori>
34 <https://en.wikipedia.org/wiki/User:Dpaking>
35 <https://en.wikipedia.org/wiki/User:Dreamyshade>
36 <https://en.wikipedia.org/wiki/User:DumZiBoT>
37 https://en.wikipedia.org/wiki/User:Ed_g2s
38 <https://en.wikipedia.org/wiki/User:Elwikipedista~enwiki>
39 <https://en.wikipedia.org/wiki/User:Excirial>
40 <https://en.wikipedia.org/wiki/User:Filll>
41 <https://en.wikipedia.org/wiki/User:FlaBot>
42 <https://en.wikipedia.org/wiki/User:Galoubet>
43 <https://en.wikipedia.org/wiki/User:Gauge>
44 <https://en.wikipedia.org/wiki/User:GeoffreyT2000>
45 <https://en.wikipedia.org/wiki/User:Ghewgill>

3 Giftlite⁴⁶
1 Goclenius⁴⁷
1 Goudsbloem⁴⁸
4 Graham87⁴⁹
1 Guanaco⁵⁰
1 Gwern⁵¹
3 Hairy Dude⁵²
1 Hamaryns⁵³
1 Helpful Pixie Bot⁵⁴
1 Ignirtoq⁵⁵
1 InternetArchiveBot⁵⁶
2 Jakob.scholbach⁵⁷
1 JayBeeEll⁵⁸
7 Jayaguru-Shishya⁵⁹
1 Jnkfrancis⁶⁰
2 JohnKel⁶¹
1 Jonesey95⁶²
1 Justin noel⁶³
7 KSmrq⁶⁴
2 Kaptain-k-theory⁶⁵
1 Kephir⁶⁶
1 Lavidav⁶⁷
1 Leland McInnes⁶⁸
4 Loom91⁶⁹
1 LordAnubisBOT⁷⁰

-
- 46 <https://en.wikipedia.org/wiki/User:Giftlite>
47 <https://en.wikipedia.org/wiki/User:Goclenius>
48 <https://en.wikipedia.org/wiki/User:Goudsbloem>
49 <https://en.wikipedia.org/wiki/User:Graham87>
50 <https://en.wikipedia.org/wiki/User:Guanaco>
51 <https://en.wikipedia.org/wiki/User:Gwern>
52 https://en.wikipedia.org/wiki/User:Hairy_Dude
53 <https://en.wikipedia.org/wiki/User:Hamaryns>
54 https://en.wikipedia.org/wiki/User:Helpful_Pixie_Bot
55 <https://en.wikipedia.org/wiki/User:Ignirtoq>
56 <https://en.wikipedia.org/wiki/User:InternetArchiveBot>
57 <https://en.wikipedia.org/wiki/User:Jakob.scholbach>
58 <https://en.wikipedia.org/wiki/User:JayBeeEll>
59 <https://en.wikipedia.org/wiki/User:Jayaguru-Shishya>
60 <https://en.wikipedia.org/w/index.php?title=User:Jnkfrancis&action=edit&redlink=1>
61 <https://en.wikipedia.org/w/index.php?title=User:JohnKel&action=edit&redlink=1>
62 <https://en.wikipedia.org/wiki/User:Jonesey95>
63 https://en.wikipedia.org/w/index.php?title=User:Justin_noel&action=edit&redlink=1
64 <https://en.wikipedia.org/wiki/User:KSmrq>
65 <https://en.wikipedia.org/wiki/User:Kaptain-k-theory>
66 <https://en.wikipedia.org/w/index.php?title=User:Kephir&action=edit&redlink=1>
67 <https://en.wikipedia.org/wiki/User:Lavidav>
68 https://en.wikipedia.org/wiki/User:Leland_McInnes
69 <https://en.wikipedia.org/wiki/User:Loom91>
70 <https://en.wikipedia.org/wiki/User:LordAnubisBOT>

1 ManSpan⁷¹
11 Mark_viking⁷²
1 MarkSweep⁷³
1 Markus_Krötzsche⁷⁴
1 Matt314⁷⁵
1 Matěj_Grabovský⁷⁶
1 Maurice_Carbonaro⁷⁷
1 Mcmillanbb⁷⁸
6 Michael_Hardy⁷⁹
1 Michael_Slone⁸⁰
1 Mika58⁸¹
1 Monkbot⁸²
1 Multiverse_Guy⁸³
1 NathanoNL⁸⁴
1 NeilOnWiki⁸⁵
1 Netrap⁸⁶
1 Niteowlneils⁸⁷
1 NotAldariasky⁸⁸
1 OAbot⁸⁹
7 Omnipaedista⁹⁰
1 Ozob⁹¹
1 Pedant17⁹²
1 Penarc⁹³
1 Phys⁹⁴
1 Pit-trout⁹⁵

71 <https://en.wikipedia.org/w/index.php?title=User:ManSpan&action=edit&redlink=1>
72 https://en.wikipedia.org/wiki/User:Mark_viking
73 <https://en.wikipedia.org/wiki/User:MarkSweep>
74 https://en.wikipedia.org/wiki/User:Markus_Kr%25C3%25B6tzsch
75 <https://en.wikipedia.org/wiki/User:Matt314>
76 https://en.wikipedia.org/wiki/User:Mat%25C4%259Bj_Grabovsk%25C3%25BD
77 https://en.wikipedia.org/wiki/User:Maurice_Carbonaro
78 <https://en.wikipedia.org/w/index.php?title=User:Mcmillanbb&action=edit&redlink=1>
79 https://en.wikipedia.org/wiki/User:Michael_Hardy
80 https://en.wikipedia.org/wiki/User:Michael_Slone
81 <https://en.wikipedia.org/wiki/User:Mika58>
82 <https://en.wikipedia.org/wiki/User:Monkbot>
83 https://en.wikipedia.org/w/index.php?title=User:Multiverse_Guy&action=edit&redlink=1
84 <https://en.wikipedia.org/wiki/User:NathanoNL>
85 <https://en.wikipedia.org/wiki/User:NeilOnWiki>
86 <https://en.wikipedia.org/wiki/User:Netrap>
87 <https://en.wikipedia.org/wiki/User:Niteowlneils>
88 <https://en.wikipedia.org/wiki/User:NotAldariasky>
89 <https://en.wikipedia.org/wiki/User:OAbot>
90 <https://en.wikipedia.org/wiki/User:Omnipaedista>
91 <https://en.wikipedia.org/wiki/User:Ozob>
92 <https://en.wikipedia.org/wiki/User:Pedant17>
93 <https://en.wikipedia.org/wiki/User:Penarc>
94 <https://en.wikipedia.org/wiki/User:Phys>
95 <https://en.wikipedia.org/w/index.php?title=User:Pit-trout&action=edit&redlink=1>

1 RDBrown⁹⁶
 1 RHaworth⁹⁷
 2 Ringspectrum⁹⁸
 1 Salix alba⁹⁹
 7 Sam Staton¹⁰⁰
 2 Samf4u¹⁰¹
 1 Siddharthist¹⁰²
 1 SixWingedSeraph¹⁰³
 1 Smimram¹⁰⁴
 2 SteveVickers¹⁰⁵
 1 Stevertigo¹⁰⁶
 2 SurrealWarrior¹⁰⁷
 1 THSlone¹⁰⁸
 6 TakuyaMurata¹⁰⁹
 5 Tea2min¹¹⁰
 1 Thijs!bot¹¹¹
 1 Thoughtactivist¹¹²
 1 Tkuvho¹¹³
 1 Toby Bartels¹¹⁴
 1 Tom.Reding¹¹⁵
 4 Trifonov~enwiki¹¹⁶
 1 Uscitizenjason¹¹⁷
 46 Vaughan Pratt¹¹⁸
 1 Vonkje¹¹⁹

96 <https://en.wikipedia.org/wiki/User:RDBrown>
 97 <https://en.wikipedia.org/wiki/User:RHaworth>
 98 <https://en.wikipedia.org/wiki/User:Ringspectrum>
 99 https://en.wikipedia.org/wiki/User:Salix_alba
 100 https://en.wikipedia.org/wiki/User:Sam_Staton
 101 <https://en.wikipedia.org/wiki/User:Samf4u>
 102 <https://en.wikipedia.org/wiki/User:Siddharthist>
 103 <https://en.wikipedia.org/wiki/User:SixWingedSeraph>
 104 <https://en.wikipedia.org/wiki/User:Smimram>
 105 <https://en.wikipedia.org/w/index.php?title=User:SteveVickers&action=edit&redlink=1>
 106 <https://en.wikipedia.org/wiki/User:Stevertigo>
 107 <https://en.wikipedia.org/w/index.php?title=User:SurrealWarrior&action=edit&redlink=1>
 108 <https://en.wikipedia.org/wiki/User:THSlone>
 109 <https://en.wikipedia.org/wiki/User:TakuyaMurata>
 110 <https://en.wikipedia.org/wiki/User:Tea2min>
 111 <https://en.wikipedia.org/wiki/User:Thijs!bot>
 112 <https://en.wikipedia.org/w/index.php?title=User:Thoughtactivist&action=edit&redlink=1>
 113 <https://en.wikipedia.org/wiki/User:Tkuvho>
 114 https://en.wikipedia.org/wiki/User:Toby_Bartels
 115 <https://en.wikipedia.org/wiki/User:Tom.Reding>
 116 <https://en.wikipedia.org/w/index.php?title=User:Trifonov~enwiki&action=edit&redlink=1>
 117 <https://en.wikipedia.org/w/index.php?title=User:Uscitizenjason&action=edit&redlink=1>
 118 https://en.wikipedia.org/wiki/User:Vaughan_Pratt
 119 <https://en.wikipedia.org/wiki/User:Vonkje>

- 1 Vycl1994¹²⁰
 - 4 Wikidsp¹²¹
 - 2 Wikimorphism¹²²
 - 3 Yobot¹²³
 - 1 YurikBot¹²⁴
 - 1 Мыша¹²⁵

120 <https://en.wikipedia.org/wiki/User:Vycl1994>

121 https://en.wikipedia.org/w/index.php%3ftitle=User:Wikidisp&action=edit&redlink=1

122 <https://en.wikipedia.org/wiki/User:Wikimorphism>

123 <https://en.wikipedia.org/wiki/User:Yobot>

124 <https://en.wikipedia.org/wiki/User:YurikBot>

125 <https://en.wikipedia.org/wiki/User:D0%9C%D1%8B%D1%88%D0%BD%D0>

List of Figures

- GFDL: Gnu Free Documentation License. <http://www.gnu.org/licenses/fdl.html>
- cc-by-sa-3.0: Creative Commons Attribution ShareAlike 3.0 License. <http://creativecommons.org/licenses/by-sa/3.0/>
- cc-by-sa-2.5: Creative Commons Attribution ShareAlike 2.5 License. <http://creativecommons.org/licenses/by-sa/2.5/>
- cc-by-sa-2.0: Creative Commons Attribution ShareAlike 2.0 License. <http://creativecommons.org/licenses/by-sa/2.0/>
- cc-by-sa-1.0: Creative Commons Attribution ShareAlike 1.0 License. <http://creativecommons.org/licenses/by-sa/1.0/>
- cc-by-2.0: Creative Commons Attribution 2.0 License. <http://creativecommons.org/licenses/by/2.0/>
- cc-by-2.0: Creative Commons Attribution 2.0 License. <http://creativecommons.org/licenses/by/2.0/deed.en>
- cc-by-2.5: Creative Commons Attribution 2.5 License. <http://creativecommons.org/licenses/by/2.5/deed.en>
- cc-by-3.0: Creative Commons Attribution 3.0 License. <http://creativecommons.org/licenses/by/3.0/deed.en>
- GPL: GNU General Public License. <http://www.gnu.org/licenses/gpl-2.0.txt>
- LGPL: GNU Lesser General Public License. <http://www.gnu.org/licenses/lgpl.html>
- PD: This image is in the public domain.
- ATTR: The copyright holder of this file allows anyone to use it for any purpose, provided that the copyright holder is properly attributed. Redistribution, derivative work, commercial use, and all other use is permitted.
- EURO: This is the common (reverse) face of a euro coin. The copyright on the design of the common face of the euro coins belongs to the European Commission. Authorised is reproduction in a format without relief (drawings, paintings, films) provided they are not detrimental to the image of the euro.
- LFK: Lizenz Freie Kunst. <http://artlibre.org/licence/lal/de>
- CFR: Copyright free use.

- EPL: Eclipse Public License. <http://www.eclipse.org/org/documents/epl-v10.php>

Copies of the GPL, the LGPL as well as a GFDL are included in chapter Licenses¹²⁶. Please note that images in the public domain do not require attribution. You may click on the image numbers in the following table to open the webpage of the images in your webbrowser.

126 Chapter 3 on page 29

1	en:User:Saranphat.cha ¹²⁷ , Anomie, J.delanoy, JJMC89, Jo-Jo Eumerus, John M Wolfson, Kimchi.sg, Luk, MSGJ, PeterSymonds, Redrose64, Salvidrim!, ToBeFree, Topbanana	
2	Vaughan Pratt ¹²⁸ , Vaughan Pratt ¹²⁹	
3	David Vignoni ¹³⁰ (original icon); Flamura ¹³¹ (SVG conversion); bayo ¹³² (color), David Vignoni ¹³³ (original icon); Flamura ¹³⁴ (SVG conversion); bayo ¹³⁵ (color)	

127 <https://en.wikipedia.org/wiki/User:Saranphat.cha>

128 http://commons.wikimedia.org/wiki/User:Vaughan_P Pratt

129 https://commons.wikimedia.org/wiki/User:Vaughan_P Pratt

130 https://en.wikipedia.org/wiki/David_Vignoni

131 <http://commons.wikimedia.org/wiki/User:Flamura>

132 <http://commons.wikimedia.org/wiki/User:Bayo>

133 https://en.wikipedia.org/wiki/David_Vignoni

134 <https://commons.wikimedia.org/wiki/User:Flamura>

135 <https://commons.wikimedia.org/wiki/User:Bayo>

3 Licenses

3.1 GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright © 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed. Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program—to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow. TERMS AND CONDITIONS S. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrighted work licensed under this License. Each licensee is addressed as "you". "Licenses" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (of or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu or prominent item in the list menu, this criterion. 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable the use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work. 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not conve, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary. 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intent to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures. 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee. 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

* a) The work must carry prominent notices stating that you modified it, and giving a relevant date. * b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices". * c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they were packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it. * d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, or in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate. 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

* a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange. * b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveyance of source, or (2) access to copy the Corresponding Source from a network server at no charge. * c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b. * d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the object code is a network server, the Corresponding Source may be on a

different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements. * e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a Use Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying. 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

* a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or * b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or * c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or * d) Limiting the use for publicity purposes of names of licensors or authors of the material; or * e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or * f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, then add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way. 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates

your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the rights of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10. 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so. 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this license. You are not responsible for enforcing compliance by third parties with this license.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it. 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version. It do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the recipients of the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work to you, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law. 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, if you cannot excuse yourself from the conditions of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates

both those terms and this License would be to refrain entirely from conveying the Program. 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such. 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

3.2 GNU Free Documentation License

Version 1.3, 3 November 2008

Copyright © 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc. <http://fsf.org/>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed. 0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify, or redistribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format that is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, L^AT_EX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The "publisher" means any person or entity that distributes copies of the Document to the public.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version. 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION. 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author> This program comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use something like an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lGPL.html>.

(section 1) will typically require changing the actual title. 9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it. 10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

11. RELICENSING

"Massive Multiauthor Collaboration Site" (or "MMC Site") means any World Wide Web server that publishes copyrighted works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A "Massive Multiauthor Collaboration" (or "MMC") contained in the site means any set of copyrighted works thus published on the MMC site.

"CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

"Incorporate" means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is "eligible for relicensing" if it is licensed under this License and if all works that were first published under this License somewhere other than that MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing. ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright (C) YEAR YOUR NAME. Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with... Texts." line with this:

with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original version of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein. * L. Preserve all the Invariant Sections of the Document, unaltered in their text and

3.3 GNU Lesser General Public License

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright © 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below. 0. Additional Definitions:

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, either than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work. 1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL. 2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

* a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or * b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

* a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License. * b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

* a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License. * b) Accompany the Combined Work with a copy of the GNU GPL and this license document. * c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document. * d) Do one of the following: o 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source. o 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version. * e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

* a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License. * b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.