

# BORROWED INTELLIGENCE

AI-generated concept / Unscaled / Not an existing-condition reconstruction



Memory calibrates intelligence; wellbeing measures the future.  
Spatial expression of the belt, Three Commons, Twelve Scenarios and operations.

# From the actual city to usable public space

One spine, two wings, three commons / Four parallel ledgers / Twelve low-tech baselines

|       |                                                        |
|-------|--------------------------------------------------------|
| 03–06 | Public ground and day/evening experience               |
| 07–09 | Zhongzhiyuan: observe outside, test inside             |
| 10–13 | AI Origin: district gateways and everyday courts       |
| 14–16 | Dazhongsi: walk, rest and use ordinary retail          |
| 17–29 | Twelve Scenarios: space, service, people and exit      |
| 30–40 | Identity, components, governance, metrics and evidence |

## Public reference

Frozen OSM snapshot, 2026-08-11. Scale applies to public reference geometry only, not statutory limits, ownership or a complete survey.

## Unscaled prototypes

Commons plans test adjacency and circulation; they imply no selected parcel or unsupported dimensions.

## Generated intentions


AI-generated concept; unscaled, not an existing-condition reconstruction or implementation approval. Labels are separate editable text.

## Frozen metrics

Use the V1.1 provisional model; images never determine geometry, areas or ratios.

# Site context | Read Jing-Zhang in the actual city

Public reference ground + participant relationships | WGS84 source / EPSG:4548 map



## 01 / Read the public urban ground

Roads, rail, water, stations, building outlines  
From the frozen OSM snapshot, 2026-08-11

## 02 / Add participant design relationships

Dashed spine and wings: proposed connections  
Three nodes are references, not parcel limits

## 03 / Resolve interfaces segment by segment

Road, rail, river, campus and estate edges  
Verify actual routes, hours and responsibilities


## Scale and permissions

Scale applies only to public reference geometry  
Outlines imply no height, ownership or works  
Keep intake geometry separate from site study

- Public building outlines
- Road reference
- Water reference
- Mapped green space
- Proposed links (dashed)

# Overall structure | One spine, two wings, three commons

Public reference ground + participant relationships | WGS84 source / EPSG:4548 map



## 01 / Read the public urban ground

Roads, rail, water, stations, building outlines  
From the frozen OSM snapshot, 2026-08-11

## 02 / Add participant design relationships

Dashed spine and wings: proposed connections  
Three nodes are references, not parcel limits

## 03 / Resolve interfaces segment by segment

Road, rail, river, campus and estate edges  
Verify actual routes, hours and responsibilities


## Scale and permissions

Scale applies only to public reference geometry  
Outlines imply no height, ownership or works  
Keep intake geometry separate from site study

FIGURE 04 / BORROWED INTELLIGENCE

# Time Equity | Walking · Blue-Green · Wellbeing Network

Infrastructure shifts from a machine of separation to a wellbeing network that reduces time burdens and improves comfort.



## TIME EQUITY: THREE REPRESENTATIVE PATHS

### X01 Qinghe Blue-Green Cross

| PROBLEM                | ACTION                       | OUTCOME                             |
|------------------------|------------------------------|-------------------------------------|
| Fragmented river edges | Shade + stormwater + staying | Continuous rest and transfer choice |

### AI Origin Two Gates

| PROBLEM                      | ACTION                   | OUTCOME                      |
|------------------------------|--------------------------|------------------------------|
| Uncertain access information | Fixed signs + human help | Route choice without a phone |

### Dazhongsi Four Quadrants

| PROBLEM                  | ACTION                           | OUTCOME                             |
|--------------------------|----------------------------------|-------------------------------------|
| Road and rail separation | Conceptual links + public ground | Reduce detour; verification pending |

### SEASONAL COMFORT


Winter sunlight + continuous summer shade + routes that recover after rain

### VERIFICATION STATUS

FIELD\_VERIFY: walking / accessibility / actual open routes / nighttime use  
MANAGEMENT\_VERIFY: access control / hours / shared courts / willingness to open

# One typical segment: daytime sharing, calm evening passage

Experience intention / Not a belt-wide aerial, water-engineering plan or lighting simulation



Day: public route, ground-floor resources and resting courts

Borrowed views retain passage; furniture/discussion stays outside the route. Materials, details and maintenance depend on site conditions.




Evening: readable thresholds/routes, tests inactive

Retain staffed help and ordinary information. Lighting positions, color, ecological impacts and hours require professional/operational review.

B01 / BORROWED INTELLIGENCE

# Zhongzhiyuan • Civic Validation Commons | Site interfaces

Public reference ground + participant relationships | WGS84 source / EPSG:4548 map



## Public understanding and controlled tests

- Observation route stays outside test yards
- Organize research, logistics and service separately
- Verify ring-road, rail and water crossings

## Blue-green relationship

- Support a continuous route and landscape observation
- Test limits depend on safety and operations
- Water geometry does not imply intervention permission

## How to use this design ground


- Solid ground: frozen OSM snapshot
- Colored interfaces: participant proposals
- Routes, hours, ownership and management to verify
- Develop the functional prototype separately

- Public building outlines
- Road reference
- Water reference
- Mapped green space
- Proposed links (dashed)

B01F / BORROWED INTELLIGENCE

# Zhongzhiyuan • Civic Validation Commons | Functions and circulation

Unscaled functional prototype | Routes, use and permissions; no selected parcel



## Observe before entering

Explain risks, rules and status from the gallery  
Public circulation stays outside active tests

## Controlled validation

Each test has a time, permission and staff  
Restore ordinary space use after stopping

## Separate equipment and emergency access

Service, charging and materials use the rear access  
Avoid sharing the audience route

## Publish results and exit conditions

Discussion records success, failure and corrections  
T1/T2 retain their non-AI baseline

# Zhongzhiyuan • Civic Validation Commons

AI-generated concept / Unscaled / Not an existing-condition reconstruction



Public observation stays outside the test enclosure; equipment enters through a separate service yard. Details, risk and emergencies require professional design.

B02 / BORROWED INTELLIGENCE

# AI Origin • Origin Living Commons | Site interfaces

Public reference ground + participant relationships | WGS84 source / EPSG:4548 map



## District scale / Two gateways, one seam

Gateways are two transit-arrival interfaces  
Public anchors: about 880 m apart  
Straight-line distance is not a walking route

## Prototype scale / Shared courts

Resource, discussion, quiet and night functions  
Candidates imply no selected building or permission  
Court renderings do not compress the two stations


## How to use this design ground

Solid ground: frozen OSM snapshot  
Colored interfaces: participant proposals  
Routes, hours, ownership and management to verify  
Develop the functional prototype separately

B02F / BORROWED INTELLIGENCE

# AI Origin • Origin Living Commons | Functions and circulation

Unscaled functional prototype | Routes, use and permissions; no selected parcel



## I1 / Everyday public access

Staff, fixed maps, seats and drinking water  
Basic services do not require a phone or consent

## I2 / Shared by operating hours

Learning, discussion and courts open by agreement  
Publish shared hours and responsibilities

## I3 / Booked collaboration

Training, meetings and work by booking  
A legible permission threshold off the public route

## I4 / Controlled research and service

Teaching, research, equipment and service stay controlled  
Separate logistics and emergency interfaces to verify

# AI Origin • Origin Living Commons

AI-generated concept / Unscaled / Not an existing-condition reconstruction



A continuous everyday path links resources, quiet and deliberation, with booked/controlled research separate. This court does not imply adjacent transit gateways.

# Resource foyer: staffed inquiry before intelligent matching

AI-generated concept / Unscaled / Not an existing-condition reconstruction




Paper directory, human referral and waiting seats remain available; providers maintain candidate resource permissions and hours.

B03 / BORROWED INTELLIGENCE

# Dazhongsi • Slow Intelligence Commons | Site interfaces

Public reference ground + participant relationships | WGS84 source / EPSG:4548 map



## Four-quadrant connections / To verify

Transit lines, culture, commerce and neighborhoods  
Dashed links imply no bridge, tunnel or rail deck  
Public ground floors and ordinary services form the route

## Research location and intake geometry differ

Show actual public station and cultural references  
Retain the original intake role of PROV-KEY-003  
Issue #1029 / official\_anchor\_status=pending

## How to use this design ground


Solid ground: frozen OSM snapshot  
Colored interfaces: participant proposals  
Routes, hours, ownership and management to verify  
Develop the functional prototype separately

- Public building outlines
- Road reference
- Water reference
- Mapped green space
- Proposed links (dashed)

B03F / BORROWED INTELLIGENCE

# Dazhongsi • Slow Intelligence Commons | Functions and circulation

Unscaled functional prototype | Routes, use and permissions; no selected parcel



## Make arrival a place to pause

Fixed signs, seats and staff come first  
Transit and road crossings require verification

## Ground floors support ordinary services

Retain cash, paper menus and clear prices  
Basic service space does not require registration

## Slow retail retains choice

Explain commercial recommendations; allow opt-out  
The public ledger shows no personal information

## Respect culture and ordinary passage

Separate authentic heritage interpretation from new fittings  
No assumed bridge, tunnel, deck or heritage works

# Dazhongsi • Slow Intelligence Commons

AI-generated concept / Unscaled / Not an existing-condition reconstruction



Public ground floors and free resting organize four quadrants. Verify crossings, transfers and heritage interfaces; original intake geometry is not moved.

# Twelve Scenarios for seven everyday user groups

Establish low-tech service first; add intelligence that is optional, explained and stoppable

U01 Older residents and carers

S01 Century Memory Lens

S02 Quiet Borrowed-View Path

U02 Children, students and families

S03 Four-Season Comfort Route

S04 Accessible Together

U03 Researchers, developers and ventures

S05 Time-Equity Navigation

U04 Commuters, service and night workers

S06 Public-Space Steward

S07 Blue-Green Urban Twin

U05 Heritage visitors, walkers and international guests

S08 Community Deliberation Agent

S09 Open Validation Booking

U06 Disabled and sensory-sensitive users

S10 Slow-Intelligence Retail Assistant

U07 Merchants, civic groups and operators

S11 Innovation Resource Foyer

S12 Public Wellbeing Ledger

# S01 / Century Memory Lens

Spine interpretation / AI Origin



Help visitors understand memory and its sources

Interpretation station, paper maps, human guide and resting

AI-generated concept; unscaled, not an existing-condition reconstruction or implementation approval. Labels are separate editable text.

## Low-tech baseline

Authentic remains, a timeline, printed maps, and human interpretation

## AI enhancement


Multilingual, accessible, and personalized interpretation; sources stay visible and generated content cannot replace historical review.

## Human responsibility

Heritage interpreter checks facts; remove incorrect generated content

# S02 / Quiet Borrowed-View Path

Spine / Quiet living-seam court



## Low-tech baseline

Continuous signs, a quiet alternative route, seating, and shade

## AI enhancement

Suggest routes by noise, crowding, and sensory preference; users can disable location and use a fixed map.

## Human responsibility

Operator checks noise and route; show unverified states explicitly

## Find a quiet alternative to the commuter route

Parallel detour, shaded seats and a clear rejoining point

Unscaled facility/process diagram; verify actual routes, engineering and management.

# S03 / Four-Season Comfort Route

Spine / Three Commons shelter



## Rest in summer shade and winter shelter

Shade, wind shelter, seasonal water and off-route rest

### Low-tech baseline

Shade, rain cover, drinking water, rest points, and seasonal maintenance

### AI enhancement

Suggest comfortable routes using microclimate information; fixed signs and human inspection take over when equipment fails.

### Human responsibility

Manager confirms weather and maintenance; faults revert to signs and inspection

AI-generated concept; unscaled, not an existing-condition reconstruction or implementation approval. Labels are separate editable text.

# S04 / Accessible Together

Two gateways / Six seams



## Low-tech baseline

Ramps, tactile and high-contrast information, continuous rest, and human assistance

## AI enhancement

Help detect obstacles and suggest accessible routes; prediction must not be presented as verified accessibility.

## Human responsibility

Professionals and users verify access; no accessibility promise before checking


## Travel continuously from arrival to service

Flush threshold, continuous guidance and off-route rest

AI-generated concept; unscaled, not an existing-condition reconstruction or implementation approval. Labels are separate editable text.

# S05 / Time-Equity Navigation

Stations / Dazhongsi arrival interface



## Low-tech baseline

Standard maps, service times, staffed information, and route options

## AI enhancement

Show walking, waiting, detour, and care costs; users may choose fastest, most reliable, or least-transfer routes.

## Human responsibility

Transport operator checks timetables/routes; stale data leaves recommendations


## Compare speed, reliability and care burden

Physical map, staffed help and multiple route choices

Unscaled facility/process diagram; verify actual routes, engineering and management.

# S06 / Public-Space Steward

Spine / Three Commons maintenance



## Low-tech baseline

Inspection sheets, cleaning and repair requests, notices, and a staffed hotline

## AI enhancement

Aggregate facility status and work orders, with human confirmation of exceptions; no default facial recognition.

## Human responsibility

Manager confirms and assigns jobs; publish aggregate status, not identities


## Know who handles a reported fault

Inspection, paper job cards, hotline and notice point

Unscaled facility/process diagram; verify actual routes, engineering and management.

# S07 / Blue-Green Urban Twin

Zhongzhiyuan / Landscape observation



## Low-tech baseline

Rain gauges, planting information, human monitoring, and evacuation rules

## AI enhancement

Assist observation of ponding, heat, and plant condition; models support maintenance judgement but do not replace engineering conclusions.

## Human responsibility

Professional caretaker verifies alerts; model does not replace flood/engineering decisions

## Observe landscape change and model limits

Gauge, plant notes, observation point and safety edge

Unscaled facility/process diagram; verify actual routes, engineering and management.

# S08 / Community Deliberation Agent

AI Origin deliberation court



Bring different views onto one shared map

Round table, paper map, minutes board and indoor fallback

AI-generated concept; unscaled, not an existing-condition reconstruction or implementation approval. Labels are separate editable text.

## Low-tech baseline

In-person meetings, paper comments, human facilitation, and public minutes

## AI enhancement

Assist synthesis without replacing voting; provide correction, appeal, deletion, and version records.

## Human responsibility

Human facilitation and records; participants correct, AI never replaces voting

# S09 / Open Validation Booking

Zhongzhiyuan observation / Test gate



## Low-tech baseline

On-site notices, paper applications, and human safety briefings

## AI enhancement

Match time and capability and disclose risk and results; refusal of data does not affect offline application.

## Human responsibility

Test lead controls admission and stopping; separate public route from test trajectories

## Understand testing rules before applying

Enclosure, observation path, paper application and staffed post

AI-generated concept; unscaled, not an existing-condition reconstruction or implementation approval. Labels are separate editable text.

# S10 / Slow-Intelligence Retail Assistant

Dazhongsi public ground floor



Obtain explanations or use ordinary checkout

Paper menu, staffed counter, optional terminal and free seating

## Low-tech baseline

Ordinary menus, cash and standard checkout, staffed advice, and clear prices

## AI enhancement

Explain recommendations, allergens, and commercial relationships; personalization can be disabled and must not enable profile-based price discrimination.

## Human responsibility

Merchant checks prices/allergens; recommendations can be disabled

# S11 / Innovation Resource Foyer

AI Origin gateway resource interface



## Bring a question to negotiable resources

Physical directory, low counter, human referral and waiting seats

AI-generated concept; unscaled, not an existing-condition reconstruction or implementation approval. Labels are separate editable text.

### Low-tech baseline

Service directories, fixed opening hours, and human referrals

### AI enhancement


Assist matching with spaces, mentors, and professional services; make no outcome promise and route sensitive requests to people.

### Human responsibility

Providers maintain hours/permissions; no guaranteed match or outcome

# S12 / Public Wellbeing Ledger

Three Commons / Belt information point



## Low-tech baseline

Periodic disclosure, printed reports, hearings, and complaint channels

## AI enhancement

Display only aggregate metrics, sources, and uncertainty; never reveal individual traces or hide trade-offs in a total score.

## Human responsibility

Operator and independent reviewer verify data; aggregate results only

See improvements, burdens and uncertainty


Paper notices, four parallel ledgers, appeals and versions

Unscaled facility/process diagram; verify actual routes, engineering and management.

D01 / BORROWED INTELLIGENCE

# Brand and wayfinding | An open borrowed-view frame

Original mark proposal; no third-party logos or official identity



**BORROWED INTELLIGENCE**

Memory calibrates intelligence; wellbeing measures the future

One grammar for service, direction and evidence

01  
Validation

02  
Everyday life

03  
Human pace

Physical signs first; digital content optional

Direction / Hours / Human responsibility / Help

Distinguish public reference, unverified and concept

Users must verify contrast and readability

# Public-space components | Seven everyday supports

Unscaled functional prototypes; not construction details, equipment specifications or cost commitments

C01 Memory trace



Prefer contrasting paving; verify slip resistance/placement of metal

C02 View frame



View, rest and interpret; keep circulation clear

C03 Wellbeing shelter




Shade, wind shelter, seasonal water and paper information

C04 Accessible link




Continuous route and rest; verify levels and tactile details

C05 Deliberation table



Equal dialogue, paper map and human facilitation

C06 Landscape edge



Observation and recoverable maintenance; not engineering design

C07 Open-data marker




Visible purpose, status, responsibility, help and exit


Shared service grammar; dimensions, construction and materials require site-specific design

# Jing-Zhang memory narrative | Return sources to the public

Separate authentic objects from additions; historic-looking form does not establish historical facts



## Every interpretation point answers five questions



Railway artifacts, interpretation panels and buildings in renderings are design intentions, not evidence of actual relics or historical facts.

# Global cases: compare mechanisms, verify local permissions

Independent primary-source paraphrases; public descriptions are not verified causal outcomes

## C01 / Kendall Square / MIT, USA

MIT’ s resource map lists campus mentoring, licensing and entrepreneurship resources alongside off-campus incubation and shared-laboratory resources. This is a directory, not evidence of collaboration outcomes.

Institution interface: campus and off-campus resource directory.

Shared facilities: LabCentral is listed; access terms were not verified.

Talent daily life: mentoring and venture support are listed; wellbeing outcomes are unproven.

Scenario access: the source supplies no public-space testing permission.

Community participation: representative public involvement is not documented here.

Failure and exit: exit agreements are not documented here.

Jing-Zhang proposal: Provide staffed resource interfaces at both AI Origin district gateways, using a shared directory of university services, advice and bookable facilities; providers would maintain access rules and hours.

Do not copy institutional density, financing or access rights; a directory does not establish resource availability in Jing-Zhang.

CASE-MIT-KENDALL

## C02 / one-north / LaunchPad, Singapore

JTC describes a development bringing together startups, incubators, accelerators and investors, with modular space, amenities and opportunities to pilot across its property portfolio.

Institution interface: eligibility is defined by participant type.

Shared facilities: modular units; access is not automatically free or unrestricted.

Talent daily life: food and transport information accompanies workspace information.

Scenario access: portfolio-wide piloting opportunities still require project admission.

Community participation: resident co-decision is not established by this page.

Failure and exit: flexible leases are described; test-failure rules are not documented.

Jing-Zhang proposal: Provide adaptable small work units and controlled test courts at Zhongzhiyuan, with daily services at AI Origin. The foyer would disclose booking, duration, charges and suspension terms.

Do not transplant Singapore’ s rent, subsidy or eligibility regime; verify premises, fire safety, responsibilities and community acceptance locally.

CASE-JTC-LAUNCHPAD

## C03 / Paris-Saclay, France

The public development agency presents campus development, economic activity, cultural life, IPHE business space and shared services within one coordinated development framework.

Institution interface: a public developer coordinates campus and territorial development.

Shared facilities: IPHE and shared university facilities are described.

Talent daily life: cultural life and shared mobility are included.

Scenario access: innovation services are described, without transferable blanket permission.

Community participation: the page describes development consultation with local authorities and residents.

Failure and exit: scenario-specific retirement thresholds are not documented.

Jing-Zhang proposal: Use a common issue register and coordination ledger across the Three Commons, reviewing mobility and daily services alongside research space. Agreements would define each shared interface.

Do not copy the French agency’ s land powers or financing; verify existing Jing-Zhang ownership and management separately.

CASE-EPA-SACLAY

# Global cases: compare mechanisms, verify local permissions

Independent primary-source paraphrases; public descriptions are not verified causal outcomes

## C04 / Toronto MaRS, Canada

MaRS combines innovation workspace, meeting and event venues, and commercialization advice, and describes adaptation of a former hospital heritage building for innovation workspace.

Institution interface: workspace connects with investor interaction and advice.

Shared facilities: meeting and event venues; eligibility and pricing require further checks.

Talent daily life: an urban work and meeting setting; universal affordability is not established.

Scenario access: this page promises no public testbed.

Community participation: resident veto rights are not established here.

Failure and exit: service-removal agreements are not documented here.

Jing-Zhang proposal: Use accessible ground floors of existing buildings in the technology-services wing for advice, display and short meetings; retain authentic interpretation at Dazhongsi and make additions removable.

Do not equate adaptation with permission to alter buildings; structure, fire safety, ownership and heritage require review.

CASE-MARS-HUBS

## C05 / London Knowledge Quarter, UK

KQ links academic, cultural, research and technology organisations through a partnership and publishes its governance and knowledge-exchange aims, organising proximity into an exchange network.

Institution interface: partnership, board and member representation.

Shared facilities: members hold diverse resources; membership creates no universal access right.

Talent daily life: exchange network; no living-cost outcome evidence here.

Scenario access: knowledge exchange is not permission for real-data tests.

Community participation: visitors and local users are included in aims; representation needs verification.

Failure and exit: project-stopping thresholds are not documented here.

Jing-Zhang proposal: Create a small partnership forum linking the technology-services wing and spine, with deliberation tables showing institutional resources and community issues. Membership would confer no control over public space.

Partnership discussion cannot replace public procedures; member counts and brand exposure cannot substitute for public outcomes.

CASE-KQ-LONDON

## C06 / Pittsburgh / Hazelwood Green, USA

CMU describes advanced-manufacturing research in Mill 19 inside a former steel-mill shell and plans for robotics facilities, with sustainability, equity and community-opportunity aims. These aims are not verified outcomes.

Institution interface: university, manufacturing research and industry collaboration.

Shared facilities: research infrastructure; public-access terms were not verified.

Talent daily life: housing and daily convenience are not quantified here.

Scenario access: translational research space, without blanket public-testing rights.

Community participation: equitable opportunity is an aim; implementation representation is unverified.

Failure and exit: project-specific exit rules are not supplied.

Jing-Zhang proposal: Separate research cores, controlled test courts and public observation at Zhongzhiyuan. Prefer adaptation where existing premises permit it, starting T1/T2 with small removable components.

This is not geographical evidence for Robotics Row: this revision narrows the case to sourced Hazelwood evidence, without copying investment or land arrangements.

CASE-CMU-HAZELWOOD

# Regional interfaces: send issues, return methods and evidence

Five proposed interfaces pending negotiation; no confirmed partners, allocations or investments

## R01 / AI Beiwei Community

Send S11 resource needs and S09 test issues; receive mentor referrals, tool documentation and review feedback  
AI Origin gates + technology-services wing  
Share only consented project summaries; stop referrals when resources or willingness are absent

## R02 / Future Science City

Send S03/S07 climate and low-energy service issues; receive expert feedback, methods and constraints  
Zhongzhiyuan T1/T2 + Xiaoyue scenario wing  
Promise no equipment or compute; fall back to manual inspection when methods do not fit

## R03 / Huairou Science City

Send S07 observation issues and T1 validation needs; receive protocol advice, exchange and uncertainty explanations  
Zhongzhiyuan test courts + civic forum  
Confirm booking and permission separately; do not imply immediate access to major scientific facilities

## R04 / Beijing E-Town

Send provisionally validated T1/T3 components and failure records; receive engineering advice, supply terms and service boundaries  
Zhongzhiyuan controlled tests + Dazhongsi content and retail interfaces  
Validation is not procurement; no scaling without maintenance and restoration responsibility

## R05 / Beijing–Tianjin–Hebei network


Send de-identified scenario cards, ledger definitions and exit cases; receive review reports, adaptation differences and training feedback  
Belt-wide issue library + services-wing exchange + Three Commons  
Require fresh local admission; no personal-trajectory transfer or claims of existing cooperation

# Eight elements: supply, validation, feedback and exit

Participant concept • No confirmed partners, resources or permissions • Not a geographic map



Resource supply → Risk-based validation → Four Ledgers feedback → Provider adjustment



Exit: withdrawn permission, false access, discrimination, absent takeover or upkeep → Stop AI, restore low-tech service, record reason

# Implementation: ordinary services before stoppable intelligence

Stages and responsibilities govern entry; budgets, managers and works permission remain unconfirmed

## PHASE 0 / Data and consensus

Official limits, field audit, heritage inventory, ledger baselines and management

## G1 / Public-value gate

Who benefits/bears burdens; can different users use ordinary services?

## PHASE 1 / Low-cost wellbeing repairs

Gateway signs, rest, shade and route gaps; low-tech service first

## G2 / Spatial-fit gate

Do routes, risks, permission, maintenance and engineering fit?

## PHASE 2 / Three Commons and AI pilots

Small T1/T2/T3 tests; human takeover, stopping and exit drills

## G3 / Trust/safety gate

Are minimal data, explanations, appeals and human correction available?

## PHASE 3 / Network and identity

Long-term operations, budget, outcomes and retirement; scale only after verification


## G4 / Operations/exit gate

Who takes over, stops and restores; are costs/responsibilities clear?

FIGURE 05 / BORROWED INTELLIGENCE

Metrics · Evidence · AI Governance

Design conclusions must be recomputable, traceable, verifiable, and open to revision by future evidence.



# Concept review and next-stage evidence checklist

Spatial expression complete; construction sign-off deferred pending survey, engineering and management inputs

## R01 / Routes and entrances

Obtain continuous-route audit, hours, levels/clear widths and user tests

## R02 / Planting and structure

Obtain below-ground layout, soil depth, loads, roots and maintenance

## R03 / Drainage and winter

Obtain grading, runoff, overflow, snow storage and icing review

## R04 / Shelters, lighting and facilities

Obtain foundations, structure, power, photometry, glare and ecology review

## R05 / Tests and the public

Obtain risk assessment, enclosure, access, emergency and equipment routes

## R06 / Memory and management

Obtain heritage inventory, interpretation review, place permission and human responsibility

Review does not replace statutory review or responsible professional sign-off. L3-012 drawing consistency: compare prototypes and renderings; verify details/dimensions through professional design.

# Give every drawing a traceable source

Source, design and generation records included; images express intentions while verification continues

## [sources.json](#)

Official task, standard index, global cases and public sources

## [visual/assets/design-object-register.json](#)

Public anchors, layer hashes, OSM sources and snapshot time

## [visual/assets/map-derivation.json](#)

Projection, clipping, simplification and map derivation

## [visual/assets/visual-design-register.json](#)

Full prompts and original/delivery hashes for 12 new renderings

## [visual/assets/scenario-design.json](#)

Twelve Scenario tasks, space, baseline, enhancement and responsibility

## [metrics.json / geometry/](#)

V1.1 frozen metrics and provisional intake model, not statutory values

## [report/copyright\\_statement.md](#)

Third-party sources, generation disclosure, ODbL and SIL OFL font terms

Jing-Zhang Borrowed Intelligence Design Team / Li Bo and Meng Yujing  
Post-deadline revision of PR #4198; acceptance, review and selection remain maintainer decisions.