A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

The model

The Gibbs sample

he software

A Bayesian model for hybrid vigor

Will Landau

Iowa State University

September 29, 2013

Outline

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq

The model

The Gibbs sample

he software

Biological background

DNA and RNA

Central dogma

Examples of gene regulation

RNA-seq

Hybrid vigor

The model

The Gibbs sampler

Outline

A Bayesian model for hybrid vigor

Will Landau

Biological background

DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

The model

The Gibbs sampler

he software

Biological background

DNA and RNA

Central dogma

Examples of gene regulation


RNA-sec

Hybrid vigor

The mode

The Gibbs sampler

DNA



··· GTGCATCTGACTCCTGAGGAGAAG ··· CACGTAGACTGAGGACTCCTCTTC ···


A Bayesian model for hybrid vigor

Will Landau

Biological
background
DNA and RNA
Central dogma
Examples of gene
regulation
RNA-seq
Hybrid vigor

The model

The Gibbs sample



GUGCAUCUGACUCCUGAGGAGAAG · · ·

A Bayesian model for hybrid vigor

Will Landau

DNA and RNA





A Bayesian model for hybrid vigor

Will Landau

DNA and RNA

Central dogma: how organisms make proteins

··· GTGCATCTGACTCCTGAGGAGGAGG ··· DNA

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor


he model

The Gibbs sampler

Central dogma: how organisms make proteins

GTGCATCTGACTCCTGAGGAGAAG ... DNA (transcription) RNA

GUGCAUCUGACUCCUGAGGAGAAG · · ·



A Bayesian model for hybrid vigor


Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

he model

The Gibbs sample

- ► HSP = heat shock protein.
- ▶ Prevent heat damage to other proteins.



A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vizor

The model

The Gibbs sample

Temperature spike triggers HSP60 production.

HSP60 Gene



A Bayesian model for hybrid vigor


Will Landau

Biological
background
DNA and RNA
Central dogma
Examples of gene
regulation
RNA-seq
Hybrid vigor

The model

The Gibbs sampler

Temperature spike causes HSP60 expression.



A Bayesian model for hybrid vigor


Will Landau

Biological
background
DNA and RNA
Central dogma
Examples of gene
regulation
RNA-seq
Hybrid vigor

The model

The Gibbs sampler

Temperature spike causes HSP60 expression.



A Bayesian model for hybrid vigor

Will Landau


Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

The model

The Gibbs sampler

- ► RNA sequencing: measure gene expression using
- ► Illumina Genome Analyzer:

relative abundance of RNA.



A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq

he model

The Gibbs sampler

RNA-seq data: counts of amplified RNA fragments

	Treatment I		Treatment 2		Treatment 3		
Gene I	100	225	0	70	279	300	106
Gene 2	0	1	1	50	501	2	7
Gene 3	3	4	2	700	900	0	0
Gene 4	893	400	760	5	5	1000	513
Gene 34897	10	13	6	819	761	902	912

► Goal: use RNA-seq to study hybrid vigor (heterosis).

A Bayesian model for hybrid vigor

Will Landau


Biological
background
DNA and RNA
Central dogma
Examples of gene
regulation
RNA-seq
Hybrid vigor

The model

The Gibbs sampler

ne sottware

High-parent heterosis: child's trait surpasses both parents



A Bayesian model for hybrid vigor


Will Landau

Biological
background
DNA and RNA
Central dogma
Examples of gene
regulation
RNA-seq
Hybrid vigor

he model

The Gibbs sample

Low-parent heterosis: child's trait is weaker than in each parent



A Bayesian model for hybrid vigor


Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

he model

The Gibbs sample

Mid-parent heterosis: child's trait is different than average of parents



A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

The model

The Gibbs sample

High-parent heterosis in gene expression

	Parent I			Child		Parent 2	
Gene I	100	225	0	70	279	300	106
Gene 2	0	I	I	50	501	2	7
Gene 3	3	4	2	700	900	0	0
Gene 4	893	400	760	5	5	1000	513
							•••
Gene 34897	10	13	6	819	761	902	912

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

he model

The Gibbs sampler

Low-parent heterosis in gene expression

Parent I Child Parent 2 Gene I 100 225 0 70 279 300 106 Gene 2 0 50 50 I Gene 3 3 4 2 700 900 0 0 Gene 4 893 400 760 5 5 1000 513 Gene 10 13 761 912 34897

Mid-parent heterosis in gene expression

	Parent I			Child		Parent 2	
Gene I	100	225	0	70	279	300	106
Gene 2	0	1	I	50	501	2	7
Gene 3	3	4	2	700	900	0	0
Gene 4	893	400	760	5	5	1000	513
	•••						
Gene 34897	10	13	6	819	761	902	912

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

he model

The Gibbs sampler

Outline

Biological background

Central dogma

Examples of gene regulation

RNA-seq

Hybrid vigor

The model

The Gibbs sample

The software

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

The model

The Gibbs sample

$$y_{g,n} \stackrel{\text{ind}}{\sim} \text{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

A Bayesian model for hybrid vigor

Will Landau

iological
ackground
DNA and RNA
Central dogma
Examples of gene
egulation
RNA-seq

The model

The Gibbs sample

$$y_{g,n} \stackrel{\text{ind}}{\sim} \text{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

$$c_n \stackrel{\text{ind}}{\sim} \text{N}(c_n \mid 0, \sigma_c^2)$$

A Bayesian model for hybrid vigor

Will Landau

iological
ackground
DNA and RNA
Central dogma
Examples of gene
egulation
RNA-seq

The model

The Gibbs sample

$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \mathsf{exp}(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$
 $c_n \stackrel{\text{ind}}{\sim} \mathsf{N}(c_n \mid 0, \sigma_c^2)$

$$\varepsilon_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{N}(\varepsilon_{g,n} \mid 0, \eta_g^2)$$

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vieor

The model

The Gibbs sample

$$\begin{aligned} y_{g,n} &\overset{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \mathsf{exp}(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g))) \\ c_n &\overset{\text{ind}}{\sim} \mathsf{N}(c_n \mid 0, \sigma_c^2) \\ \sigma_c &\sim \mathsf{U}(\sigma_c \mid 0, \sigma_{c0}) \\ \varepsilon_{g,n} &\overset{\text{ind}}{\sim} \mathsf{N}(\varepsilon_{g,n} \mid 0, \eta_g^2) \end{aligned}$$

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

The model

The Gibbs sample

$$\begin{split} y_{g,n} & \overset{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \mathsf{exp}(c_n + \varepsilon_{g,n} + \mu(n,\phi_g,\alpha_g,\delta_g))) \\ c_n & \overset{\text{ind}}{\sim} \mathsf{N}(c_n \mid 0,\sigma_c^2) \\ & \sigma_c \sim \mathsf{U}(\sigma_c \mid 0,\sigma_{c0}) \\ \varepsilon_{g,n} & \overset{\text{ind}}{\sim} \mathsf{N}(\varepsilon_{g,n} \mid 0,\eta_g^2) \\ & \eta_g^2 & \overset{\text{ind}}{\sim} \mathsf{Inv-Gamma}\left(\eta_g^2 \mid \mathsf{shape} = \frac{d}{2} \;, \; \mathsf{rate} = \frac{d \cdot \tau^2}{2} \right) \end{split}$$

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vieor

The model

The Gibbs sampler

$$\begin{split} y_{g,n} & \overset{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \mathsf{exp}(c_n + \varepsilon_{g,n} + \mu(n,\phi_g,\alpha_g,\delta_g))) \\ c_n & \overset{\text{ind}}{\sim} \mathsf{N}(c_n \mid 0,\sigma_c^2) \\ & \sigma_c \sim \mathsf{U}(\sigma_c \mid 0,\sigma_{c0}) \\ \varepsilon_{g,n} & \overset{\text{ind}}{\sim} \mathsf{N}(\varepsilon_{g,n} \mid 0,\eta_g^2) \\ & \eta_g^2 & \overset{\text{ind}}{\sim} \mathsf{Inv-Gamma}\left(\eta_g^2 \mid \mathsf{shape} = \frac{d}{2} \;, \; \mathsf{rate} = \frac{d \cdot \tau^2}{2}\right) \\ & d \sim \mathsf{U}(d \mid 0,d_0) \end{split}$$

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq

The model

The Gibbs sampler

The Gibbs sampler

$$\begin{split} y_{g,n} & \overset{\mathsf{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \mathsf{exp}(c_n + \varepsilon_{g,n} + \mu(n,\phi_g,\alpha_g,\delta_g))) \\ c_n & \overset{\mathsf{ind}}{\sim} \mathsf{N}(c_n \mid 0,\sigma_c^2) \\ & \sigma_c \sim \mathsf{U}(\sigma_c \mid 0,\sigma_{c0}) \\ \varepsilon_{g,n} & \overset{\mathsf{ind}}{\sim} \mathsf{N}(\varepsilon_{g,n} \mid 0,\eta_g^2) \\ & \eta_g^2 & \overset{\mathsf{ind}}{\sim} \mathsf{Inv}\text{-}\mathsf{Gamma}\left(\eta_g^2 \mid \mathsf{shape} = \frac{d}{2} \;, \; \mathsf{rate} = \frac{d \cdot \tau^2}{2}\right) \\ & d \sim \mathsf{U}(d \mid 0,d_0) \\ & \tau^2 \sim \mathsf{Gamma}(\tau^2 \mid \mathsf{shape} = a_\tau,\mathsf{rate} = b_\tau) \end{split}$$

 $\mathbf{y_{g,n}} \overset{\text{ind}}{\sim} \mathsf{Poisson}(\mathbf{y_{g,n}} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n,\phi_g,\alpha_g,\delta_g)))$

A Bayesian model for hybrid vigor

Will Landau

Biological
background
DNA and RNA
Central dogma
Examples of gene
regulation
RNA-seq
Hybrid vigor

The model

The Gibbs sample

$$\mu(n,\phi_g,\alpha_g,\delta_g) = \begin{cases} \phi_g - \alpha_g & \text{sample } n \text{ from parent } 1 \\ \phi_g + \delta_g & \text{sample } n \text{ from child} \\ \phi_g + \alpha_g & \text{sample } n \text{ parent } 3 \end{cases}$$

$$y_{g,n} \stackrel{\text{ind}}{\sim} \text{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n,\phi_g,\alpha_g,\delta_g)))$$

A Bayesian model for hybrid vigor

Will Landau

Biological
background
DNA and RNA
Central dogma
Examples of gene
regulation
RNA-seq
Hybrid vigor

The model

The Gibbs sample

$$\mu(n,\phi_g,\alpha_g,\delta_g) = \begin{cases} \phi_g - \alpha_g & \text{sample n from parent 1} \\ \phi_g + \delta_g & \text{sample n from child} \\ \phi_g + \alpha_g & \text{sample n parent 3} \end{cases}$$

$$y_{g,n} \overset{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \mathsf{exp}(c_n + \varepsilon_g, n + \mu(n,\phi_g,\alpha_g,\delta_g)))$$

 $\phi_{\sigma} \stackrel{\text{ind}}{\sim} N(\phi_{\sigma} \mid \theta_{\phi}, \sigma_{\phi}^2)$

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

The model

The Gibbs sample

$$\mu(\textit{n}, \phi_{\textit{g}}, \alpha_{\textit{g}}, \delta_{\textit{g}}) = \begin{cases} \phi_{\textit{g}} - \alpha_{\textit{g}} & \text{sample } \textit{n} \text{ from parent 1} \\ \phi_{\textit{g}} + \delta_{\textit{g}} & \text{sample } \textit{n} \text{ from child} \\ \phi_{\textit{g}} + \alpha_{\textit{g}} & \text{sample } \textit{n} \text{ parent 3} \end{cases}$$

$$y_{g,n} \stackrel{\text{ind}}{\sim} \text{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

$$\phi_g \stackrel{\text{ind}}{\sim} \text{N}(\phi_g \mid \theta_\phi, \sigma_\phi^2)$$

$$\alpha_{g} \overset{\text{ind}}{\sim} \pi_{\alpha}^{1-l(\alpha_{g})} [(1-\pi_{\alpha}) \mathsf{N}(\alpha_{g} \mid \theta_{\alpha}, \sigma_{\alpha}^{2})]^{l(\alpha_{g})}$$

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

The model

The Gibbs sample

$$\mu(n,\phi_{\rm g},\alpha_{\rm g},\delta_{\rm g}) = \begin{cases} \phi_{\rm g} - \alpha_{\rm g} & \text{sample n from parent 1} \\ \phi_{\rm g} + \delta_{\rm g} & \text{sample n from child} \\ \phi_{\rm g} + \alpha_{\rm g} & \text{sample n parent 3} \end{cases}$$

$$y_{g,n} \stackrel{\text{ind}}{\sim} \text{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

$$\phi_g \stackrel{\text{ind}}{\sim} \text{N}(\phi_g \mid \theta_\phi, \sigma_\phi^2)$$

$$\alpha_{\rm g} \stackrel{\rm ind}{\sim} \pi_{\alpha}^{1-l(\alpha_{\rm g})} [(1-\pi_{\alpha}) {\rm N}(\alpha_{\rm g} \mid \theta_{\alpha}, \sigma_{\alpha}^2)]^{l(\alpha_{\rm g})}$$

$$\delta_{g} \overset{\text{ind}}{\sim} \pi_{\delta}^{1-l(\delta_{g})} [(1-\pi_{\delta})\mathsf{N}(\delta_{g} \mid \theta_{\delta}, \sigma_{\delta}^{2})]^{l(\delta_{g})}$$

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq

The model

The Gibbs sample

$$\mu(n,\phi_{\it g},\alpha_{\it g},\delta_{\it g}) = \begin{cases} \phi_{\it g} - \alpha_{\it g} & \text{sample n from parent 1} \\ \phi_{\it g} + \delta_{\it g} & \text{sample n from child} \\ \phi_{\it g} + \alpha_{\it g} & \text{sample n parent 3} \end{cases}$$

$$\begin{split} y_{g,n} &\stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \mathsf{exp}(c_n + \varepsilon_{g,n} + \mu(n,\phi_g,\alpha_g,\delta_g))) \\ \phi_g &\stackrel{\text{ind}}{\sim} \mathsf{N}(\phi_g \mid \theta_\phi,\sigma_\phi^2) \\ \theta_\phi &\sim \mathsf{N}(\theta_\phi \mid 0,\gamma_\phi^2) \end{split}$$

$$\alpha_{\mathbf{g}} \overset{\mathsf{ind}}{\sim} \pi_{\alpha}^{1-I(\alpha_{\mathbf{g}})} [(1-\pi_{\alpha})\mathsf{N}(\alpha_{\mathbf{g}} \mid \theta_{\alpha}, \sigma_{\alpha}^{2})]^{I(\alpha_{\mathbf{g}})}$$

$$\delta_g \stackrel{\mathsf{ind}}{\sim} \pi_\delta^{1-I(\delta_g)} [(1-\pi_\delta) \mathsf{N}(\delta_g \mid \theta_\delta \,,\, \sigma_\delta^2)]^{I(\delta_g)}$$

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

The model

The Gibbs sample

$$\mu(n,\phi_{\rm g},\alpha_{\rm g},\delta_{\rm g}) = \begin{cases} \phi_{\rm g} - \alpha_{\rm g} & \text{sample n from parent 1} \\ \phi_{\rm g} + \delta_{\rm g} & \text{sample n from child} \\ \phi_{\rm g} + \alpha_{\rm g} & \text{sample n parent 3} \end{cases}$$

$$\begin{split} \mathbf{y}_{\mathbf{g},n} &\stackrel{\text{ind}}{\sim} \mathsf{Poisson}(\mathbf{y}_{\mathbf{g},n} \mid \mathsf{exp}(c_n + \varepsilon_{\mathbf{g},n} + \mu(n,\phi_{\mathbf{g}},\alpha_{\mathbf{g}},\delta_{\mathbf{g}}))) \\ \phi_{\mathbf{g}} &\stackrel{\text{ind}}{\sim} \mathsf{N}(\phi_{\mathbf{g}} \mid \theta_{\phi},\sigma_{\phi}^2) \\ \theta_{\phi} &\sim \mathsf{N}(\theta_{\phi} \mid 0,\gamma_{\phi}^2) \end{split}$$

$$\begin{split} \alpha_g & \stackrel{\text{ind}}{\sim} \pi_{\alpha}^{1-I(\alpha_g)} [(1-\pi_{\alpha})\mathsf{N}(\alpha_g \mid \theta_{\alpha}, \sigma_{\alpha}^2)]^{I(\alpha_g)} \\ \theta_{\alpha} & \sim \mathsf{N}(\theta_{\alpha} \mid 0, \gamma_{\alpha}^2) \end{split}$$

$$\delta_{\mathbf{g}} \overset{\text{ind}}{\sim} \pi_{\delta}^{1-I(\delta_{\mathbf{g}})} [(1-\pi_{\delta}) \mathsf{N}(\delta_{\mathbf{g}} \mid \theta_{\delta}, \sigma_{\delta}^2)]^{I(\delta_{\mathbf{g}})}$$

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

The model

The Gibbs sample

$$\mu(n,\phi_{\rm g},\alpha_{\rm g},\delta_{\rm g}) = \begin{cases} \phi_{\rm g} - \alpha_{\rm g} & \text{sample n from parent 1} \\ \phi_{\rm g} + \delta_{\rm g} & \text{sample n from child} \\ \phi_{\rm g} + \alpha_{\rm g} & \text{sample n parent 3} \end{cases}$$

$$\begin{aligned} \mathbf{y}_{\mathbf{g},n} & \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(\mathbf{y}_{\mathbf{g},n} \mid \mathsf{exp}(c_n + \varepsilon_{\mathbf{g},n} + \mu(n,\phi_{\mathbf{g}},\alpha_{\mathbf{g}},\delta_{\mathbf{g}}))) \\ \phi_{\mathbf{g}} & \stackrel{\text{ind}}{\sim} \mathsf{N}(\phi_{\mathbf{g}} \mid \theta_{\phi},\sigma_{\phi}^2) \\ \theta_{\phi} & \sim \mathsf{N}(\theta_{\phi} \mid 0,\gamma_{\phi}^2) \end{aligned}$$

$$\begin{split} \alpha_g & \stackrel{\text{ind}}{\sim} \pi_\alpha^{1-I(\alpha_g)} [(1-\pi_\alpha) \mathsf{N}(\alpha_g \mid \theta_\alpha, \sigma_\alpha^2)]^{I(\alpha_g)} \\ \theta_\alpha & \sim \mathsf{N}(\theta_\alpha \mid 0, \gamma_\alpha^2) \end{split}$$

$$\begin{split} \delta_{\mathbf{g}} &\overset{\text{ind}}{\sim} \pi_{\delta}^{1-I(\delta_{\mathbf{g}})} [(1-\pi_{\delta})\mathsf{N}(\delta_{\mathbf{g}} \mid \theta_{\delta}, \sigma_{\delta}^{2})]^{I(\delta_{\mathbf{g}})} \\ &\theta_{\delta} \sim \mathsf{N}(\theta_{\delta} \mid 0, \gamma_{\delta}^{2}) \end{split}$$

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

The model

The Gibbs sample

$$\mu(n,\phi_{\it g},\alpha_{\it g},\delta_{\it g}) = \begin{cases} \phi_{\it g} - \alpha_{\it g} & \text{sample n from parent 1} \\ \phi_{\it g} + \delta_{\it g} & \text{sample n from child} \\ \phi_{\it g} + \alpha_{\it g} & \text{sample n parent 3} \end{cases}$$

$$\begin{split} \mathbf{y}_{g,n} & \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(\mathbf{y}_{g,n} \mid \mathsf{exp}(c_n + \varepsilon_{g,n} + \mu(n,\phi_g,\alpha_g,\delta_g))) \\ \phi_g & \stackrel{\text{ind}}{\sim} \mathsf{N}(\phi_g \mid \theta_\phi,\sigma_\phi^2) \\ & \theta_\phi & \sim \mathsf{N}(\theta_\phi \mid 0,\gamma_\phi^2) \\ & \sigma_\phi & \sim \mathsf{U}(\sigma_\phi \mid 0,\sigma_{\phi 0}) \\ \alpha_g & \stackrel{\text{ind}}{\sim} \pi_\alpha^{1-I(\alpha_g)} [(1-\pi_\alpha)\mathsf{N}(\alpha_g \mid \theta_\alpha,\sigma_\alpha^2)]^{I(\alpha_g)} \\ & \theta_\alpha & \sim \mathsf{N}(\theta_\alpha \mid 0,\gamma_\alpha^2) \end{split}$$

$$\begin{split} \delta_{\mathbf{g}} &\overset{\text{ind}}{\sim} \pi_{\delta}^{1-l(\delta_{\mathbf{g}})} [(1-\pi_{\delta}) \mathsf{N}(\delta_{\mathbf{g}} \mid \theta_{\delta}, \sigma_{\delta}^{2})]^{l(\delta_{\mathbf{g}})} \\ &\theta_{\delta} \sim \mathsf{N}(\theta_{\delta} \mid 0, \gamma_{\delta}^{2}) \end{split}$$

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

The model

The Gibbs sample

$$\mu(n,\phi_{\rm g},\alpha_{\rm g},\delta_{\rm g}) = \begin{cases} \phi_{\rm g} - \alpha_{\rm g} & \text{sample n from parent 1} \\ \phi_{\rm g} + \delta_{\rm g} & \text{sample n from child} \\ \phi_{\rm g} + \alpha_{\rm g} & \text{sample n parent 3} \end{cases}$$

$$\begin{split} \mathbf{y}_{g,n} & \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(\mathbf{y}_{g,n} \mid \mathsf{exp}(c_n + \varepsilon_{g,n} + \mu(n,\phi_g,\alpha_g,\delta_g))) \\ \phi_g & \stackrel{\text{ind}}{\sim} \mathsf{N}(\phi_g \mid \theta_\phi,\sigma_\phi^2) \\ & \theta_\phi \sim \mathsf{N}(\theta_\phi \mid 0,\gamma_\phi^2) \\ & \sigma_\phi \sim \mathsf{U}(\sigma_\phi \mid 0,\sigma_{\phi0}) \\ & \alpha_g & \stackrel{\text{ind}}{\sim} \pi_\alpha^{1-I(\alpha_g)} [(1-\pi_\alpha)\mathsf{N}(\alpha_g \mid \theta_\alpha,\sigma_\alpha^2)]^{I(\alpha_g)} \\ & \theta_\alpha \sim \mathsf{N}(\theta_\alpha \mid 0,\gamma_\alpha^2) \\ & \sigma_\alpha \sim \mathsf{U}(\sigma_\alpha \mid 0,\sigma_{\alpha0}) \end{split}$$

$$\begin{split} \delta_{\mathbf{g}} &\stackrel{\text{ind}}{\sim} \pi_{\delta}^{1-l(\delta_{\mathbf{g}})} [(1-\pi_{\delta}) \mathsf{N}(\delta_{\mathbf{g}} \mid \theta_{\delta}, \sigma_{\delta}^{2})]^{l(\delta_{\mathbf{g}})} \\ &\theta_{\delta} \sim \mathsf{N}(\theta_{\delta} \mid 0, \gamma_{\delta}^{2}) \end{split}$$

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

The model

The Gibbs sample

$$\mu(n,\phi_{\it g},\alpha_{\it g},\delta_{\it g}) = \begin{cases} \phi_{\it g} - \alpha_{\it g} & \text{sample n from parent 1} \\ \phi_{\it g} + \delta_{\it g} & \text{sample n from child} \\ \phi_{\it g} + \alpha_{\it g} & \text{sample n parent 3} \end{cases}$$

$$\begin{split} \mathbf{y}_{g,n} & \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(\mathbf{y}_{g,n} \mid \mathsf{exp}(c_n + \varepsilon_{g,n} + \mu(n,\phi_g,\alpha_g,\delta_g))) \\ \phi_g & \stackrel{\text{ind}}{\sim} \mathsf{N}(\phi_g \mid \theta_\phi,\sigma_\phi^2) \\ & \theta_\phi &\sim \mathsf{N}(\theta_\phi \mid 0,\gamma_\phi^2) \\ & \sigma_\phi &\sim \mathsf{U}(\sigma_\phi \mid 0,\sigma_{\phi 0}) \\ \alpha_g & \stackrel{\text{ind}}{\sim} \pi_\alpha^{1-I(\alpha_g)}[(1-\pi_\alpha)\mathsf{N}(\alpha_g \mid \theta_\alpha,\sigma_\alpha^2)]^{I(\alpha_g)} \\ & \theta_\alpha &\sim \mathsf{N}(\theta_\alpha \mid 0,\gamma_\alpha^2) \\ & \sigma_\alpha &\sim \mathsf{U}(\sigma_\alpha \mid 0,\sigma_{\alpha 0}) \end{split}$$

$$\begin{split} \delta_{\mathbf{g}} &\stackrel{\text{ind}}{\sim} \pi_{\delta}^{1-I(\delta_{\mathbf{g}})} [(1-\pi_{\delta})\mathsf{N}(\delta_{\mathbf{g}} \mid \theta_{\delta}, \sigma_{\delta}^{2})]^{I(\delta_{\mathbf{g}})} \\ & \theta_{\delta} \sim \mathsf{N}(\theta_{\delta} \mid 0, \gamma_{\delta}^{2}) \\ & \sigma_{\delta} \sim \mathsf{U}(\sigma_{\delta} \mid 0, \sigma_{\delta 0}) \end{split}$$

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vieor

The model

The Gibbs sample

$$\mu(n,\phi_g,\alpha_g,\delta_g) = \begin{cases} \phi_g - \alpha_g & \text{sample } n \text{ from parent } 1 \\ \phi_g + \delta_g & \text{sample } n \text{ from child} \\ \phi_g + \alpha_g & \text{sample } n \text{ parent } 3 \end{cases}$$

$$y_{g,n} \overset{\text{ind}}{\sim} \text{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n,\phi_g,\alpha_g,\delta_g)))$$

$$\phi_g \overset{\text{ind}}{\sim} \text{N}(\phi_g \mid \theta_\phi, \sigma_\phi^2)$$

$$\theta_\phi \sim \text{N}(\theta_\phi \mid 0, \gamma_\phi^2)$$

$$\sigma_\phi \sim \text{U}(\sigma_\phi \mid 0, \sigma_{\phi 0})$$

$$\alpha_g \overset{\text{ind}}{\sim} \pi_\alpha^{1-l(\alpha_g)}[(1 - \pi_\alpha)\text{N}(\alpha_g \mid \theta_\alpha, \sigma_\alpha^2)]^{l(\alpha_g)}$$

$$\theta_\alpha \sim \text{N}(\theta_\alpha \mid 0, \gamma_\alpha^2)$$

$$\sigma_\alpha \sim \text{U}(\sigma_\alpha \mid 0, \sigma_{\alpha 0})$$

$$\pi_\alpha \sim \text{Beta}(\pi_\alpha \mid a_\alpha, b_\alpha)$$

$$\delta_g \overset{\text{ind}}{\sim} \pi_s^{1-l(\delta_g)}[(1 - \pi_\delta)\text{N}(\delta_g \mid \theta_\delta, \sigma_s^2)]^{l(\delta_g)}$$

 $\theta_{\delta} \sim N(\theta_{\delta} \mid 0, \gamma_{\delta}^{2})$ $\sigma_{\delta} \sim U(\sigma_{\delta} \mid 0, \sigma_{\delta 0})$

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

The model

The Gibbs sample

ne sortware

$$\mu(\textit{n}, \phi_{\textit{g}}, \alpha_{\textit{g}}, \delta_{\textit{g}}) = \begin{cases} \phi_{\textit{g}} - \alpha_{\textit{g}} & \text{sample } \textit{n} \text{ from parent 1} \\ \phi_{\textit{g}} + \delta_{\textit{g}} & \text{sample } \textit{n} \text{ from child} \\ \phi_{\textit{g}} + \alpha_{\textit{g}} & \text{sample } \textit{n} \text{ parent 3} \end{cases}$$

$$\begin{aligned} & \mathbf{y}_{g,n} \overset{\text{ind}}{\sim} \mathsf{Poisson}(\mathbf{y}_{g,n} \mid \mathsf{exp}(c_n + \varepsilon_{g,n} + \mu(n,\phi_g,\alpha_g,\delta_g))) \\ & \phi_g \overset{\text{ind}}{\sim} \mathsf{N}(\phi_g \mid \theta_\phi,\sigma_\phi^2) \\ & \theta_\phi \sim \mathsf{N}(\theta_\phi \mid 0, \gamma_\phi^2) \\ & \sigma_\phi \sim \mathsf{U}(\sigma_\phi \mid 0, \sigma_{\phi 0}) \\ & \alpha_g \overset{\text{ind}}{\sim} \pi_\alpha^{1-I(\alpha_g)} [(1 - \pi_\alpha) \mathsf{N}(\alpha_g \mid \theta_\alpha, \sigma_\alpha^2)]^{I(\alpha_g)} \\ & \theta_\alpha \sim \mathsf{N}(\theta_\alpha \mid 0, \gamma_\alpha^2) \\ & \sigma_\alpha \sim \mathsf{U}(\sigma_\alpha \mid 0, \sigma_{\alpha 0}) \\ & \pi_\alpha \sim \mathsf{Beta}(\pi_\alpha \mid a_\alpha, b_\alpha) \\ & \delta_g \overset{\text{ind}}{\sim} \pi_\delta^{1-I(\delta_g)} [(1 - \pi_\delta) \mathsf{N}(\delta_g \mid \theta_\delta, \sigma_\delta^2)]^{I(\delta_g)} \\ & \theta_\delta \sim \mathsf{N}(\theta_\delta \mid 0, \gamma_\delta^2) \\ & \sigma_\delta \sim \mathsf{U}(\sigma_\delta \mid 0, \sigma_{\delta 0}) \\ & \pi_\delta \sim \mathsf{Beta}(\pi_\delta \mid a_\delta, b_\delta) \end{aligned}$$

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

The model

The Gibbs sample

Outline

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

The model

The Gibbs sampler


ne software

DNA and RNA
Central dogma
Examples of gene regulation
RNA-seq
Hybrid vigor

The mode

The Gibbs sampler

Partition parameters by conditional independence.



Has a full conditional that depends on...

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq

The model

The Gibbs sampler

$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \mathsf{exp}(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

- ► From the appropriate full conditional distributions, sample the following:
- 1. c_1, \ldots, c_N

A Bayesian model for hybrid vigor

Will Landau

Biological
background
DNA and RNA
Central dogma
Examples of gene
regulation
RNA-seq
Hybrid vigor

The model

The Gibbs sampler

$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \mathsf{exp}(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

- ► From the appropriate full conditional distributions, sample the following:
- 1. c_1, \ldots, c_N
- 2. τ , π_{α} , π_{δ}

A Bayesian model for hybrid vigor

Will Landau

Biological
background
DNA and RNA
Central dogma
Examples of gene
regulation
RNA-seq
Hybrid vigor

The model

The Gibbs sampler

$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \mathsf{exp}(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

► From the appropriate full conditional distributions, sample the following:

- 1. c_1, \ldots, c_N
- 2. τ , π_{α} , π_{δ}
- 3. d, θ_{ϕ} , θ_{α} , θ_{δ}

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vicor

The model

The Gibbs sampler

$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

► From the appropriate full conditional distributions, sample the following:

- 1. c_1, \ldots, c_N
- 2. τ , π_{α} , π_{δ}
- 3. d, θ_{ϕ} , θ_{α} , θ_{δ}
- 4. σ_c , σ_ϕ , σ_α , σ_δ , η_1^2 , ..., η_G^2

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq

The model

The Gibbs sampler

$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

► From the appropriate full conditional distributions, sample the following:

- 1. c_1, \ldots, c_N
- 2. τ , π_{α} , π_{δ}
- 3. d, θ_{ϕ} , θ_{α} , θ_{δ}
- 4. σ_c , σ_ϕ , σ_α , σ_δ , η_1^2 , ..., η_G^2
- 5. $\varepsilon_{1,1}, \ \varepsilon_{1,2}, \ \ldots, \ \varepsilon_{1,N}, \ \varepsilon_{2,N}, \ \ldots, \ \varepsilon_{G,N}$

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq

he model

The Gibbs sampler

$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

► From the appropriate full conditional distributions, sample the following:

- 1. c_1, \ldots, c_N
- 2. τ , π_{α} , π_{δ}
- 3. d, θ_{ϕ} , θ_{α} , θ_{δ}
- 4. σ_c , σ_{ϕ} , σ_{α} , σ_{δ} , η_1^2 , ..., η_G^2
- 5. $\varepsilon_{1,1}, \ \varepsilon_{1,2}, \ \ldots, \ \varepsilon_{1,N}, \ \varepsilon_{2,N}, \ \ldots, \ \varepsilon_{G,N}$
- 6. ϕ_1, \ldots, ϕ_G

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq

he model

The Gibbs sampler

$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

► From the appropriate full conditional distributions, sample the following:

- 1. c_1, \ldots, c_N
- 2. τ , π_{α} , π_{δ}
- 3. d, θ_{ϕ} , θ_{α} , θ_{δ}
- 4. σ_c , σ_{ϕ} , σ_{α} , σ_{δ} , η_1^2 , ..., η_G^2
- 5. $\varepsilon_{1,1}$, $\varepsilon_{1,2}$, ..., $\varepsilon_{1,N}$, $\varepsilon_{2,N}$, ..., $\varepsilon_{G,N}$
- 6. ϕ_1, \ldots, ϕ_G
- 7. $\alpha_1, \ldots, \alpha_G$

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq

he model

The Gibbs sampler

$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

► From the appropriate full conditional distributions, sample the following:

- 1. c_1, \ldots, c_N
- 2. τ , π_{α} , π_{δ}
- 3. d, θ_{ϕ} , θ_{α} , θ_{δ}
- 4. σ_c , σ_{ϕ} , σ_{α} , σ_{δ} , η_1^2 , ..., η_G^2
- 5. $\varepsilon_{1,1}$, $\varepsilon_{1,2}$, ..., $\varepsilon_{1,N}$, $\varepsilon_{2,N}$, ..., $\varepsilon_{G,N}$
- 6. ϕ_1, \ldots, ϕ_G
- 7. $\alpha_1, \ldots, \alpha_G$
- 8. $\delta_1, \ldots, \delta_G$
- and then repeat.

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vicor

The model

The Gibbs sampler

e sortware



$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

Sample in parallel:

A Bayesian model for hybrid vigor

Will Landau

Biological

The model

The Gibbs sampler

$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

- Sample in parallel:
 - $\blacktriangleright \phi_g$'s

A Bayesian model for hybrid vigor

Will Landau

Biological
Background
DNA and RNA
Central dogma
Examples of gene
regulation
RNA-seq
Hybrid vigor

The model

The Gibbs sampler

$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

- Sample in parallel:
 - $ightharpoonup \phi_{m{g}}$'s
 - $ightharpoonup \alpha_{g}$'s

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vieor

The model

The Gibbs sampler

$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

- Sample in parallel:
 - $\blacktriangleright \phi_g$'s
 - $ightharpoonup \alpha_{g}$'s
 - $\triangleright \delta_{g}$'s

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid viggr

The model

The Gibbs sampler

$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

- Sample in parallel:
 - $\blacktriangleright \phi_g$'s
 - $ightharpoonup lpha_{
 m g}$'s
 - $ightharpoonup \delta_g$'s
 - $\triangleright \varepsilon_{g,n}$'s

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

The model

The Gibbs sampler

$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

- ► Sample in parallel:
 - $\blacktriangleright \phi_{\sigma}$'s
 - $ightharpoonup lpha_{m{g}}$'s
 - $ightharpoonup \delta_g$'s
 - $\triangleright \varepsilon_{g,n}$'s
 - $ightharpoonup \eta_{
 m g}$'s

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vicor

The model

The Gibbs sampler

$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

- Sample in parallel:
 - φ_g's
 - $ightharpoonup lpha_{
 m g}$'s
 - \triangleright δ_g 's
 - $\triangleright \varepsilon_{g,n}$'s
 - $\vdash \eta_g$'s
- Use parallel reductions to calculate sufficient statistics for:

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq

The model

The Gibbs sampler

$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

- ► Sample in parallel:
 - $\rightarrow \phi_{\sigma}$'s
 - $ightharpoonup lpha_{f g}$'s
 - \triangleright δ_g 's
 - $\triangleright \varepsilon_{g,n}$'s
 - $\triangleright \eta_g$'s
- Use parallel reductions to calculate sufficient statistics for:
 - \triangleright c_n 's

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq

The model

The Gibbs sampler

$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

- Sample in parallel:
 - $\blacktriangleright \phi_{\sigma}$'s
 - $ightharpoonup lpha_{
 m g}$'s
 - \triangleright δ_g 's
 - $\triangleright \varepsilon_{g,n}$'s
 - $\vdash \eta_g$'s
- Use parallel reductions to calculate sufficient statistics for:
 - \triangleright c_n 's
 - ▶ τ, d

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq

The model

The Gibbs sampler

$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

- ► Sample in parallel:
 - $\blacktriangleright \phi_{\sigma}$'s
 - $ightharpoonup lpha_{f g}$'s
 - \triangleright δ_g 's
 - $\triangleright \varepsilon_{\sigma,n}$'s
 - $\vdash \eta_g$'s
- Use parallel reductions to calculate sufficient statistics for:
 - \triangleright c_n 's
 - ▶ τ, d
 - \blacktriangleright θ_{ϕ} , θ_{α} , θ_{δ}

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

The model

The Gibbs sampler

ne sortware

$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

- Sample in parallel:
 - $\blacktriangleright \phi_{\sigma}$'s
 - $ightharpoonup \alpha_{g}$'s
 - \triangleright δ_g 's
 - $\triangleright \varepsilon_{\sigma,n}$'s
 - $\vdash \eta_g$'s
- Use parallel reductions to calculate sufficient statistics for:
 - ► Cn'S
 - ▶ τ. d
 - \bullet θ_{ϕ} , θ_{α} , θ_{δ}
 - \triangleright σ_{ϕ} , σ_{α} , σ_{δ} , σ_{c}

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq

The model

The Gibbs sampler

ne sortware

$$y_{g,n} \stackrel{\text{ind}}{\sim} \mathsf{Poisson}(y_{g,n} \mid \exp(c_n + \varepsilon_{g,n} + \mu(n, \phi_g, \alpha_g, \delta_g)))$$

- ► Sample in parallel:
 - $\blacktriangleright \phi_{\sigma}$'s
 - $ightharpoonup \alpha_{g}$'s
 - δ_g 's
 - $\triangleright \varepsilon_{g,n}$'s
 - $\vdash \eta_g$'s
- Use parallel reductions to calculate sufficient statistics for:
 - \triangleright c_n 's
 - ▶ τ, d
 - \blacktriangleright θ_{ϕ} , θ_{α} , θ_{δ}
 - \triangleright σ_{ϕ} , σ_{α} , σ_{δ} , σ_{c}
 - \blacktriangleright π_{α} , π_{δ}

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq

The model

The Gibbs sampler

e sortware

Outline

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

The model

The Gibbs sample

The software

TI.

The Gibbs sample

The software

Ordinary C and GPU-accelerated versions, along with an R package wrapper, are available for download at https://github.com/wlandau/heterosis. A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vieor

he model

The Gibbs sampler

The software

► Ordinary C and GPU-accelerated versions, along with an R package wrapper, are available for download at https://github.com/wlandau/heterosis.

► Time for a demo...

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vicor

The model

The Gibbs sample

Sources

Some source

A Bayesian model for hybrid vigor

Will Landau

Biological background DNA and RNA Central dogma Examples of gene regulation RNA-seq Hybrid vigor

The model

The Gibbs sampler