




Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 50–89 90–100



METRICS

Expand view

First Contentful Paint	▲ Largest Contentful Paint
0.9 s	5.3 s
▲ Total Blocking Time	Cumulative Layout Shift
690 ms	0
Speed Index	
4.6 s	



Show audits relevant to: All [FCP](#) [LCP](#) [TBT](#)

INSIGHTS

 Render blocking requests — Est savings of 170 ms 

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. FCP LCP Unscored

URL	Transfer Size	Duration
localhost 1st Party	14.7 KiB	310 ms
...chunks/src_app_00z1k_v._.css (localhost)	14.7 KiB	310 ms

 Network dependency tree 

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: 233 ms

Initial Navigation

- http://localhost:3000 - 165 ms, 10.87 KiB
- ...chunks/src_app_00z1k_v._.css (localhost) - 233 ms, 14.73 KiB

Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Legacy JavaScript — Est savings of 8 KiB

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP

Unscored

URL	Wasted bytes
localhost 1st Party	8.0 KiB
...chunks/node_modules_next_dist_115brz8._.js (localhost)	8.0 KiB
node_modules_next_dist_115brz8._.js:36	Array.prototype.at
node_modules_next_dist_115brz8._.js:16	Array.prototype.flat
node_modules_next_dist_115brz8._.js:18	Array.prototype.flatMap
node_modules_next_dist_115brz8._.js:32	Object.fromEntries
node_modules_next_dist_115brz8._.js:39	Object.hasOwn
node_modules_next_dist_115brz8._.js:10	String.prototype.trimEnd
node_modules_next_dist_115brz8._.js:10	String.prototype.trimStart

Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#) Unscored

Statistic	Element	Value
Total elements		530
DOM depth	stop	13
Most children	JSX W&D · DIGITAL FORGE · SOLO STUDIO · LUDHIANA · IN ·WEB DESIGN · GRAPHIC DES... <main class="relative min-h-screen">	17

LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	100 ms
Element render delay	300 ms

Develop.

```
<span class="absolute inset-0 tracking-normal text-left">
```

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲ Minimize main-thread work — 6.2 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT Unscored

Category	Time Spent
Script Evaluation	2,356 ms
Other	1,893 ms
Style & Layout	962 ms
Script Parsing & Compilation	694 ms
Rendering	143 ms
Garbage Collection	84 ms
Parse HTML & CSS	22 ms

▲ Reduce JavaScript execution time — 2.9 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT Unscored

URL	Total CPU Time	Script Evaluation	Script Parse
localhost 1st Party	4,866 ms	2,318 ms	601 ms
...			
chunks/node_modules_next_dist_compiled_0rpq4pf._.js (local host)	1,422 ms	1,339 ms	11 ms
http://localhost:3000	1,419 ms	25 ms	8 ms
...chunks/node_modules_001k-0._.js (localhost)	634 ms	170 ms	51 ms
...chunks/_0vd-xgf._.js (localhost)	530 ms	520 ms	9 ms
...chunks/node_modules_next_dist_compiled_react-dom_058-ah~._.js (localhost)	152 ms	21 ms	76 ms
...			
chunks/node_modules_three_build_three_core_0qefhn6.js (lo calhost)	146 ms	23 ms	122 ms
...chunks/node_modules_next_dist_115brz8._.js (localhost)	130 ms	111 ms	18 ms
...chunks/node_modules_next_dist_compiled_next-devtools_index_....js (localhost)	121 ms	64 ms	53 ms
...			
chunks/node_modules_next_dist_client_0fhqo1d._.js (localhost)	104 ms	38 ms	54 ms
...chunks/node_modules_0g1exqd._.js (localhost)	83 ms	7 ms	76 ms
...chunks/node_modules_%40react-three_fiber_dist_0._.3dq._.js (localhost)	62 ms	1 ms	61 ms
...			
chunks/node_modules_three_build_three_module_024z3_h.js (localhost)	62 ms	1 ms	61 ms
Unattributable	1,151 ms	4 ms	0 ms

URL	Total CPU Time	Script Evaluation	Script Parse
Unattributable	1,151 ms	4 ms	0 ms

▲ Minify JavaScript — Est savings of 544 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) FCP LCP
Unscored

URL	Transfer Size	Est Savings
localhost 1st Party	1,355.7 KiB	543.8 KiB
...chunks/node_modules_three_build_three_core_0qefhn6.js (localhost)	281.2 KiB	180.4 KiB
...chunks/node_modules_%40react-three_fiber_dist_0._.3dq._.js (localhost)	150.8 KiB	72.4 KiB
...chunks/node_modules_next_dist_client_0fhqo1d._.js (localhost)	147.9 KiB	66.7 KiB
...chunks/node_modules_next_dist_compiled_react-dom_058-ah~._.js (localhost)	179.9 KiB	48.7 KiB
...chunks/node_modules_three_build_three_module_024z3_h.js (localhost)	126.4 KiB	34.5 KiB
...chunks/node_modules_001k-0._.js (localhost)	110.1 KiB	28.3 KiB
...chunks/node_modules_0g1exqd._.js (localhost)	124.9 KiB	23.6 KiB
...chunks/node_modules_0vejele._.js (localhost)	31.1 KiB	18.1 KiB
...chunks/node_modules_next_dist_115brz8._.js (localhost)	44.8 KiB	15.2 KiB
...chunks/node_modules_next_dist_compiled_0rpq4pf._.js (localhost)	27.7 KiB	11.9 KiB
...chunks/turbopack-_0p44nws._.js (localhost)	21.7 KiB	10.9 KiB
...chunks/node_modules_next_dist_compiled_react-server-dom-tur....js (localhost)	31.1 KiB	10.6 KiB
...chunks/_0vd-xgf._.js (localhost)	15.9 KiB	4.3 KiB

URL	Transfer Size	Est Savings
...chunks/_10oy9dr._.js (localhost)	13.3 KiB	3.8 KiB
...chunks/_0uubho9._.js (localhost)	10.0 KiB	3.5 KiB
...chunks/_01f8~vv._.js (localhost)	9.7 KiB	3.1 KiB
...chunks/src_0_h9fxu._.js (localhost)	9.8 KiB	2.8 KiB
...chunks/node_modules_13o0x6o._.js (localhost)	11.4 KiB	2.6 KiB
...chunks/_0v-c2i._.js (localhost)	8.0 KiB	2.3 KiB

▲ Reduce unused JavaScript — Est savings of 801 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) FCP LCP Unscored

URL	Transfer Size	Est Savings
localhost 1st Party	1,378.6 KiB	800.6 KiB
...chunks/node_modules_three_build_three_core_0qefhn6.js (localhost)	281.2 KiB	167.6 KiB
...chunks/node_modules_%40react-three_fiber_dist_0._.3dq._.js (localhost)	150.8 KiB	140.8 KiB
...chunks/node_modules_next_dist_compiled_next-devtools_index_....js (localhost)	212.6 KiB	134.7 KiB
...chunks/node_modules_three_build_three_module_024z3_h.js (localhost)	126.4 KiB	92.8 KiB
...chunks/node_modules_next_dist_client_0fhqp1d._.js (localhost)	147.9 KiB	77.9 KiB
...chunks/node_modules_0g1exqd._.js (localhost)	124.9 KiB	68.4 KiB
...chunks/node_modules_next_dist_compiled_react-dom_058-ah~._.js (localhost)	179.9 KiB	55.3 KiB
...chunks/node_modules_001k-0._.js (localhost)	110.1 KiB	37.9 KiB

URL	Transfer Size	Est Savings
...chunks/node_modules_next_dist_115brz8._.js (localhost)	44.8 KiB	25.1 KiB

▲ Minify CSS — Est savings of 3 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) FCP LCP Unscored

URL	Transfer Size	Est Savings
localhost 1st Party	14.7 KiB	3.2 KiB
...chunks/src_app_00z1k_v._.css (localhost)	14.7 KiB	3.2 KiB

▲ Page prevented back/forward cache restoration — 1 failure reason

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#) Unscored

Failure reason	Failure type
Pages with WebSocket cannot enter back/forward cache. http://localhost:3000	Pending browser support

○ Avoid long main-thread tasks — 20 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT Unscored

URL	Start Time	Duration
localhost 1st Party		1,775 ms
http://localhost:3000	915 ms	202 ms
...chunks/node_modules_next_dist_compiled_0rpq4pf._.js (localhost)	9,688 ms	155 ms

URL	Start Time	Duration
...chunks/node_modules_three_build_three_core_0qefhn6.js (localhost)	14,303 ms	146 ms
...chunks/node_modules_next_dist_115brz8._.js (localhost)	9,111 ms	129 ms
...chunks/node_modules_next_dist_compiled_0rpq4pf._.js (localhost)	10,080 ms	121 ms
http://localhost:3000	804 ms	111 ms
...chunks/node_modules_next_dist_compiled_0rpq4pf._.js (localhost)	9,515 ms	108 ms
...chunks/node_modules_next_dist_compiled_0rpq4pf._.js (localhost)	9,843 ms	90 ms
...chunks/node_modules_0g1exqd._.js (localhost)	12,862 ms	83 ms
...chunks/node_modules_next_dist_compiled_react-dom_058-ah~._.js (localhost)	8,745 ms	76 ms
http://localhost:3000	734 ms	70 ms
...chunks/node_modules_next_dist_compiled_0rpq4pf._.js (localhost)	9,401 ms	68 ms
...chunks/node_modules_next_dist_compiled_0rpq4pf._.js (localhost)	9,623 ms	65 ms
...chunks/node_modules_next_dist_compiled_0rpq4pf._.js (localhost)	9,337 ms	64 ms
...chunks/node_modules_three_build_three_module_024z3_h.js (localhost)	13,264 ms	62 ms
...chunks/node_modules_%40react-three_fiber_dist_0._.3dq._.js (localhost)	13,691 ms	62 ms
...chunks/node_modules_next_dist_client_0fhqo1d._.js (localhost)	9,056 ms	55 ms
...chunks/node_modules_001k-0._.js (localhost)	9,240 ms	55 ms
...chunks/node_modules_next_dist_compiled_next-devtools_index_....js (localhost)	8,895 ms	53 ms
Unattributable		123 ms
Unattributable	611 ms	123 ms

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#) Unscored

Name	Type	Start Time	Duration
Preloads	Measure	81.37 ms	0.08 ms
RootLayout	Measure	83.25 ms	2.13 ms
NotFound	Measure	85.15 ms	0.23 ms
HTTPAccessErrorFallback	Measure	85.22 ms	0.15 ms
Home	Measure	86.24 ms	0.10 ms
Next.MetadataOutlet	Measure	86.65 ms	1.32 ms
NonIndex	Measure	88.23 ms	0.01 ms
ViewportWrapper	Measure	88.29 ms	2.72 ms
Next.Viewport	Measure	88.38 ms	2.63 ms
MetadataWrapper	Measure	88.77 ms	3.75 ms
Next.Metadata	Measure	88.91 ms	3.61 ms
Cascading Update	Measure	638.60 ms	16.60 ms
Recovered	Measure	655.20 ms	12.10 ms
Suspense	Measure	655.90 ms	2.30 ms
ForwardRef(motion.div)	Measure	661.60 ms	0.20 ms
ForwardRef(motion.h1)	Measure	661.80 ms	0.80 ms
ForwardRef(motion.div)	Measure	662.60 ms	0.30 ms
Suspense	Measure	663.00 ms	1.30 ms
Suspense	Measure	664.30 ms	0.90 ms

Name	Type	Start Time	Duration
Suspense	Measure	665.20 ms	0.90 ms
Suspense	Measure	666.10 ms	0.90 ms
Mount	Measure	667.10 ms	0.20 ms
Update	Measure	687.20 ms	0.10 ms
Mount	Measure	690.40 ms	3.40 ms
ForwardRef(motion.div)	Measure	693.80 ms	0.30 ms
ForwardRef(motion.h1)	Measure	694.10 ms	0.40 ms
ForwardRef(motion.div)	Measure	694.50 ms	0.20 ms
Update	Measure	712.70 ms	0.10 ms
Update Blocked	Measure	718.40 ms	20.50 ms
Promise Resolved	Measure	746.30 ms	0.10 ms
Update	Measure	772.10 ms	0.10 ms
Update Blocked	Measure	805.70 ms	5.70 ms
Reconnect	Measure	812.70 ms	6.70 ms
Reconnect	Measure	823.90 ms	2.50 ms
Reconnect	Measure	826.40 ms	7.00 ms
Reconnect	Measure	833.40 ms	0.10 ms
Reconnect	Measure	833.50 ms	1.40 ms
Reconnect	Measure	835.40 ms	0.10 ms
Mount	Measure	835.40 ms	0.10 ms
Reconnect	Measure	836.50 ms	0.10 ms

Name	Type	Start Time	Duration
Mount	Measure	836.50 ms	0.10 ms
Reconnect	Measure	836.70 ms	0.80 ms
Reconnect	Measure	837.50 ms	0.30 ms
Reconnect	Measure	892.80 ms	11.50 ms
Reconnect	Measure	905.50 ms	0.10 ms
Reconnect	Measure	905.70 ms	0.20 ms
Cascading Update	Measure	912.00 ms	55.80 ms
Mount	Measure	969.30 ms	0.30 ms
AnimatePresence	Measure	970.40 ms	0.80 ms
PresenceChild	Measure	970.60 ms	0.60 ms
PopChild	Measure	970.80 ms	0.40 ms
PopChildMeasure	Measure	970.90 ms	0.30 ms
ForwardRef(motion.div)	Measure	971.00 ms	0.20 ms
Mount	Measure	972.60 ms	0.40 ms
Mount	Measure	973.00 ms	8.60 ms
Unmount	Measure	982.40 ms	0.50 ms
Mount	Measure	983.30 ms	0.30 ms
Mount	Measure	999.10 ms	4.40 ms
Update	Measure	1,006.00 ms	4.20 ms
Update Blocked	Measure	1,029.50 ms	7.80 ms
Update	Measure	1,130.50 ms	0.30 ms

Name	Type	Start Time	Duration
Reconnect	Measure	1,132.50 ms	0.30 ms
Reconnect	Measure	1,132.80 ms	0.10 ms
Reconnect	Measure	1,132.90 ms	1.30 ms
Reconnect	Measure	1,134.20 ms	0.30 ms
Reconnect	Measure	1,134.90 ms	0.40 ms
Reconnect	Measure	1,135.70 ms	0.10 ms
Reconnect	Measure	1,135.90 ms	0.90 ms
Update	Measure	1,656.30 ms	0.20 ms
BailoutToCSR	Measure	1,661.40 ms	0.30 ms
ForwardRef(motion.div)	Measure	1,661.70 ms	0.20 ms
ForwardRef(motion.h1)	Measure	1,661.90 ms	0.50 ms
ForwardRef(motion.div)	Measure	1,662.40 ms	0.10 ms
Update	Measure	1,911.30 ms	0.30 ms
AnimatePresence	Measure	1,912.40 ms	1.00 ms
PresenceChild	Measure	1,912.80 ms	0.60 ms
PopChild	Measure	1,912.90 ms	0.50 ms
ForwardRef(motion.div)	Measure	1,913.00 ms	0.40 ms
PopChildMeasure	Measure	1,913.00 ms	0.40 ms
Update	Measure	1,931.60 ms	1.10 ms
Mount	Measure	1,933.10 ms	33.30 ms
Reconnect	Measure	1,934.00 ms	9.70 ms

Name	Type	Start Time	Duration
Reconnect	Measure	1,952.20 ms	2.50 ms
Reconnect	Measure	1,956.70 ms	6.40 ms
Reconnect	Measure	1,964.50 ms	0.30 ms
Reconnect	Measure	1,964.90 ms	1.50 ms
Unmount	Measure	1,967.80 ms	1.70 ms
Mount	Measure	1,970.10 ms	0.20 ms
Mount	Measure	1,970.40 ms	0.40 ms
Unmount	Measure	1,981.60 ms	1.30 ms
Reconnect	Measure	1,983.20 ms	9.60 ms
Mount	Measure	1,983.20 ms	14.80 ms
Reconnect	Measure	1,995.40 ms	0.10 ms
Reconnect	Measure	1,995.60 ms	0.20 ms
Cascading Update	Measure	2,005.50 ms	5.90 ms
Mount	Measure	2,012.50 ms	0.30 ms
AnimatePresence	Measure	2,013.20 ms	0.80 ms
PresenceChild	Measure	2,013.40 ms	0.60 ms
PopChildMeasure	Measure	2,013.60 ms	0.40 ms
PopChild	Measure	2,013.60 ms	0.40 ms
ForwardRef(motion.div)	Measure	2,013.70 ms	0.30 ms
Magnetic	Measure	2,015.70 ms	0.40 ms
ForwardRef(motion.div)	Measure	2,015.90 ms	0.20 ms

Name	Type	Start Time	Duration
ForwardRef(motion.div)	Measure	2,016.10 ms	0.20 ms
Magnetic	Measure	2,016.10 ms	0.20 ms
ForwardRef(motion.div)	Measure	2,016.30 ms	0.10 ms
Magnetic	Measure	2,016.30 ms	0.10 ms
Magnetic	Measure	2,016.40 ms	0.20 ms
ForwardRef(motion.div)	Measure	2,016.50 ms	0.10 ms
Magnetic	Measure	2,016.70 ms	0.20 ms
ForwardRef(motion.div)	Measure	2,016.80 ms	0.10 ms
ForwardRef(motion.div)	Measure	2,016.80 ms	0.20 ms
Magnetic	Measure	2,016.90 ms	0.10 ms
Mount	Measure	2,021.30 ms	0.40 ms
Reconnect	Measure	2,021.50 ms	0.20 ms
ForwardRef(motion.div)	Measure	2,021.70 ms	0.30 ms
ForwardRef(motion.h1)	Measure	2,022.00 ms	0.30 ms
ForwardRef(motion.div)	Measure	2,022.30 ms	0.20 ms
Mount	Measure	2,023.80 ms	0.30 ms
Mount	Measure	2,024.10 ms	7.60 ms
Unmount	Measure	2,032.30 ms	0.10 ms
Mount	Measure	2,033.20 ms	0.10 ms
Mount	Measure	2,033.40 ms	0.20 ms
Mount	Measure	2,051.00 ms	3.80 ms

Name	Type	Start Time	Duration
Cascading Update	Measure	2,056.80 ms	3.70 ms
Magnetic	Measure	2,062.40 ms	0.30 ms
ForwardRef(motion.div)	Measure	2,062.50 ms	0.20 ms
ForwardRef(motion.div)	Measure	2,062.70 ms	0.20 ms
Magnetic	Measure	2,062.70 ms	0.20 ms
ForwardRef(motion.div)	Measure	2,062.90 ms	0.20 ms
Magnetic	Measure	2,062.90 ms	0.20 ms
ForwardRef(motion.div)	Measure	2,063.10 ms	0.20 ms
Magnetic	Measure	2,063.10 ms	0.20 ms
ForwardRef(motion.div)	Measure	2,063.30 ms	0.20 ms
Magnetic	Measure	2,063.30 ms	0.20 ms
ForwardRef(motion.div)	Measure	2,063.50 ms	0.20 ms
Magnetic	Measure	2,063.50 ms	0.20 ms
ForwardRef(motion.div)	Measure	2,063.50 ms	0.20 ms
BailoutToCSR	Measure	2,067.80 ms	0.20 ms
ForwardRef(motion.div)	Measure	2,068.00 ms	0.20 ms
ForwardRef(motion.h1)	Measure	2,068.20 ms	0.30 ms
ForwardRef(motion.div)	Measure	2,068.50 ms	0.10 ms
Update	Measure	3,003.30 ms	0.30 ms
AnimatePresence	Measure	3,004.80 ms	0.90 ms
PresenceChild	Measure	3,005.10 ms	0.60 ms

Name	Type	Start Time	Duration
PopChild	Measure	3,005.20 ms	0.50 ms
ForwardRef(motion.div)	Measure	3,005.30 ms	0.40 ms
PopChildMeasure	Measure	3,005.30 ms	0.40 ms
Update	Measure	3,006.70 ms	0.20 ms
BailoutToCSR	Measure	3,015.50 ms	0.20 ms
ForwardRef(motion.div)	Measure	3,015.80 ms	0.30 ms
ForwardRef(motion.h1)	Measure	3,016.10 ms	0.60 ms
ForwardRef(motion.div)	Measure	3,016.70 ms	0.30 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (16)

Hide

Use efficient cache lifetimes

^

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#)

FCP

LCP

Unscored

Layout shift culprits

^

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads.

CLS

Unscored

Document request latency

^

Your first network request is the most important. [Reduce its latency](#) by avoiding redirects, ensuring a fast server response, and enabling text compression.

FCP

LCP

Unscored

- Avoids redirects
- Server responds quickly (observed 91 ms)
- Applies text compression

Duplicated JavaScript



Remove large, [duplicate JavaScript modules](#) from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP Unscored

Font display



Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#). Unscored

Forced reflow



A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. Unscored

Improve image delivery



Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) FCP LCP Unscored

☐ INP breakdown



Start investigating [how to improve INP](#) by looking at the longest subpart. Unscored

☐ LCP request discovery



[Optimize LCP](#) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading Unscored

Modern HTTP



HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](#). FCP LCP Unscored

3rd parties



3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

Optimize viewport for mobile



Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile. Unscored

meta

Reduce unused CSS

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#). FCP LCP Unscored

Avoids enormous network payloads — Total size was 2,140 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](#). Unscored

URL	Transfer Size
localhost 1st Party	1,572.7 KiB
...chunks/node_modules_three_build_three_core_0qefhn6.js (localhost)	281.6 KiB
...chunks/node_modules_next_dist_compiled_next-devtools_index_....js (localhost)	212.9 KiB
...chunks/node_modules_next_dist_compiled_react-dom_058-ah~._.js (localhost)	180.2 KiB
...media/BigShould....p.1001aer2f5s0m.ttf (localhost)	153.4 KiB
...chunks/node_modules_%40react-three_fiber_dist_0._.3dq._.js (localhost)	151.1 KiB
...chunks/node_modules_next_dist_client_0fhqo1d._.js (localhost)	148.3 KiB
...chunks/node_modules_three_build_three_module_024z3_h.js (localhost)	126.8 KiB
...chunks/node_modules_0g1exqd._.js (localhost)	125.3 KiB
...chunks/node_modules_001k-0._.js (localhost)	110.5 KiB
/favicon.webp (localhost)	82.5 KiB

☐ Avoid non-composited animations

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS Unscored

Image elements have explicit [width](#) and [height](#)

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS Unscored

■ Captured at Mar 24, 2026,
5:41 PM GMT+5:30
■ Initial page load

■ Emulated Moto G Power with
Lighthouse 13.0.2
■ Slow 4G throttling

■ Single page session
■ Using Chromium 146.0.0.0
with devtools

Generated by **Lighthouse** 13.0.2 | [File an issue](#)