

Oh no ... Hono

A server with bonus of JSX and TypeScript

Agenda

- About **Hono**
- Why / What / How
- Features
- A Demo
- QnA

What is Hono ?

Hono - [炎] means flame 🔥 in Japanese

*"A lightweight, simple, and ultrafast web framework for the Edges.
built on Web Standards. Support for any JavaScript runtime."*

~ <https://www.hono.dev>

Hono is a simple ultra fast web edge technologies based server side framework; similar to Express, without a frontend.

Lightweight and Ultrafast

- 14KB hono/tiny preset while express is 572KB
- 0 dependencies
- Using RegExpRouter which is fastest router in JavaScript world.
- combined with SmartRouter (default)
- Other Router Available such as
 - * *PatternRouter*
 - * *TrieRouter*
 - * *LinearRouter*

Simple and Web Standard API

- Easy to setup and run
- Simple and delightful DX
- Using Web Standard API; no custom API
 - * fetch
 - * Request
 - * Response
 - * URLSearchParams
 - * Headers
- Inbuilt Typescript supported
- HTML and CSS with JSX support

Support for any JavaScript Runtime

- Runs for all JavaScript Runtime
 - * Bun
 - * Node
 - * Deno
 - * Cloudflare
 - * Fastly
 - * AWS
 - * Vercel
 - * Netlify

Write once, run on all platforms.

How it is different from *Express.js* ?

- built-in middleware (Authentication, CORS, JWT, logger, cache, trailingSlash, prettyJSON)
- Zod validator for request/response.
- Helpers Methods and Adapters.
- Easy Configuration.

How To Start

For *Node.js* (Node.js 18.14.1>)

- `npm create hono@latest <my-app>`
- This will ask for Runtime (select Node.js)
- generate `package.json` and `tsconfig.json` file

HTML and CSS support

- Add ``css`` and `<Style>`
- Use `class={}` ; no ~~className~~
- Use `html` with `c.html()` or `html```
- Composite Components like React

Routing features

- Path parameters $\longrightarrow$ `c.req.param()`;
- Query parameters $\longrightarrow$ `c.req.query()`;
- Multiple router in one line.
- Multiple Paths together
``app.on('GET', ['/hello', '/hi', '/hey'], (c)  $\Rightarrow$  c.text('Hello'))``
- Chained Routing ``app.get().post().delete()``

Demo

<https://master.hono-fly.pages.dev/>

- *text / custom header*
- *json / multiple path*
- *html /css*
- *jsx*
- *routing*

QnA

- `await fetch('xkeshav.com')`
- `const @xkeshav = :social media`

Thanks for the time. :)

