A crime has taken place and the detective needs your help. The detective gave you the crime scene report, but you somehow lost it. You vaguely remember that the crime was a murder that occurred sometime on Jan.15, 2018 and that it took place in SQL City. Start by retrieving the corresponding crime scene report from the police department's database.




```sql
-- Step 1: Find the crime scene report
SELECT *
FROM crime_scene_report
WHERE date = 20180115
AND city = 'SQL City'
AND type = 'murder';
```

RUN ⇩ RESET

date	type	description	city
20180115	murder	Security footage shows that there were 2 witnesses. The first witness lives at the last house on "Northwestern Dr". The second witness, named Annabel, lives somewhere on "Franklin Ave".	SQL City

```sql
-- Step 2: Identify witnesses
SELECT *
FROM person
WHERE address_street_name = 'Northwestern Dr'
ORDER BY address_number DESC
LIMIT 1;
```

RUN ⇩ RESET

id	name	license_id	address_number	address_street_name	ssn
14887	Morty Schapiro	118009	4919	Northwestern Dr	111564949

```sql
-- Step 3: Find the interview transcript from our witness
SELECT name, transcript
FROM interview AS i
JOIN person AS p
ON i.person_id = p.id
WHERE p.name = 'Morty Schapiro';
```

RUN ⇩ RESET

name	transcript
Morty Schapiro	I heard a gunshot and then saw a man run out. He had a "Get Fit Now Gym" bag. The membership number on the bag started with "48Z". Only gold members have those bags. The man got into a car with a plate that included "H42W".

```sql
-- Step 4: Locate the culprit
SELECT g.name, g.id, d.plate_number
FROM get_fit_now_member AS g
JOIN person AS p
ON g.person_id = p.id
JOIN drivers_license AS d
ON p.license_id = d.id
WHERE g.id LIKE '48Z%'
AND d.plate_number LIKE '%H42W%';
```

RUN ⇩ RESET

name	id	plate_number
Jeremy Bowers	48Z55	0H42W2

Check your solution

Did you find the killer?

```sql
INSERT INTO solution VALUES (1, 'Jeremy Bowers');

        SELECT value FROM solution;
```

RUN ⇩ RESET

value
Congrats, you found the murderer! But wait, there's more... If you think you're up for a challenge, try querying the interview transcript of the murderer to find the real villain behind this crime. If you feel especially confident in your SQL skills, try to complete this final step with no more than 2 queries. Use this same INSERT statement with your new suspect to check your answer.

Part 2

```sql
-- Step 1: Find the interview transcript from our culprit
SELECT name, transcript
FROM interview AS i
JOIN person AS p
ON i.person_id = p.id
WHERE p.name = 'Jeremy Bowers';
```

RUN ⇩ RESET

name	transcript
Jeremy Bowers	I was hired by a woman with a lot of money. I don't know her name but I know she's around 5'5" (65") or 5'7" (67"). She has red hair and she drives a Tesla Model S. I know that she attended the SQL Symphony Concert 3 times in December 2017.

```sql
-- Step 2: Locate the real mastermind behind the murder
SELECT name, date, event_name
FROM facebook_event_checkin AS f
JOIN person AS p
ON f.person_id = p.id
JOIN drivers_license AS d
ON p.license_id = d.id
WHERE height BETWEEN 65 AND 67
AND hair_color = 'red'
AND car_model = 'Model S'
GROUP BY name;
```

RUN ⇩ RESET

name	date	event_name
Miranda Priestly	20171229	SQL Symphony Concert

Did you find the killer?

```sql
INSERT INTO solution VALUES (1, 'Miranda Priestly');

        SELECT value FROM solution;
```

RUN ⇩ RESET

value
Congrats, you found the brains behind the murder! Everyone in SQL City hails you as the greatest SQL detective of all time. Time to break out the champagne!