A crime has taken place and the detective needs your help. The detective gave you the crime scene report, but you somehow lost it. You vaguely remember that the crime was a murder that occurred sometime on Jan.15, 2018 and that it took place in SQL City. Start by retrieving the corresponding crime scene report from the police department's database.




```sql
SELECT description
FROM crime_scene_report
WHERE date = 20180115
AND city = 'SQL City'
AND type = 'murder';
```

description
Security footage shows that there were 2 witnesses. The first witness lives at the last house on "Northwestern Dr". The second witness, named Annabel, lives somewhere on "Franklin Ave".

```sql
SELECT name
FROM person
WHERE address_street_name = 'Northwestern Dr'
ORDER BY address_number DESC
LIMIT 1;
```

name
Morty Schapiro

```sql
SELECT transcript
FROM interview
WHERE person_id = (
    SELECT id
    FROM person
    WHERE name = 'Morty Schapiro'
);
```

transcript
I heard a gunshot and then saw a man run out. He had a "Get Fit Now Gym" bag. The membership number on the bag started with "48Z". Only gold members have those bags. The man got into a car with a plate that included "H42W".

```sql
SELECT p.name
FROM person AS p
JOIN drivers_license AS d ON p.license_id = d.id
JOIN get_fit_now_member AS g ON g.person_id = p.id
WHERE g.id LIKE '48Z%'
AND d.plate_number LIKE '%H42W%';
```

name
Jeremy Bowers

Check your solution

Did you find the killer?

```sql
INSERT INTO solution VALUES (1, 'Jeremy Bowers');

        SELECT value FROM solution;
```

value
Congrats, you found the murderer! But wait, there's more... If you think you're up for a challenge, try querying the interview transcript of the murderer to find the real villain behind this crime. If you feel especially confident in your SQL skills, try to complete this final step with no more than 2 queries. Use this same INSERT statement with your new suspect to check your answer.

Part 2

```sql
SELECT transcript
FROM interview
WHERE person_id = (
    SELECT id
    FROM person
    WHERE name = 'Jeremy Bowers'
);
```

transcript
I was hired by a woman with a lot of money. I don't know her name but I know she's around 5'5" (65") or 5'7" (67"). She has red hair and she drives a Tesla Model S. I know that she attended the SQL Symphony Concert 3 times in December 2017.

```sql
SELECT p.name
FROM person AS p
JOIN drivers_license AS d ON p.license_id = d.id
WHERE d.height BETWEEN 65 AND 67
AND d.hair_color = 'red'
AND d.car_model = 'Model S'
AND p.id IN (
    SELECT person_id
    FROM facebook_event_checkin
    WHERE event_name = 'SQL Symphony Concert'
    AND date LIKE '201712%'
    GROUP BY person_id
    HAVING COUNT(*) = 3
);
```

name
Miranda Priestly

Check your solution

Did you find the killer?

```sql
INSERT INTO solution VALUES (1, 'Miranda Priestly');

        SELECT value FROM solution;
```

value
Congrats, you found the brains behind the murder! Everyone in SQL City hails you as the greatest SQL detective of all time. Time to break out the champagne!