## **Local Config**

## **Preparación Local**

Uso WSL para correr Ubuntu en mi Windows e instalo Node JS en dicho ambiente de Ubuntu

```
luisangel@DESKTOP-BC1JMTU:~/back — 

luisangel@DESKTOP-BC1JMTU:~/s sudo apt install nodejs

Reading package lists... Done

Building dependency tree

Reading state information... Done

The following NEW packages will be installed:
    nodejs

0 upgraded, 1 newly installed, 0 to remove and 92 not upgraded.

Need to get 25.1 MB of archives.

After this operation, 122 MB of additional disk space will be used.

Get:1 https://deb.nodesource.com/node_14.x focal/main amd64 nodejs amd64 14.18.2-deb-1nodesource1 [25.1 MB]

Fetched 25.1 MB in 3s (8826 kB/s)

Selecting previously unselected package nodejs.

(Reading database ... 32223 files and directories currently installed.)

Preparing to unpack .../nodejs_14.18.2-deb-1nodesource1 ...

Setting up nodejs (14.18.2-deb-1nodesource1) ...

Processing triggers for man-db (2.9.1-1) ...

luisangel@DESKTOP-BC1JMTU:~$ node --version

v14.18.2
```


Realizo una instalación de dependiencias y ejecuto la API

[ EN CASO DE EJECUTAR LA API DESDE WINDOWS ]

Sólo basta con ejecutar el comando: \$ npm install -g win-node-env \$ npm run dev

```
C:\Dsers\LuisVanegas\Desktop\Aument - Prueba Técnica QA\back - copia>npm install -g win-node-env
C:\Users\LuisVanegas\AppData\Roaming\npm\NODE_ENV -> C:\Users\LuisVanegas\AppData\Roaming\npm\node_modules\win-node-env\bin\NDDE_ENV.js
C:\Users\LuisVanegas\AppData\Roaming\npm\NDDE_OPTIONS -> C:\Users\LuisVanegas\AppData\Roaming\npm\node_modules\win-node-env\bin\NDDE_OPTIONS.js
C:\Users\LuisVanegas\AppData\Roaming\npm\PORT -> C:\Users\LuisVanegas\AppData\Roaming\npm\node_modules\win-node-env\bin\NDE_OPTIONS.js
C:\Users\LuisVanegas\AppData\Roaming\npm\PORT -> C:\Users\LuisVanegas\AppData\Roaming\npm\node_modules\win-node-env\bin\NV.js
C:\Users\LuisVanegas\AppData\Roaming\npm\PORT -> C:\Users\LuisVanegas\AppData\Roaming\npm\node_modules\win-node-env\bin\DEBUG.js
C:\Users\LuisVanegas\AppData\Roaming\npm\CHAI_JEST_SNAPSHOT_UPDATE_ALL -> C:\Users\LuisVanegas\AppData\Roaming\npm\node_env\bin\DEBUG.js
C:\Users\LuisVanegas\AppData\Roaming\npm\CHAI_JEST_SNAPSHOT_UPDATE_ALL -> C:\Users\LuisVanegas\AppData\Roaming\npm\node_env\bin\DebuG_env\bin\DebuG.s.de - copia>npm run dev
> compass-api@1.0.0 dev C:\Users\LuisVanegas\Desktop\Aument - Prueba Técnica QA\back - copia>npm run dev
> compass-api@1.0.0 dev C:\Users\LuisVanegas\Desktop\Aument - Prueba Técnica QA\back - copia>npm run dev
> compass-api@1.0.0 dev C:\Users\LuisVanegas\Desktop\Aument - Prueba Técnica QA\back - copia>npm run dev
> compass-api@1.0.0 dev C:\Users\LuisVanegas\Desktop\Aument - Prueba Técnica QA\back - copia>npm run dev
> compass-api@1.0.0 dev C:\Users\LuisVanegas\Desktop\Aument - Prueba Técnica QA\back - copia>npm run dev
> compass-api@1.0.0 dev C:\Users\LuisVanegas\Desktop\Aument - Prueba Técnica QA\back - copia>npm run dev
> compass-api@1.0.0 dev C:\Users\LuisVanegas\Desktop\Aument - Prueba Técnica QA\back - copia>npm run dev
> compass-api@1.0.0 dev C:\Users\LuisVanegas\Desktop\Aument - Prueba Técnica QA\back - copia>npm run dev
> compass-api@1.0.0 dev C:\Users\LuisVanegas\Desktop\Aument - Prueba Técnica QA\back - copia>npm run dev
> compass-api@1.0.0
```

Verifico el Reguest en Postman como parte de mi prueba exploratoria



Preparo entorno de desarrollo en VS Code

Realizo desarrollo de los test que quedaron faltando de acuerdo a los requerimeintos...