Introduction to Embedded System





Embedded System

- An embedded system
 - combination of computer hardware and software
 - specifically designed for a particular function
- Applications
 - Mobile phone
 - Digital camera
 - Smart TV
 - Navigation system





Feature


- Designed to do some specific task
 - Low power
 - Small size
 - Special operating ranges
 - Low cost

Install OS ?





SOC RK3399







SOC - System On Chip

- Processor
 - → ARM, X86, MIPS
- RAM
 - → 8MB ~ 4 GB
- Storagee
 - → Nand, Nor flash
 - → SD/MMC/eMMc
- System Bus
 - → AMBA, AHB, APB, AXI ...





SOC - System On Chip

- Communication
 - I2C, I2S, USB, PCI/PCIe ...
- Media system
 - JPEG, H.264 ..
- System component
 - DMA, RTC ..





Embedded Linux?

Embedded Linux is the usage of the Linux kernel and various open-source components in **embedded systems** (from Free Electrons)






Linux Advantages

- Re-use components
- Quickly design and develop complicated products
- No need to re-develop components
 - → TCP/IP stack, USB stack, PCI stack ...
- Allow you modify components





Embedded Linux Booting







Software Components

- Cross-compilation Toolchain
- Boot-loader
- Linux Kernel, DeviceTree
- RootFS
- C library
- Libraries and applications
- BSP (Board Support Package)



Develop Environment





Develop Environment

- Host PC (Linux)
- Toolchain
- BSP (Board Support Package)
- Target Board EVB (RockPi4)



BSP



- Board Support Package
- From chip vendor
 - Distribution
 - Bootloader
 - Linux Kernel
 - Device Driver
 - Rootfs



RK3399 Debian BSP (1)



RK3399 Debian BSP

https://wiki.radxa.com/Rockpi4

Setup/Quick start

- Getting started with your ROCK Pi 4, including what you need and how to get it booted.
- GPIO pinout
- · Backup and Restore your SD card or eMMC module
- . How to mount SSD with M2 extension board

▲ Installation

Installing an operating system on your ROCK PI 4, including microSD card, eMMC module, USB drive and M.2 NVME SSD,

- Install Rockchip Flashing tools
- Install image to eMMC from USB OTG Port
- · Install on microSD card
- Install on eMMC module
- Install on SPI Flash
- Install on USB drive(wip)
- Install on M.2 NVME SSD
- > More...

[Expand]

[Expand]

Development

Information about Linux and Android development, this is mostly for developers.

- USB Installation How to use PC tools to install image on ROCK Pi 4.
- Serial Console Serial console on GPIO header
- · Build Debian Build and generate Debian image
- Build vendor kernel(Rockchip 4.4) Build vendor kernel for ROCK Pi 4
- Build Android (nougat) TV Build Android for ROCK Pi 4
- Build Yocto Build Yocto for ROCK Pi 4
- > More... [Expand]

Technical specifications about the ROCK Pi 4 hardware, including WI-FI, display, camera, etc.

- Blog post from Radxa Team introducing the ROCK Pi hardware design
- ROCK Pi 4 Introduction of the ROCK Pi 4 hardware
- Display
- Camera module
- · Device Tree Overlays Use other HAT

> More...

[Expand]

Morking With Linux

Fundamental Linux usage for beginners and more advanced information for power users.

- Debian Desktop
- Ubuntu Server
- Linux system runs on M.2 NVME SSD
- Radxa APT
- Docker
- Samba
- > More...

Working With Android

Fundamental Android usage for beginners and more advanced information for power users.

- Android7 Tablet(Support Raspberry Pi official 7" Display)
- Android7 TV
- Android9 Tablet
- Android9 TV
- · Android9 Run on M.2 NVME SSD
- · Android9 Mraa API
- Android10 Tablet
- Android11
- Solve Google Play Device is not Play Protect certified issue 6



RK3399 Debian BSP (2)



- Boot-Loader
 - RKBin, U-Boot
- Kernel
 - Linux Kernel source
- Rootfs
 - Debian File System
- Tool-Chain
 - Compile tool







- Native Environment
 - Host x86PC (Linux)
 - gcc
- Cross-Compile
 - aarch64-linux-gnu-gcc





Cross Compilation

