


- Capturas del repositorio GitHub.



# DesplieguePruebaTrimestral2

This project was generated using [Angular CLI](#) version 21.1.4.

## Development server

To start a local development server, run:

```
ng serve
```



Once the server is running, open your browser and navigate to <http://localhost:4200/>. The application will automatically reload whenever you modify any of the source files.

## Code scaffolding

Angular CLI includes powerful code scaffolding tools. To generate a new component, run:

```
ng generate component component-name
```



For a complete list of available schematics (such as `components`, `directives`, or `pipes`), run:

```
ng generate --help
```



## Building

To build the project run:

```
ng build
```



This will compile your project and store the build artifacts in the `dist/` directory. By default, the production build optimizes your application for performance and speed.

## Running unit tests

To execute unit tests with the [Vitest](#) test runner, use the following command:

```
ng test
```



## Running end-to-end tests

For end-to-end (e2e) testing, run:

```
ng e2e
```






Angular CLI does not come with an end-to-end testing framework by default. You can choose one that suits your needs.


## Additional Resources

For more information on using the Angular CLI, including detailed command references, visit the [Angular CLI Overview and Command Reference](#) page.

- Capturas del workflow de GitHub Actions ejecutado correctamente.



- Capturas de la aplicación funcionando en el navegador desde el VPS.



- Breve explicación del flujo de CI/CD implementado.

Con este flujo se automatiza el proceso de compilación y despliegue de la aplicación Angular. Haciendo el push a main, GitHub Actions ejecuta el workflow mandando la app al server VPS mediante SSH. Una vez ahí, el Apache la presenta en el dominio examen.biskmatar.com de manera automática.