

► Preparación del entorno:

Instala la pila LAMP (Apache, Mariadb, php) en el VPS o en la máquina virtual.

Entramos al server:

```
root@bismkatar.com ~$ ssh root@bismkatar.com
hostkeys_find_by_key_hostfile: hostkeys_foreach failed for /home/bluemage/.ssh/known_hosts: Permission denied
The authenticity of host 'bismkatar.com (217.154.102.175)' can't be established.
ED25519 key fingerprint is SHA256:mZYN7Gtst+C5RgWcPYMsyW17jMy20xRsNPLL9wo/Ueo.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? y
Please type 'yes', 'no' or the fingerprint: yes
Failed to add the host to the list of known hosts (/home/bluemage/.ssh/known_hosts).
root@bismkatar.com's password:
client_input_hostkeys: hostkeys_foreach failed for /home/bluemage/.ssh/known_hosts: Permission denied
Welcome to Ubuntu 22.04.5 LTS (GNU/Linux 5.15.0-161-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Fri Nov 21 00:58:32 UTC 2025

System load:  0.02          Processes:           92
Usage of /:   17.2% of 9.51GB Users logged in:       0
Memory usage: 33%          IPv4 address for ens6: 217.154.102.175
Swap usage:   0%

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

New release '24.04.3 LTS' available.
Run 'do-release-upgrade' to upgrade to it.

root@ubuntu:~#
```

Actualización del sistema e instalación apache:

```
root@ubuntu:~# sudo apt update
Get:1 http://security.ubuntu.com/ubuntu jammy-security InRelease [129 kB]
Hit:2 http://archive.ubuntu.com/ubuntu jammy InRelease
Get:3 http://archive.ubuntu.com/ubuntu jammy-updates InRelease [128 kB]
Get:4 http://archive.ubuntu.com/ubuntu jammy-backports InRelease [127 kB]
Get:5 http://security.ubuntu.com/ubuntu jammy-security/main amd64 Packages [2818 kB]
Get:6 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 Packages [3080 kB]
Get:7 http://archive.ubuntu.com/ubuntu jammy-updates/main Translation-en [475 kB]
Fetched 6757 kB in 3s (2649 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
All packages are up to date.
root@ubuntu:~# sudo apt install apache2
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  apache2-bin apache2-data apache2-utils bzip2 libapr1 libaprutil1 libaprutil1-dbd-sqlite3 libaprutil1-ldap liblua5.3-0 mailcap mime-support ssl-cert
Suggested packages:
  apache2-doc apache2-suexec-pristine | apache2-suexec-custom www-browser bzip2-doc
The following NEW packages will be installed:
  apache2 apache2-bin apache2-data apache2-utils bzip2 libapr1 libaprutil1 libaprutil1-dbd-sqlite3 libaprutil1-ldap liblua5.3-0 mailcap mime-support ssl-cert
0 upgraded, 13 newly installed, 0 to remove and 0 not upgraded.
Need to get 2142 kB of archives.
After this operation, 8528 kB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libapr1 amd64 1.7.0-8ubuntu0.22.04.2 [108 kB]
Get:2 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libaprutil1 amd64 1.6.1-5ubuntu4.22.04.2 [92.8 kB]
Get:3 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libaprutil1-dbd-sqlite3 amd64 1.6.1-5ubuntu4.22.04.2 [11.3 kB]
Get:4 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libaprutil1-ldap amd64 1.6.1-5ubuntu4.22.04.2 [9170 B]
Get:5 jammy/main amd64 liblua5.3-0 amd64 5.3.6-1build1 [140 kB]
Get:6 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 apache2-bin amd64 2.4.52-1ubuntu4.16 [1349 kB]
Get:7 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 apache2-data all 2.4.52-1ubuntu4.16 [165 kB]
Get:8 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 apache2-utils amd64 2.4.52-1ubuntu4.16 [89.3 kB]
Get:9 http://archive.ubuntu.com/ubuntu jammy/main amd64 mailcap all 3.70~nmuiubuntu1 [23.8 kB]
Get:10 http://archive.ubuntu.com/ubuntu jammy/main amd64 mime-support all 3.66 [3696 B]
Get:11 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 apache2 amd64 2.4.52-1ubuntu4.16 [97.9 kB]
Get:12 http://archive.ubuntu.com/ubuntu jammy/main amd64 bzip2 amd64 1.0.8-5build1 [34.8 kB]
Get:13 http://archive.ubuntu.com/ubuntu jammy/main amd64 ssl-cert all 1.1.2 [17.4 kB]
Fetched 2142 kB in 1s (2057 kB/s)
Preconfiguring packages ...
```

Despliegue de Aplicaciones Web

```
Enabling module authz_core.
Enabling module authz_host.
Enabling module authn_core.
Enabling module authn_basic.
Enabling module access_compat.
Enabling module authn_file.
Enabling module authz_user.
Enabling module alias.
Enabling module dir.
Enabling module autoindex.
Enabling module env.
Enabling module mime.
Enabling module negotiation.
Enabling module setenvif.
Enabling module filter.
Enabling module deflate.
Enabling module status.
Enabling module reqtimeout.
Enabling conf charset.
Enabling conf localized-error-pages.
Enabling conf other-vhosts-access-log.
Enabling conf security.
Enabling conf serve-cgi-bin.
Enabling site 000-default.
Created symlink /etc/systemd/system/multi-user.target.wants/apache2.service - /lib/systemd/system/apache2.service.
Created symlink /etc/systemd/system/multi-user.target.wants/apache-htcacheclean.service - /lib/systemd/system/apache-htcacheclean.service.
Processing triggers for ufw (0.36.1-4ubuntu0.1) ...
Processing triggers for man-db (2.10.2-1) ...
Processing triggers for libc-bin (2.35-0ubuntu3.11) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
root@ubuntu:~#
```

Instalación mariadb:

```
root@ubuntu:~# apt install mariadb-server
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  galera-4 libbgi-fast-perl libbgi-pm-perl libbione-perl libconfig-inifiles-perl libdbd-mysql-perl libdbi-perl libencode-locale-perl libfcgi-bin libfcgi-perl libfcgiidb1 libhtml-parser-perl libhtml-tagset-perl libhtml-template-perl
  libhttp-date-perl libhttp-message-perl libio-html-perl libio-socket-ssl-perl libltdb-perl liblua5.4-0 libmariadb3 libmysqldclient21 libnssmysql5 libnssupdate-perl libperl-perl liburing2 mariadb-client-10.6 mariadb-client-core-10.6 mariadb-common
  mariadb-server-10.6 mariadb-server-core-10.6 mysql-common socat
Suggested packages:
  libdbi-perl libnet-daemon-perl libssl-statement-perl libtdb-tools-perl libipc-sharedcache-perl libbusiness-iso-perl libwww-perl mailx mariadb-test
The following NEW packages will be installed:
  galera-4 libbgi-fast-perl libbgi-pm-perl libbione-perl libconfig-inifiles-perl libdbd-mysql-perl libdbi-perl libencode-locale-perl libfcgi-bin libfcgi-perl libfcgiidb1 libhtml-parser-perl libhtml-tagset-perl libhtml-template-perl
  libhttp-date-perl libhttp-message-perl libio-html-perl libio-socket-ssl-perl libltdb-perl liblua5.4-0 libmariadb3 libmysqldclient21 libnssmysql5 libnssupdate-perl libperl-perl liburing2 mariadb-client-10.6 mariadb-client-core-10.6 mariadb-common mariadb-server
  mariadb-server-10.6 mariadb-server-core-10.6 mysql-common socat
0 upgraded, 32 newly installed, 0 to remove and 0 not upgraded.
Need to get 19.0 MB of archives.
After this operation, 108 MB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://archive.ubuntu.com/ubuntu jammy/main amd64 mysql-common all 9.0.1-0.0 [7212 B]
Get:2 http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 mariadb-common all 1:10.6.22-0ubuntu22.04.1 [10.5 kB]
Get:3 http://archive.ubuntu.com/ubuntu jammy/universe amd64 galera-4 amd64 26.4.0-1build1 [720 kB]
Get:4 http://archive.ubuntu.com/ubuntu jammy/main amd64 libbgi-perl amd64 1.640-1build1 [741 kB]
Get:5 http://archive.ubuntu.com/ubuntu jammy/main amd64 libconfig-inifiles-perl all 3.0.0-2 [40.9 kB]
Get:6 http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 libmariadb3 amd64 1:10.6.22-0ubuntu22.04.1 [100 kB]
Get:7 http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 mariadb-client-core-10.6 amd64 1:10.6.22-0ubuntu22.04.1 [1002 kB]
Get:8 http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 mariadb-client-10.6 amd64 1:10.6.22-0ubuntu22.04.1 [1050 kB]
Get:9 http://archive.ubuntu.com/ubuntu jammy/main amd64 libnssmysql5 amd64 1:1.0.1build1 [17.5 kB]
Get:10 http://archive.ubuntu.com/ubuntu jammy/main amd64 liburing2 amd64 2.1-2build1 [10.3 kB]
Get:11 http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 mariadb-server-core-10.6 amd64 1:10.6.22-0ubuntu22.04.1 [8070 kB]
Get:12 http://archive.ubuntu.com/ubuntu jammy/main amd64 socat amd64 1:7.4-1-ubuntu [149 kB]
Get:13 http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 mariadb-server-10.6 amd64 1:10.6.22-0ubuntu22.04.1 [4120 kB]
Get:14 http://archive.ubuntu.com/ubuntu jammy/main amd64 libhtml-tagset-perl all 3.20-4 [12.5 kB]
Get:15 http://archive.ubuntu.com/ubuntu jammy/main amd64 libhtml-parser-perl amd64 3.76-1build2 [80.4 kB]
Get:16 http://archive.ubuntu.com/ubuntu jammy/main amd64 libhtml-perl-perl amd64 3.76-1build2 [80.4 kB]
Get:17 http://archive.ubuntu.com/ubuntu jammy/main amd64 libbgi-fast-perl all 4.54-1 [188 kB]
Get:18 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libfcgiidb1 amd64 2.4.2-0ubuntu1 [10.1 kB]
Get:19 http://archive.ubuntu.com/ubuntu jammy/main amd64 libfcgi-perl amd64 0.82-0ubuntu1 [22.4 kB]
Get:20 http://archive.ubuntu.com/ubuntu jammy/main amd64 libbgi-pm-perl all 1.2.15-1 [10.5 kB]
Get:21 http://archive.ubuntu.com/ubuntu jammy/main amd64 libbione-perl amd64 0.40-1build1 [11.0 kB]
Get:22 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libmysqldclient21 amd64 6.0.44-0ubuntu22.04.1 [1300 kB]
Get:23 http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 libdbd-mysql-perl amd64 4.050-0ubuntu22.04.1 [87.6 kB]
Get:24 http://archive.ubuntu.com/ubuntu jammy/main amd64 libencode-locale-perl all 1.05-1.2 [11.9 kB]
```

Despliegue de Aplicaciones Web

```
Setting up libclone-perl (0.45-1build3) ...
Setting up libhtml-tagset-perl (3.20-4) ...
Setting up liblwp-mediatypes-perl (6.04-1) ...
Setting up libfcgi-bin (2.4.2-2ubuntu0.1) ...
Setting up libencode-locale-perl (1.05-1.1) ...
Setting up libsnappy1v5:amd64 (1.1.8-1build3) ...
Setting up socat (1.7.4.1-3ubuntu4) ...
Setting up libio-html-perl (1.004-2) ...
Setting up libmariadb3:amd64 (1:10.6.22-0ubuntu0.22.04.1) ...
Setting up libtimedate-perl (2.3300-2) ...
Setting up libfcgi-perl:amd64 (0.82+ds-1build1) ...
Setting up liburing2:amd64 (2.1-2build1) ...
Setting up liburi-perl (5.10-1) ...
Setting up libdbi-perl:amd64 (1.643-3build3) ...
Setting up mariadb-server-core-10.6 (1:10.6.22-0ubuntu0.22.04.1) ...
Setting up libhttp-date-perl (6.05-1) ...
Setting up mariadb-client-core-10.6 (1:10.6.22-0ubuntu0.22.04.1) ...
Setting up libdbd-mysql-perl:amd64 (4.050-5ubuntu0.22.04.1) ...
Setting up libhtml-parser-perl:amd64 (3.76-1build2) ...
Setting up mariadb-client-10.6 (1:10.6.22-0ubuntu0.22.04.1) ...
Setting up libhttp-message-perl (6.36-1) ...
Setting up libcgi-pm-perl (4.54-1) ...
Setting up libhtml-template-perl (2.97-1.1) ...
Setting up mariadb-server-10.6 (1:10.6.22-0ubuntu0.22.04.1) ...
Created symlink /etc/systemd/system/multi-user.target.wants/mariadb.service → /lib/systemd/system/mariadb.service.
Setting up libcgi-fast-perl (1:2.15-1) ...
Setting up mariadb-server (1:10.6.22-0ubuntu0.22.04.1) ...
Processing triggers for man-db (2.10.2-1) ...
Processing triggers for libc-bin (2.35-0ubuntu3.11) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
root@ubuntu:~#
```

Instalación php:

```
root@ubuntu:~# apt install php
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  libapache2-mod-php8.1 php-common php8.1 php8.1-cli php8.1-common php8.1-opcache php8.1-readline
Suggested packages:
  php-pear
The following NEW packages will be installed:
  libapache2-mod-php8.1 php php-common php8.1 php8.1-cli php8.1-common php8.1-opcache php8.1-readline
0 upgraded, 8 newly installed, 0 to remove and 0 not upgraded.
Need to get 5133 kB of archives.
After this operation, 21.3 MB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://archive.ubuntu.com/ubuntu jammy/main amd64 php-common all 2:92ubuntu1 [12.4 kB]
Get:2 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 php8.1-common amd64 8.1.2-1ubuntu2.22 [1129 kB]
Get:3 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 php8.1-opcache amd64 8.1.2-1ubuntu2.22 [365 kB]
Get:4 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 php8.1-readline amd64 8.1.2-1ubuntu2.22 [13.6 kB]
Get:5 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 php8.1-cli amd64 8.1.2-1ubuntu2.22 [1835 kB]
Get:6 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libapache2-mod-php8.1 amd64 8.1.2-1ubuntu2.22 [1765 kB]
Get:7 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 php8.1 all 8.1.2-1ubuntu2.22 [9162 B]
Get:8 http://archive.ubuntu.com/ubuntu jammy/main amd64 php all 2:8.1+92ubuntu1 [2756 B]
Fetched 5133 kB in 1s (4313 kB/s)
Selecting previously unselected package php-common.
(Reading database ... 66277 files and directories currently installed.)
Preparing to unpack .../0-php-common_2%3a92ubuntu1_all.deb ...
Unpacking php-common (2:92ubuntu1) ...
Selecting previously unselected package php8.1-common.
Preparing to unpack .../1-php8.1-common_8.1.2-1ubuntu2.22_amd64.deb ...
Unpacking php8.1-common (8.1.2-1ubuntu2.22) ...
Selecting previously unselected package php8.1-opcache.
Preparing to unpack .../2-php8.1-opcache_8.1.2-1ubuntu2.22_amd64.deb ...
Unpacking php8.1-opcache (8.1.2-1ubuntu2.22) ...
Selecting previously unselected package php8.1-readline.
Preparing to unpack .../3-php8.1-readline_8.1.2-1ubuntu2.22_amd64.deb ...
Unpacking php8.1-readline (8.1.2-1ubuntu2.22) ...
Selecting previously unselected package php8.1-cli.
Preparing to unpack .../4-php8.1-cli_8.1.2-1ubuntu2.22_amd64.deb ...
Unpacking php8.1-cli (8.1.2-1ubuntu2.22) ...
Selecting previously unselected package libapache2-mod-php8.1.
Preparing to unpack .../5-libapache2-mod-php8.1_8.1.2-1ubuntu2.22_amd64.deb ...
Unpacking libapache2-mod-php8.1 (8.1.2-1ubuntu2.22) ...
```

```
Creating config file /etc/php/8.1/mods-available/sysvsem.ini with new version
Creating config file /etc/php/8.1/mods-available/sysvshm.ini with new version

Creating config file /etc/php/8.1/mods-available/tokenizer.ini with new version
Setting up php8.1-readline (8.1.2-1ubuntu2.22) ...
Creating config file /etc/php/8.1/mods-available/readline.ini with new version
Setting up php8.1-opcache (8.1.2-1ubuntu2.22) ...

Creating config file /etc/php/8.1/mods-available/opcache.ini with new version
Setting up php8.1-cli (8.1.2-1ubuntu2.22) ...
update-alternatives: using /usr/bin/php8.1 to provide /usr/bin/php (php) in auto mode
update-alternatives: using /usr/bin/phar8.1 to provide /usr/bin/phar (phar) in auto mode
update-alternatives: using /usr/bin/phar.phar8.1 to provide /usr/bin/phar.phar (phar.phar) in auto mode

Creating config file /etc/php/8.1/cli/php.ini with new version
Setting up libapache2-mod-php8.1 (8.1.2-1ubuntu2.22) ...
Creating config file /etc/php/8.1/apache2/php.ini with new version
Module mpm_event disabled.
Enabling module mpm_prefork.
apache2_switch_mpm Switch to prefork
apache2_invoke: Enable module php8.1
Setting up php8.1 (8.1.2-1ubuntu2.22) ...
Setting up php (2:8.1+92ubuntu1) ...
Processing triggers for man-db (2.10.2-1) ...
Processing triggers for php8.1-cli (8.1.2-1ubuntu2.22) ...
Processing triggers for libapache2-mod-php8.1 (8.1.2-1ubuntu2.22) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
root@ubuntu:~#
```


► Preparación del DNS

Utilizando las zonas de DNS de tu proveedor del dominio, crea un subdominio que sea:


- `tunombre.dominio.com` → `damian.desplegando123.com`

En el caso de que sea en máquina virtual añade entradas locales en el archivo `/etc/hosts` para simular la resolución DNS del dominio de la aplicación (por ejemplo, `miapp.local`).

Creamos subdominio en la página de nuestro proveedor:



☐ SUBDOMINIO	ESTADO	ACCIONES
☐ juan.biskmatar.com Subdominio	Configuración DNS ajustada IPv4: 217.154.102.175	⋮



Despliegue de Aplicaciones Web

► Creación de un virtual host en Apache

Crea el siguiente Virtual Host y que apunte a la carpeta que se indica:

- tunombre.dominio.com → /var/www/html/tunombre.dominio.com

Creamos la carpeta:

```
root@ubuntu:~# ls
snap  iwalice
root@ubuntu:~# cd ..
root@ubuntu:~# ls
bin boot dev etc home lib lib32 lib64 libx32 lost+found media mnt opt proc root run sbin snap srv sys tmp usr var
root@ubuntu:~# cd /var/www/html
root@ubuntu:~# ls
index.html
root@ubuntu:~# mkdir /var/www/html/juan.biskmatar.com
root@ubuntu:~# cd /var/www/html/juan.biskmatar.com
root@ubuntu:~# ls
index.html
root@ubuntu:~# cd ../../../../
root@ubuntu:~# ls
bin boot dev etc home lib lib32 lib64 libx32 lost+found media mnt opt proc root run sbin snap srv sys tmp usr var
root@ubuntu:~#
```

Copiamos el 000-default.conf para crear nuestra configuración y entramos en la copia con el nano:

```
root@ubuntu:~# ls
bin boot dev etc home lib lib32 lib64 libx32 lost+found media mnt opt proc root run sbin snap srv sys tmp usr var
root@ubuntu:~# cd /etc/apache2/sites-available/
root@ubuntu:~# ls
000-default.conf default-ssl.conf
root@ubuntu:~# cp 000-default.conf /var/www/html/juan.biskmatar.com.conf
root@ubuntu:~# cd /var/www/html/juan.biskmatar.com
root@ubuntu:~# nano 000-default.conf
root@ubuntu:~#
```

Modificamos el ServerName y el DocumentRoot:

```
GNU nano 6.2                                /var/www/html/juan.biskmatar.com.conf *
<VirtualHost *:80>
# The ServerName directive sets the request scheme, hostname and port that
# the server uses to identify itself. This is used when creating
# redirection URLs. In the context of virtual hosts, the ServerName
# specifies what hostname must appear in the request's Host: header to
# match this virtual host. For the default virtual host (this file) this
# value is not decisive as it is used as a last resort host regardless.
# However, you must set it for any further virtual host explicitly.
ServerName juan.biskmatar.com

ServerAdmin webmaster@localhost
DocumentRoot /var/www/html/juan.biskmatar.com

# Available loglevels: trace8, ..., trace1, debug, info, notice, warn,
# error, crit, alert, emerg.
# It is also possible to configure the loglevel for particular
# modules, e.g.
#LogLevel info ssl:warn

ErrorLog ${APACHE_LOG_DIR}/error.log
CustomLog ${APACHE_LOG_DIR}/access.log combined


# For most configuration files from conf-available/, which are
# enabled or disabled at a global level, it is possible to
# include a line for only one particular virtual host. For example the
# following line enables the CGI configuration for this host only
# after it has been globally disabled with "a2disconf".
#Include conf-available/serve-cgi-bin.conf
</VirtualHost>

# vim: syntax=apache ts=4 sw=4 sts=4 sr noet
```

Activamos el sitio con a2ensite y recargamos apache:

```
root@ubuntu:/etc/apache2/sites-available# ls
000-default.conf default-ssl.conf juan.biskmatar.com.conf
root@ubuntu:/etc/apache2/sites-available# a2ensite juan.biskmatar.com.conf
Enabling site juan.biskmatar.com.
To activate the new configuration, you need to run:
    systemctl reload apache2
root@ubuntu:/etc/apache2/sites-available# systemctl reload apache2
root@ubuntu:/etc/apache2/sites-available#
```

Comprobamos:



Index of /

[Name](#) [Last modified](#) [Size](#) [Description](#)

Apache/2.4.52 (Ubuntu) Server at juan.biskmatar.com Port 80

► Instalación de un CMS

En esa carpeta realiza la instalación del CMS de wordpress

Descargamos wordpress:

```
root@ubuntu:~# ls
snap
root@ubuntu:~# wget https://wordpress.org/latest.tar.gz
2025-11-21 01:51:59-- https://wordpress.org/latest.tar.gz
Connecting to wordpress.org (wordpress.org) [198.143.164.252] 2007:978:5:8002::c0f:aefc
HTTP request sent, awaiting response... 200 OK
Length: 26928489 (26M) [application/octet-stream]
Saving to: 'latest.tar.gz'

latest.tar.gz           100%[=====] 25.68M  15.2MB/s   in 1.7s
2025-11-21 01:54:01 (15.2 MB/s) - 'latest.tar.gz' saved [26928489/26928489]

root@ubuntu:~# ls
latest.tar.gz  snap
root@ubuntu:~#
```

Descomprimos wordpress:

```
root@ubuntu:~# ls
latest.tar.gz snap
root@ubuntu:~# tar -xzf latest.tar.gz
wordpress/
wordpress/index.php
wordpress/license.txt
wordpress/readme.html
wordpress/wp-activate.php
wordpress/wp-admin/
wordpress/wp-admin/about.php
wordpress/wp-admin/admin-ajax.php
wordpress/wp-admin/admin-footer.php
wordpress/wp-admin/admin-functions.php
wordpress/wp-admin/admin-header.php
wordpress/wp-admin/admin-post.php
wordpress/wp-admin/admin.php
wordpress/wp-admin/async-upload.php
wordpress/wp-admin/authorize-application.php
wordpress/wp-admin/comment.php
wordpress/wp-admin/contribute.php
wordpress/wp-admin/credits.php
wordpress/wp-admin/css/
wordpress/wp-admin/css/about-rtl.css
wordpress/wp-admin/css/about-rtl.min.css
wordpress/wp-admin/css/about.css
wordpress/wp-admin/css/about.min.css
wordpress/wp-admin/css/admin-menu-rtl.css
wordpress/wp-admin/css/admin-menu-rtl.min.css
wordpress/wp-admin/css/admin-menu.css
wordpress/wp-admin/css/admin-menu.min.css
wordpress/wp-admin/css/code-editor-rtl.css
wordpress/wp-admin/css/code-editor-rtl.min.css
wordpress/wp-admin/css/code-editor.css
wordpress/wp-admin/css/code-editor.min.css
wordpress/wp-admin/css/color-picker-rtl.css
wordpress/wp-admin/css/color-picker-rtl.min.css
wordpress/wp-admin/css/color-picker.css
wordpress/wp-admin/css/color-picker.min.css
wordpress/wp-admin/css/colors/
wordpress/wp-admin/css/colors/_admin.scss
wordpress/wp-admin/css/colors/_mixins.scss
wordpress/wp-admin/css/colors/_variables.scss
```

```
wordpress/wp-includes/theme-templates.php
wordpress/wp-includes/theme.json
wordpress/wp-includes/theme.php
wordpress/wp-includes/update.php
wordpress/wp-includes/user.php
wordpress/wp-includes/vars.php
wordpress/wp-includes/version.php
wordpress/wp-includes/widgets/
wordpress/wp-includes/widgets/class-wp-nav-menu-widget.php
wordpress/wp-includes/widgets/class-wp-widget-archives.php
wordpress/wp-includes/widgets/class-wp-widget-block.php
wordpress/wp-includes/widgets/class-wp-widget-calendar.php
wordpress/wp-includes/widgets/class-wp-widget-categories.php
wordpress/wp-includes/widgets/class-wp-widget-custom-html.php
wordpress/wp-includes/widgets/class-wp-widget-links.php
wordpress/wp-includes/widgets/class-wp-widget-media-audio.php
wordpress/wp-includes/widgets/class-wp-widget-media-gallery.php
wordpress/wp-includes/widgets/class-wp-widget-media-image.php
wordpress/wp-includes/widgets/class-wp-widget-media-video.php
wordpress/wp-includes/widgets/class-wp-widget-media.php
wordpress/wp-includes/widgets/class-wp-widget-meta.php
wordpress/wp-includes/widgets/class-wp-widget-pages.php
wordpress/wp-includes/widgets/class-wp-widget-recent-comments.php
wordpress/wp-includes/widgets/class-wp-widget-recent-posts.php
wordpress/wp-includes/widgets/class-wp-widget-rss.php
wordpress/wp-includes/widgets/class-wp-widget-search.php
wordpress/wp-includes/widgets/class-wp-widget-tag-cloud.php
wordpress/wp-includes/widgets/class-wp-widget-text.php
wordpress/wp-includes/widgets.php
wordpress/wp-includes/wp-db.php
wordpress/wp-includes/wp-diff.php
wordpress/wp-links-opml.php
wordpress/wp-load.php
wordpress/wp-login.php
wordpress/wp-mail.php
wordpress/wp-settings.php
wordpress/wp-signup.php
wordpress/wp-trackback.php
wordpress/xmlrpc.php
root@ubuntu:~# ls
latest.tar.gz  snap  wordpress
root@ubuntu:~#
```

Despliegue de Aplicaciones Web

Copiamos los contenidos de la carpeta wordpress en nuestro directorio:

```
root@ubuntu:~# ls
latest.tar.gz  snap  wordpress
root@ubuntu:~# cd wordpress
root@ubuntu:~/wordpress# ls
index.php  readme.html  wp-admin  wp-comments-post.php  wp-content  wp-includes  wp-load.php  wp-mail.php  wp-signup.php  xmlrpc.php
license.txt  wp-activate.php  wp-blog-header.php  wp-config-sample.php  wp-cron.php  wp-links-opml.php  wp-login.php  wp-settings.php  wp-trackback.php
root@ubuntu:~/wordpress# cp -r * /var/www/html/juan.biskmatar.com
root@ubuntu:~/wordpress# cd /var/www/html/juan.biskmatar.com
root@ubuntu:~/var/www/html/juan.biskmatar.com# ls
index.php  readme.html  wp-admin  wp-comments-post.php  wp-content  wp-includes  wp-load.php  wp-mail.php  wp-signup.php  xmlrpc.php
license.txt  wp-activate.php  wp-blog-header.php  wp-config-sample.php  wp-cron.php  wp-links-opml.php  wp-login.php  wp-settings.php  wp-trackback.php
root@ubuntu:~/var/www/html/juan.biskmatar.com#
```

En el navegador nos aparece el siguiente mensaje:

Your PHP installation appears to be missing the MySQL extension which is required by WordPress.

Please check that the `mysqli` PHP extension is installed and enabled.

If you are unsure what these terms mean you should probably contact your host. If you still need help you can always visit the [WordPress support forums](#).

Así que instalamos el mysql:

```
root@ubuntu:/var/www/html/juan.biskmatar.com# apt install php-mysql
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  php8.1-mysql
The following NEW packages will be installed:
  php-mysql php8.1-mysql
0 upgraded, 2 newly installed, 0 to remove and 0 not upgraded.
Need to get 133 kB of archives.
After this operation, 484 kB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 php8.1-mysql amd64 8.1.2-1ubuntu2.22 [131 kB]
Get:2 http://archive.ubuntu.com/ubuntu jammy/main amd64 php-mysql all 2:8.1+92ubuntu1 [1834 B]
Fetched 133 kB in 0s (546 kB/s)
Selecting previously unselected package php8.1-mysql.
(Reading database ... 66407 files and directories currently installed.)
Preparing to unpack .../php8.1-mysql_8.1.2-1ubuntu2.22_amd64.deb ...
Unpacking php8.1-mysql (8.1.2-1ubuntu2.22) ...
Selecting previously unselected package php-mysql.
Preparing to unpack .../php-mysql_2%3a8.1+92ubuntu1_all.deb ...
Unpacking php-mysql (2:8.1+92ubuntu1) ...
Setting up php8.1-mysql (8.1.2-1ubuntu2.22) ...
reverseshell.php
Creating config file /etc/php/8.1/mods-available/mysqlnd.ini with new version
Creating config file /etc/php/8.1/mods-available/mysqli.ini with new version
Creating config file /etc/php/8.1/mods-available/pdo_mysql.ini with new version
Setting up php-mysql (2:8.1+92ubuntu1) ...
Processing triggers for libapache2-mod-php8.1 (8.1.2-1ubuntu2.22) ...
Processing triggers for php8.1-cli (8.1.2-1ubuntu2.22) ...
Scanning processes...
Scanning linux images...
Running kernel seems to be up-to-date.


No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.
```

Despliegue de Aplicaciones Web


Si vamos al navegador nos aparece lo siguiente:



Así que le damos permisos a la carpeta:

```
root@ubuntu:/var/www/html/juan.biskmatar.com# ls
index.php  readme.html  wp-admin  wp-comments-post.php  wp-content  wp-includes  wp-load.php  wp-mail.php  wp-signup.php  xmlrpc.php
license.txt  wp-activate.php  wp-blog-header.php  wp-config-sample.php  wp-cron.php  wp-links-opml.php  wp-login.php  wp-settings.php  wp-trackback.php
root@ubuntu:/var/www/html/juan.biskmatar.com# cd ..
root@ubuntu:/var/www/html# ls -l
total 16
-rw-r--r-- 1 root root 10671 Nov 21 01:01 index.html
drwxr-xr-x 5 root root 4096 Nov 21 02:00 juan.biskmatar.com
root@ubuntu:/var/www/html# chown -R www-data:www-data juan.biskmatar.com
root@ubuntu:/var/www/html# ls -l
total 16
-rw-r--r-- 1 root root 10671 Nov 21 01:01 index.html
drwxr-xr-x 5 www-data www-data 4096 Nov 21 02:00 juan.biskmatar.com
root@ubuntu:/var/www/html#
```

Ya la tendríamos:



Despliegue de Aplicaciones Web

Quedaría entrar en el mariadb para crear una base de datos y poder completar la instalación del wordpress:

```
root@ubuntu: /var/www/html/juan.bienestar.com mariadb
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 32
Server version: 10.6.22-MariaDB-0ubuntu0.22.04.1 Ubuntu 22.04
Copyright (c) 2000, 2018, Oracle, MariaDB Corporation AB and others.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> create database wordpress;
Query OK, 1 row affected (0.001 sec)

MariaDB [(none)]> grant all privileges on wordpress.* to user@localhost identified by 'ChuckMorris2025'
->
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'identified by 'ChuckMorris2025'' at line 1
MariaDB [(none)]> grant all privileges on wordpress.* to user@localhost identified by 'ChuckMorris2025';
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'identified by 'ChuckMorris2025'' at line 1
MariaDB [(none)]> grant all privileges on wordpress.* to user@localhost identified by 'ChuckMorris2025';
Query OK, 0 rows affected (0.002 sec)

MariaDB [(none)]>
```

Procedemos con la instalación:



Welcome to WordPress. Before getting started, you will need to know the following items.

1. Database name
2. Database username
3. Database password
4. Database host
5. Table prefix (if you want to run more than one WordPress in a single database)

This information is being used to create a `wp-config.php` file. **If for any reason this automatic file creation does not work, do not worry. All this does is fill in the database information to a configuration file. You may also simply open `wp-config-sample.php` in a text editor, fill in your information, and save it as `wp-config.php`.** Need more help? [Read the support article on wp-config.php.](#)

In all likelihood, these items were supplied to you by your web host. If you do not have this information, then you will need to contact them before you can continue. If you are ready...

Let's go!



Below you should enter your database connection details. If you are not sure about these, contact your host.

Database Name

wordpress

The name of the database you want to use with WordPress.

Username

user

Your database username.

Password

ChuckNorris2025

 Hide

Your database password.

Database Host

localhost

You should be able to get this info from your web host, if localhost does not work.

Table Prefix

wp_

If you want to run multiple WordPress installations in a single database, change this.

Submit



All right, sparky! You've made it through this part of the installation. WordPress can now communicate with your database. If you are ready, time now to...

Run the installation



Welcome

Welcome to the famous five-minute WordPress installation process! Just fill in the information below and you'll be on your way to using the most extendable and powerful personal publishing platform in the world.

Information needed

Please provide the following information. Do not worry, you can always change these settings later.

Site Title

Username

Username can have only alphanumeric characters, spaces, underscores, hyphens, periods, and the @ symbol.

Password [Hide](#)

Strong

Important: You will need this password to log in. Please store it in a secure location.

Your Email

Double-check your email address before continuing.

Search engine visibility ☐ Discourage search engines from indexing this site

It is up to search engines to honor this request.

[Install WordPress](#)

