FULL SEO AUDIT REPORT

nxtsmarthome.com.au

Prepared by Claude SEO

68/100

SEO Health Score

October 17, 2026 Full Audit

Table of Contents

1. Executive Summary

Key Metrics, Critical Issues & Quick Wins

2. Audit Categories

What Works

Findings by Severity

3. Action Plan

Phased Roadmap

4. Data Sources & Methodology

1. Executive Summary

This report presents a comprehensive SEO audit of **nxtsmarthome.com.au** for a **Affiliate publisher: Australian smart-home guides + product catalogue (non-local, research-based, no hands-on testing)** site, generated on October 17, 2026. Findings combine technical, content, schema, performance, visual, and search-readiness evidence as available.

68/100

SEO HEALTH SCORE

Critical Issues Found:

1. Article bylines are assigned at random by the writer script (generate-post.ts) and author pages contradict the bylines - deceptive-authorship risk
2. About 45 affiliate buy buttons on ~63 pages point to /goto?url=..., which returns 404
3. 47 of 84 articles cite no sources, including electrical-safety / tenancy / legal topics, contradicting /how-we-test/
4. Mobile LCP 4.9-6.9s on all tested pages (lab); product pages also fail CLS (0.16-0.19) from an unsized hero image
5. Money queries ('best robot vacuum australia', 'best smart plug australia') want ranked lists; the site serves explainers with no picks tables

Quick Wins:

1. Fix the escaped-quote links in /security-and-cameras/door-window-sensors-entry-alerts/ via Payload admin (5 broken links)
2. Point internal links at canonical slash URLs (59 hrefs) and remove the 13 dead /articles/page/N/ links from /sitemap/ and 12 '//' links from /all-topics/
3. Remove the duplicated brand from titles and trim titles to <=60 chars in the title template
4. Add width/height + fetchPriority=high to the product hero image (fixes CLS on 230 URLs)
5. Shrink the mobile cookie banner from 39% of the viewport to a <=100px bar

2. Audit Categories

2.1 Technical SEO

Score: 76/100

What Works

- Fully server-rendered
- http/www -> https apex in one hop
- Wrong-category, legacy and no-slash URLs 308 to canonical
- True 404s with noindex
- Valid robots.txt; sitemap of 336 URLs all 200 + indexable
- Canonical, lang and single H1 on every page

Findings

Dead /goto affiliate links High

45 entries in app/public/data/products.json use /goto?url=CAES...; rendered as buy buttons on ~63 pages; /goto 308s to /goto/ then 404s. No route or nginx rule exists.

Recommendation: Replace with real retailer URLs in Payload Offers, or add a /goto route that validates and redirects to approved retailer hosts.

Malformed escaped hrefs in one article High

door-window-sensors-entry-alerts body contains \"https:/... links producing 5 404 URLs; content lives in the Payload DB.

Recommendation: Edit the article in Payload admin; add a publish-time validation rejecting \" in Markdown bodies.

Internal links to redirecting URLs Medium

59 internal hrefs use no-slash or '//' forms (12 on /all-topics/), and /sitemap/ links 13 /articles/page/N/ URLs that 308 to /articles/.

Recommendation: Normalise hrefs to trailing-slash canonical form in the link helpers; drop pagination links from app/(frontend)/sitemap/page.tsx:96,140.

404 template emits conflicting robots tags Medium

Both noindex and 'index, follow', plus canonical to the homepage.

Recommendation: Emit only noindex on 404s and drop the canonical.

Year-long s-maxage on product pages and /search/ Medium

s-maxage=31536000; latent risk of stale prices if Cloudflare starts caching HTML.

Recommendation: Use s-maxage=300 + stale-while-revalidate like articles.

Sitemap lastmod partly synthetic Low

169 product URLs carry bulk-import timestamps; 7 CMS pages share one save time; hubs inherit newest-article date.

Recommendation: Use real content-modified dates only.

ads.txt 404, short HSTS, no CSP, x-powered-by leak Low

Security/monetisation hygiene.

Recommendation: Publish ads.txt when AdSense is enabled; HSTS 1y + includeSubDomains; remove x-powered-by.

2.2 Content Quality

Score: 56/100

What Works

- Honest trust pages: research-only, AI drafting disclosed on /about/, 'has not tested' on products
- Articles since 7 Oct have Sources sections and government links
- Product pages are not copy-paste (3-7% shared text)
- Affiliate notice above the fold on articles

Findings

Random author bylines High

generate-post.ts picks the author via Math.random(); author bios claim articles bylined to someone else; no credentials or sameAs for any author.

Recommendation: Assign authors deliberately (or use an editorial-team byline), reconcile author pages, add real credentials; confirm all named authors are real people.

Unsourced articles on YMYL-adjacent topics High

47/84 articles have no editorial outbound links; 42 electrical/privacy/tenancy articles cite no official source.

Recommendation: Back-fill a Sources block with regulator links, starting with the electrical-work and tenancy articles.

Titles over-promise High

e.g. 'Home Battery Rebate 2026' never names the programme; 'Real Numbers' running-costs article gives no figure.

Recommendation: Rewrite or retitle; add concrete AU figures with sources.

Scaled-content pattern Medium

18 articles published in 4 minutes on 23 Aug; 41 share one dateModified; unlabeled AI hero images.

Recommendation: Stagger publishing, only bump dateModified on real edits, label AI imagery.

Non-AU products and a safety contradiction Medium

Aqara H1 EU switch recommended though its page says it won't fit AU boxes; kettle automation suggested though another article says not to.

Recommendation: Remove non-AU picks; reconcile safety advice.

Cannibalisation Medium

5 overlapping smart-plug articles; 3 near-identical lighting-scene articles.

Recommendation: Consolidate and 301 the weaker URLs.

Meta descriptions too long Medium

224 descriptions >160 chars (product median 328).

Recommendation: Cap the product description template at ~155 chars.

2.3 On-Page SEO

Score: 65/100

What Works

- Exactly one H1 per page
- Unique titles on all canonical pages
- Self-referencing canonicals
- Strong internal linking: 0 orphan sitemap URLs

Findings

Titles too long Medium

385 of 421 titles exceed 60 chars; some repeat the brand ('NXT Smart Home AU | NXT Smart Home').

Recommendation: Shorten the template suffix; drop duplicate brand.

Product H1s drop the brand Medium

e.g. 'Hub M100' rather than 'Aqara Hub M100'.

Recommendation: Prefix brand in product H1 and title.

Default OG data on product pages Medium

All product pages use the default og:title and og-default.png; share links point to the homepage.

Recommendation: Emit per-product og:title, og:image and share URLs.

Noindexed category linked sitewide Low

/categories/smart-door-locks/ is noindex,follow but linked from 421 pages.

Recommendation: Either populate and index it or remove it from navigation.

2.4 Schema / Structured Data

Score: 80/100

What Works

- 0 JSON-LD parse errors
- Central generation in lib/seo.ts

- BreadcrumbList on 412 pages
- No self-serving ratings markup
- AUD-only verified offers

Findings

SearchAction targets a disallowed URL Medium

Emitted on all pages; /search/ is robots-disallowed and the sitelinks search box is retired.

Recommendation: Remove SearchAction.

Offer URLs are affiliate redirects Medium

geni.us and tracked eBay URLs in Offer.url; some price ranges mix variants/sellers.

Recommendation: Use canonical retailer product URLs; add itemCondition; exclude mismatched listings.

Static pages lack page schema Medium

about, contact, how-we-test, disclosure etc. have no page-level schema or breadcrumb.

Recommendation: Add AboutPage/ContactPage/WebPage + BreadcrumbList.

Weak entity linking Low

Organization sameAs only Facebook; Person has no sameAs/image; Article author has no @id.

Recommendation: Add @id links and sameAs profiles.

2.5 Performance (CWV)

Score: 76/100

What Works

- TTFB 17-117ms
- CLS 0 on home, listings and articles
- Desktop passes everywhere (LCP 0.9-1.45s)
- Self-hosted fonts, WebP via next/image
- gtag deferred, AdSense gated off

Findings

Mobile LCP fails on all tested pages (lab) High

4.9-6.9s; render-blocking 60KB CSS; home LCP image has no fetchpriority and loads at 2x the needed width.

Recommendation: Inline critical CSS; set fetchPriority='high' explicitly and tighten sizes.

Product page CLS High

0.158-0.191 from the unsized hero <img> at app/(frontend)/products/[slug]/page.tsx:157-161 (230 URLs).

Recommendation: Add width/height/aspect-ratio and fetchPriority='high'.

5,975 images without dimensions Medium

Product cards, retailer lists, article images.

Recommendation: Use next/image or explicit dimensions.

JavaScript cost Medium

~23 scripts / ~560KB per page; TBT 164-326ms mobile.

Recommendation: Lazy-load search, audio, aside and cookie-banner components.

HTML not edge-cached Medium

cf-cache-status: DYNAMIC despite s-maxage=300.

Recommendation: Add a Cloudflare Cache Rule for HTML (bypass on admin/preview cookies).

2.6 AI Search Readiness

Score: 65/100

What Works

- All search/citation AI crawlers allowed
- Server-rendered HTML with FAQ answers
- Strong AU-specific information
- Newer articles open with a direct answer
- Agent-UX heuristic 90/100; labelled contact form

Findings

No comparison tables on vs/best pages High

Only 1 of 15 sampled comparison/buying articles has an HTML table.

Recommendation: Template a comparison table for every vs/best/buying-guide page.

Thin brand/author entity footprint High

sameAs only Facebook; no author profiles beyond the site; brand searches return other companies.

Recommendation: Build Organization/Person sameAs, author credentials, and off-site profiles.

Firewall contradicts robots.txt Medium

Cloudflare 403s GPTBot, ClaudeBot, CCBot, Amazonbot etc. while robots.txt allows all.

Recommendation: Decide policy; align robots.txt; consider allowing Amazonbot (Alexa).

Unlabelled interactive card overlays Medium

12 unnamed links on home, 22 on an article.

Recommendation: aria-label or aria-hidden + tabindex=-1 on duplicate overlay anchors.

No llms.txt / Markdown delivery Low

Optional; Google ignores llms.txt.

Recommendation: Optional: publish llms.txt.

2.7 Images

Score: 60/100

What Works

- 0 images missing alt attribute
- WebP delivery via next/image
- Article hero sized with fetchpriority

Findings

Missing width/height Medium

5,975 of 8,794 images (3,089 of 3,584 product images).

Recommendation: Add dimensions.

AI hero images with garbled text Low

Visible nonsense text in guide and home card heroes; unlabeled AI imagery.

Recommendation: Regenerate without text or use real photos; label AI images.

Low-res white-background product cut-outs on dark theme Low

Render as white boxes.

Recommendation: Use transparent PNG/WebP or a light card.

1,852 empty alt attributes Info

Fine for decorative images; verify product/card images are not among them.

Recommendation: Audit empty-alt images for meaningful content.

3. Action Plan

Phase 1: Critical Fixes Week 1

- Fix random author assignment and reconcile author pages; confirm authors are real
- Repair or replace the 45 /goto affiliate links
- Fix escaped-quote links in door-window-sensors article
- Fix product hero CLS and LCP priority
- Fix mobile overflow on guide template; shrink cookie banner

Phase 2: High-Impact Improvements Weeks 2-3

- Back-fill Sources on electrical/tenancy/legal articles
- Add comparison/picks tables to vs/best/buying guides
- Create /robot-vacuums/best-robot-vacuum-australia/
- Inline critical CSS; set explicit fetchPriority; lazy-load non-critical JS
- Normalise internal links; remove dead pagination links
- Shorten titles; cap meta descriptions; brand in product H1s; per-product OG

Phase 3: Content & Authority Month 2

- Consolidate cannibalising smart-plug and lighting-scene articles with 301s
- Rewrite over-promising titles with sourced AU figures
- Remove non-AU product picks and reconcile safety advice
- Build Organization/author sameAs and off-site presence
- Add page schema to static pages; remove SearchAction; clean Offer URLs

Phase 4: Monitoring & Iteration Ongoing

- Set up Google API key for CrUX/GSC/PSI and re-run audit
- Create a drift baseline
- Decide AI crawler policy and align robots.txt with Cloudflare
- Stagger publishing; only bump dateModified on real edits

Data Sources & Methodology

Source	Description	Update Frequency
PageSpeed Insights API	Lighthouse lab audit (mobile emulation, Moto G Power, slow 4G)	Real-time
Chrome UX Report (CrUX)	28-day rolling field data from real Chrome users	Daily ~04:00 UTC
CrUX History API	25-week p75 trend data per metric	Weekly
Google Search Console	Search Analytics (clicks, impressions, CTR, position)	2-3 day lag
URL Inspection API	Per-URL index status, coverage state, crawl info	Real-time (2,000/day)

Report generated by Claude SEO (Google SEO Intelligence Skill), October 17, 2026
Methodology based on Google Web Vitals thresholds, Search Console documentation, and Lighthouse scoring algorithms.