XMPP-Grid Broker: Project Plan

Authors:
Fabian HAUSER and
Raphael ZIMMERMANN

Advisor: Prof. Dr. Andreas Steffen

Spring Term 2018



Contents

| Co | ntents | i | | |
|-----|--|-----|--|--|
| 1 | Project Overview | 1 | | |
| 2 | Project Organization | 2 | | |
| | 2.1 Roles | 2 | | |
| 3 | Project Management | 3 | | |
| | 3.1 Components | 3 | | |
| | 3.2 Time Budget | 3 | | |
| | 3.3 Schedule | 3 | | |
| | 3.3.1 Iterations & Milestones | 3 | | |
| | 3.3.2 Meetings | 4 | | |
| 4 | Risk Management | 6 | | |
| 5 | Infrastructure | 8 | | |
| | 5.1 Project Management and Development | 8 | | |
| | 5.1.1 Development Tools | 8 | | |
| | 5.2 Backup and Data Safety | 8 | | |
| 6 | Quality Measures | 9 | | |
| | 6.1 Documentation | 9 | | |
| | 6.2 Project Management | 9 | | |
| | 6.2.1 Sprint Planning | 9 | | |
| | 6.2.2 Definition of Done | 9 | | |
| | 6.3 Development | 10 | | |
| | 6.4 Testing | 10 | | |
| Bi | liography | I | | |
| Lis | t of Figures | II | | |
| Lis | t of Tables | III | | |
| Lis | List of Abbreviations / Glossary | | | |

Project Overview

The goal of the bachelor thesis is to build a broker application and graphical user interface to administer XMPP-Grids according to draft-ietf-mile-xmpp-grid, as described in the task description [?].

Project Organization

All team members have the same strategic rights and duties. Prof. Dr. Andreas Steffen is our project advisor.

2.1 Roles

Due to the small team size, most roles are performed by both team members.

Raphael Zimmermann

project management, software engineering, quality assurance.

Fabian Hauser

infrastructure management, software engineering, quality assurance.

Project Management

3.1 Components

For a better overview and to allow us a sophisticated time assessment, we decided to group tasks into categories, i.e. JIRA components. Components represent processes, documents and products which are to be released.

Currently, tasks are separated into following components:

• Application

• Poster

• Final Submission Document

Presentation

Management

Project Plan

3.2 Time Budget

The project started with the Kickoff Meeting on 19.02.2018 and will be completed after 16 weeks by 15.06.2018. The two team members are available for 360 hours each during the semester which corresponds to a weekly time budget of 20 hours per person and two weeks with a weekly time budget of 40 hours per person.

Apart from the statutory holidays, there are no further absences planned.

3.3 Schedule

The project schedule is an iterative process based on elements of SCRUM.

We decided on a sprint duration of approximately week, but allow deviations in working hours depending on statutory holidays.

3.3.1 Iterations & Milestones




FIGURE 3.1: Overview of the 16 iterations

The goals and milestones resulting from each sprint are shown in Figure 3.2.

Meeting Type Total Duration per Person Total Duration for the Team 24 hours **Supervision Meetings** 12 hours **Standup Meetings** 16 hours 32 hours 18 hours **Sprint Planning Meetings** 36 hours Retrospective 4 hours 8 hours Total 100 hours 50 hours

TABLE 3.1: Meeting Time Budget

3.3.2 Meetings

The team works every Monday (08:00 - 12:00) and Tuesday (08:00 - 17:00) together in the study room and remotely Fridays (08:00 - 17:00). Wednesday and Friday begin with a daily stand-up meeting taking no longer than 15 minutes. Sprint planning meetings are carried out on Tuesday at 10:00. Table 3.1 shows an overview of the total meeting time budget.

Regular meetings with the project advisor take usually place on Monday in Prof. Dr. Steffen's office.

Raphael Zimmermann will take meeting notes for every meeting. Meeting minutes are published on the project website afterwards.

| Sprint | Sprint 1 | Sprint 2 | Sprint 3 | Sprint 4 |
|--|---|--|---|---|
| Tag | 0.1.0 | 0.2.0 | 0.3.0 | 0.4.0 |
| Date | 20.02.2018 - 27.02.2018 | 27.02.2018 - 06.03.2018 | 06.03.2018 - 13.03.2018 | 13.03.2018 - 20.03.2018 |
| Milestones | - license & usage rights defined | - task description fixed | - basic requirements & analysis completed | arch |
| Time Budget | 40 | 40 | 40 | 40 |
| Tasks | setup remaining project infrastructure read letf draft, XFP standards etc. compile list of open questions - begin with chapter "initial situation" analyze existing python proof-of-concept | - collect non-functional requirements (NFRs) - compile set of user stories - draw wireframes - research frameworks and technology. Prepare architectural decisions | extend NFRs, user stories, wireframes - make first architectural decisions - further framework and technology research - implement proof of concepts for ciritical components | - make big architectural decisions - implement proof of concepts for ciritical components |
| Documents / Chapters / Artefacts | | - chapter "Initial Situation" completed - signed task description | | |
| Sprint | Sprint 5 | Sprint 6 | Sprint 7 | Sprint 8 |
| Tag | | 0.6.0 | | |
| Date | 20.03.2018 - 27.03.2018 | 27.03.2018 - 03.04.2018 | 03.04.2018 - 10.04.2018 | 10.04.2018 - 17.04.2018 |
| Milestones | | - final technology fixed - testing concept fixed | 77 | C C V |
| Time Budget | - | 40 | 40 | 40 |
| Tasks | implement proof of concepts for cintical components draft testing concept | implement proof of concepts for ciritical components finalise testing concept | - Implement most important user stories - make further architectural decisions | - Implement most important user stories - make further architectural decisions |
| Documents / Artefacts | | - Chapter "Our Approach" completed | | |
| Sprint | Sprint 9 | Sprint 10 | Sprint 11 | Sprint 12 |
| Tag | 0.9.0 | 0.10.0 | 0.11.0 | 0.12.0 |
| Date | 17.04.2018 - 24.04.2018 | 24.04.2018 - 01.05.2018 | 01.05.2018 - 08.05.2018 | 08.05.2018 - 15.05.2018 |
| Milestones | | | | - beta release |
| Time Budget | 40 | 40 | 40 | 40 |
| Tasks | Implement most important user stories make further architectural decisions write integration tests | - Implement secondary user stories - write integration tests | - Implement secondary user stories - write integration tests | - Implement secondary user stories - write integration tests |
| Documents / Artefacts | - alpna release bundle | | | - beta release bundle |
| Sprint | Sprint 13 | Sprint 14 | Sprint 15 | Sprint 16 |
| Tag | 0.13.0 | 0.14.0 | 0.15.0 | 0.16.0 |
| Date | 15.05.2018 - 22.05.2018 | 22.05.2018 - 29.05.2018 | 29.05.2018 - 05.06.2018 | 05.06.2018 - 12.06.2018 |
| Milestones | | | - future freeze | - code freeze |
| Time Budget | | 40 | 40 | 80 |
| Tasks | Implement remainging user stories Improve code base write integration tests | Implement remainging user stories Improve code base write integration tests | Implement remainging user stories Improve code base write integration tests | - fix eventual bugs - write documentation |
| Documents / Artefacts | | | , | - final release bundle - poster - abstract |
| Sprint | Sprint 17 | | | |
| Tag | 1.0.0 | | | |
| Date | 12.06.2018 - 15.06.2018 | | | |
| Milestones | - documentation completed - presentation prepared - final release / submission | | | |
| Time Budget | 40 | | | |
| Tasks | - write documentation - submit documents | | | |
| Documents / Artefacts | - personal reports - management summary - presentations | | | |
| | - time accounting | | | |

FIGURE 3.2: Detailed overview with tasks and milestones of all 16 sprints.

Risk Management

An assessment of the project-specific risks is carried out in Table 4.2 as time loss during the whole project. The risk matrix in Table 4.1 provides an overview of the risk weighting.

To account for these risks, we reduce our weekly sprint time by the total weighted risk applicable to the planned task topics (on average approximately 13.5%). We also review the risk assessment after every sprint, adapt it and take measures if necessary.

| Severity Probability | High ($\geq 5d$) | Medium (2-5 <i>d</i>) | Low ($\leq 2d$) |
|-------------------------|--------------------|------------------------|-------------------|
| High (≥ 60%) | 1 | | |
| Medium (30-60%) | 6 | | |
| Low (≤ 30%) | | 3, 4, 5 | |

Table 4.1: The risk matrix. Numbers reference to the risk assessment Table 4.2 $\,$

TABLE 4.2: Risk assessment table. Time in hours over the total project duration.

| # | Title | Description | Prevention / Reaction | Risk [h] | Probability | = [h] |
|-----------------------|--------------------------------------|---|---|----------|-------------|-------|
| <u> </u> | Incomplete reference documentation | The reference documentation / standards are incomplete or difficult to comprehend. | Discuss missing parts with project advisor | 09 | %09 | 36 |
| 7 | Communication errors | Errors due to miscommunication or misapprehension. | Maintain a high level of interaction, precise specification of tasks responsibilities, conduct meetings if ambiguities exist. | 30 | 20% | 13 |
| $\boldsymbol{\omega}$ | Problems with project infrastructure | The used project infrastructure is not or only partially available, or data loss occurs within management software. | Clean setup and self-hosting of the tools to prevent third-party dependencies. | 45 | 30% | 13.5 |
| 4 | Scope creep | The project's scope is extended over the project course. | Define the project scope and limitations precisely. Discuss changes with the project advisor. | 45 | 30% | 13.5 |
| rV | Dependency errors | There are errors/bugs in third-party dependencies, i.e. libraries. | Carefully select libraries and limit thid-party dependency to a minimum. | 30 | 30% | 6 |
| 9 | Missing dependency documentation | Selected libraries are lacking proper documentation | The documentation quality of a library should be a selection criterion. | 30 | 40% | 12 |
| | Total weighted risk | | | | | 66 |

Infrastructure

5.1 Project Management and Development

For project management we utilise JIRA[1]. As document/code storage, git repositories on Github are used, the continuous integration/deployment will be defined in the course of the project.

These applications are hosted on our HSR project server, which runs a standard Ubuntu Linux 17.10.

5.1.1 Development Tools

The development tools will be defined in the course of the project.

5.2 Backup and Data Safety

An incremental backup of the project server including the source code and documentation is created on an independent system every night.

As our documents and code is stored in a git repository, they are also distributed on all development systems.

Quality Measures

To maintain a high standard of quality, we take the following measures:

- short sprint reviews
- four extended retrospectives
- code reviews
- automated unit and integration testing
- publish all documentation on the project website using continuous integration/delivery.
- using continuous integration for source code

6.1 Documentation

The official documents such as the final submission document, meeting minutes as well as this project plan are written in LATEX respectively ASCIIDoc and published on the project website ¹ containing all PDF documents.

The sources are in both cases kept under version control in the same repository, which allows us to use the same tools and processes for documentation and code. The continuous integration server builds and publishes the website whenever new changes are pushed to the repository.

6.2 Project Management

Because the project plan allows for an iterative process, we use JIRA with its SCRUM-features (such as sprint creation or boards) for project management.

6.2.1 Sprint Planning

Each sprint is mapped to JIRA, which allows the project advisor to trace the project progress. Sprints are represented as boards on which the current state and assignee of any issue is easily visible ("To Do", "In Progress", "Review", "Done").

6.2.2 Definition of Done

An issue may be closed if *all* of the following conditions are met:

- All functionality conforms to the specification. Any deviations must be discussed and decided by the team.
- The source code is reasonably documented.

¹https://xgb.redbackup.org

- No code is commented out.
- No warnings and errors by the compiler or any other quality tool.
- A review is performed and accepted in a pull request.
- The corresponding branch is merged into the stable branch (e.g. master).
- All documents are up to date including the project website.
- Reasonable unit and integration tests exist and pass.
- The complete continuous integration pipeline works.
- All time is logged.

6.3 Development

We decided to use GitHub Flow[2], a straightforward development workflow.




FIGURE 6.1: GitHub Flow illustrated (Source [2])

Since the effective technology will be fixed later in the project, concrete coding guidelines, tools, metrics and an error policy will be defined when appropriate.

6.4 Testing

All functionality must be automatically testable using continuous integration. Any non-trivial function/method must be verified with unit tests.

Integration tests verify extended test scenarios.

A minimal performance analysis will be carried out at the end of the project.

Bibliography

- [1] Atlassian Inc. Open Source Services by Atlassian Inc. https://developer.atlassian.com/opensource/, 2017.
- [2] Github Inc. Github Flow. https://guides.github.com/introduction/flow/, 2013.

List of Figures

| 3.1 | Overview of the 16 iterations | 3 |
|-----|---|----|
| 3.2 | Detailed overview with tasks and milestones of all 16 sprints | 5 |
| 6.1 | Organigram | 10 |

List of Tables

| 3.1 | Meeting Time Budget | 4 |
|-----|---------------------|---|
| 4.1 | Risk matrix | 6 |
| 4.2 | Risk assessment | 7 |

List of Abbreviations / Glossary