

Tools & Trackers

ParentVeda Pregnancy App - Feature & Screen Reference

PDF 4 of 7

Every pregnancy tool: kick counter, weight, kegel, contractions, due-date, symptoms, medicines, scans, hospital bag, checklists, reminders, the Can-I safety checker, scan-report help, and the Ask Veda answer engine.

Feature & Screen Reference for review and testing.
Generated 10 July 2026.

Contents

Overview	3
Screen: Tools Hub (tools_hub_screen.dart)	4
Screen: Older Tools Screen (tools_screen.dart)	5
Screen: Baby Movement Tracker (tools/baby_movement_screen.dart)	6
Screen: Weight Tracker (tools/weight_tracker_screen.dart)	7
Screen: Kegel Care (tools/kegel_care_screen.dart)	8
Screen: Contraction Tracker (tools/contraction_tracker_screen.dart)	9
Screen: Due Date Calculator (tools/due_date_calculator_screen.dart)	10
Screen: Symptoms Companion (tools/symptom_companion_screen.dart)	11
Screen: Medication & Supplements Tracker (tools/medicine_tracker_screen.dart)	12
Screen: Scans & Appointments (tools/scans_appointments_screen.dart)	13
Screen: My Hospital Bag - V1 (tools/hospital_bag_screen.dart)	14
Screen: My Hospital Bag - V2 redesign (tools/hospital_bag_v2_screen.dart)	16
Screen: Product Checklist (tools/product_checklist_screen.dart)	18
Screen: Reminders (reminders_screen.dart)	20
Screen: Can I? (can_i_screen.dart)	21
Screen: Understanding Your Report (report_screen.dart)	22
Screen: Ask Veda (tools/ask_veda_screen.dart)	23
Screen: Ask Veda - Answer Engine (ask_veda/veda_core.dart)	25
Sub-component: Shared Veda Result UI (ask_veda/veda_result_view.dart)	26

Overview

"Tools" is one of the five bottom-navigation tabs in the mother's app (labelled Tools, using a widgets icon; it sits between the Prepare tab and the Calendar tab). Tapping it opens the Tools hub, a calm "toolbox" screen: a large "Your Pregnancy Journey" hero card at the top (which opens the journey map), then a two-column grid of tinted tiles that each launch one tool, and a reassuring support note at the bottom. The tools fall into a few groups: gentle self-tracking trackers (kick counter, weight, Kegel, contractions, medication, symptoms, scans), a warm due-date calculator, birth-preparation planners (hospital bag, product checklist), a personal reminders scheduler, a safety checker ("Can I?"), scan-report help ("Understanding Your Report"), the offline "Ask Veda" answer engine, plus shortcuts to other app features (Garbh Sanskar, Spiritual Reading, the Bump Journey, the Journal, Read Next, and the Father's Journal). The hub only appears in mother mode; in the father (Dad) view the third tab becomes the father's "Reads" section instead. Every tracker is local-first (saved on the device via `shared_preferences`) and, when the mother is signed in, additionally syncs to Supabase. This PDF documents the Tools hub and its trackers in detail, and a companion file continues the same PDF with the planners (hospital bag, product checklist), the reminders scheduler, the "Can I?" safety checker, the "Understanding Your Report" scan-report help, and the Ask Veda engine.

Tools covered across this PDF (this file plus its companion):

- **Tools hub** (`tools_hub_screen.dart`) - the Tools tab that launches everything (this file)
- **Older Tools screen** (`tools_screen.dart`) - a superseded earlier version (this file)
- **Baby Movement Tracker / kick counter** (this file)
- **Weight Tracker** (this file)
- **Kegel Care** (this file)
- **Contraction Tracker** (this file)
- **Due Date Calculator** (this file)
- **Symptoms Companion** (this file)
- **Medication & Supplements Tracker** (this file)
- **Scans & Appointments** (this file)
- **Hospital Bag planner** (companion file)
- **Product Checklist** (companion file)
- **Reminders / notifications** (companion file)
- **"Can I?" safety checker** (companion file)
- **"Understanding Your Report"** scan-report help (companion file)
- **Ask Veda** offline answer engine (companion file)

Screen: Tools Hub (`tools_hub_screen.dart`)

Status: Live - it is the third bottom-nav tab (`ToolsHubScreen`) wired into the main app scaffold in mother mode. Justification: `main_scaffold.dart` places `ToolsHubScreen` as page index 2 of the non-father tab list. **Reached from:** Bottom navigation pill -> "Tools" tab (widgets icon). Not shown in father mode.

Purpose: The single launch point ("toolbox") for every pregnancy tool, planner and tracker, with the pregnancy journey map as its hero.

Sections & UI:

- Screen title ("Tools") and a one-line intro under it.
- **Journey hero card:** a purple gradient card with a map icon, a title and subtitle, and a forward arrow. Tapping it opens the full pregnancy Journey Map (a separate feature).
- **Tool grid:** a two-column wrap of rounded white tiles. Each tile shows a coloured icon in a tinted square, the tool name, and an "Open ->" link in the tool's accent colour.
- **Support note card:** a rounded panel with a shield icon and a short reassurance line at the bottom.

Features & interactions:

- The whole screen is a scrolling list. Every tile is a tap target that pushes the matching tool screen onto the navigator.
- Tiles, in on-screen order: Garbh Sanskar; Spiritual Reading; Baby Movement Tracker; Bump Journey; My Journal; Read Next; Weight; Kegel; Contractions; Hospital Bag; Product Checklist; Medication & Supplements; Reminders; Understanding Your Report; "Can I?"; Symptoms Companion; Scans & Appointments; Due Date Calculator; Ask Veda; Father's Journal.
- Of these, the trackers documented in this file are Baby Movement, Weight, Kegel, Contractions, Medication & Supplements, Symptoms Companion, Scans & Appointments, and the Due Date Calculator. The hospital bag, product checklist, reminders, "Understanding Your Report", "Can I?" and Ask Veda tiles are covered by the companion file. The remaining tiles (Garbh Sanskar, Spiritual Reading, Bump Journey, My Journal, Read Next, Father's Journal) are other app features surfaced here for convenience and are documented in their own PDFs.
- A retired "Stories, Fables & Mythology" tile is kept commented-out in the code for possible revert; it does not appear.

Data: No data of its own. It reads the current language from `PregnancyController` to localise labels and simply navigates to each tool. All tool state lives in the individual tool stores.

Screen: Older Tools Screen (`tools_screen.dart`)

Status: Superseded / not reachable - `ToolsScreen` is an earlier version of the Tools tab that has been replaced by `ToolsHubScreen`. Justification: a project-wide search finds no navigation that instantiates this `ToolsScreen`; only its own file references it. It is retained (not deleted) in the codebase. **Reached from:** Nothing in the current app. (Historically it was the Tools tab landing.) **Purpose:** An early "growing toolbox" grid: a journey feature card plus a set of tool tiles, some of which could show a "coming soon" badge.

Sections & UI:

- Title and intro, a "Your Pregnancy Journey" feature card (opens the Journey Map), then a two-column grid of tiles.
- Tiles here: Baby Movement, Weight, Kegel, Contractions, Hospital Bag, Understanding Your Report, Garbh Sanskar, Community, Products.
- The tile widget supports a "Coming soon" pill for tools without an action, but in the current code every listed tile has an action, so none show that pill.

Features & interactions:

- Each tile pushes its tool screen (same destinations as the live hub, but a shorter list and different accent colours).
- Because the screen is not wired into navigation, testers will not encounter it in normal use; note it only if verifying dead/legacy code.

Data: Same as the hub - it only reads language from `PregnancyController` and navigates; it holds no state.

Screen: Baby Movement Tracker (`tools/baby_movement_screen.dart`)

Status: Live. **Reached from:** Tools hub -> "Baby Movement Tracker" tile. (The Home screen's "Kicks" quick tile also reads today's movement count from the same store.) **Purpose:** A calm, session-based "awareness" tool for baby movements from around week 28, deliberately not a running lifetime counter. Movements are grouped into sessions and the main screen never shows a long scroll of timestamps.

Sections & UI:

- **Disclaimer banner** (amber tint) - always visible at the top.
- **No active session (start view):** a soft card with a pregnant-woman glyph, a "start a session" title and subtitle, and a "Start Session" button.
- **Active session view:** a large circular tap target (heart glyph, "Baby moved") in the centre; a "This session" summary card; an "End Session" outlined button; and a "Remember this moment" memory card with a note field.
- **Session summary card:** a count chip ("N movements"), the last movement time, and compact time chips. Time chips are limited to the 12 most recent with a "View all times" / "Hide" toggle so a busy day never becomes an endless scroll.
- **History screen** (opened from the app-bar "History" action): one card per ended session.

Features & interactions:

- "Start Session" begins a session; there is no auto-start on entry.
- Tapping the big circle logs one movement; the circle briefly changes to a "Movement logged" state for about 1.3 seconds, then reverts.
- The session ends when the mother taps "End Session", when she leaves the screen, or when the app is backgrounded or closed. On ending with at least one movement, a "session saved" snackbar shows; sessions with zero movements are discarded so history stays clean. A session left open by a killed app is auto-closed on next launch.
- The memory note field saves a "Dear Baby" note (to `DailyStore`) tagged to the current week; a confirmation snackbar appears.
- History shows each ended session as a card: the date, a per-day ordinal badge ("Session 2"), start and end times, the movement count, and all of that session's time chips. Empty history shows a friendly placeholder.

Data: `ToolsStore` (singleton). Sessions are `MovementSession` objects persisted in `shared_preferences` and, when signed in, synced to the Supabase `movement_sessions` table (only ended, non-empty sessions are pushed). Legacy flat-timestamp data is migrated into one session per calendar day. Memory notes go to `DailyStore` (Dear Baby). No notifications.

Screen: Weight Tracker (`tools/weight_tracker_screen.dart`)

Status: Live. **Reached from:** Tools hub -> "Weight" tile. **Purpose:** A supportive weight companion that reframes gain as "my body is supporting my baby", never a scorecard. It has a one-time setup and then an ongoing dashboard.

Sections & UI:

- **Setup flow (shown until a profile exists):** Step 1 asks for pre-pregnancy weight (required, in kg) and height (optional, in cm). Step 2 is a summary card showing the starting weight, height (if given), and a recommended gain range (only if height was entered, otherwise a note that the range needs height). A "Start tracking" button saves the profile.
- **Dashboard (once set up):** a hero card with the current weight (or an empty-state prompt) and week; a "your body is supporting..." insight card; a calm "weight gain since start" figure; a "where your weight comes from" educational bar breakdown; a "what changed" card; a weekly insight line; a weight chart; and a full history table. An "Add today's weight" button sits at the bottom, and a labelled "+ Add" button appears in the app bar once onboarded.
- **Add-weight bottom sheet** (shared by both add buttons): weight field, a date picker (any past date within the last year up to today), and an optional notes field.

Features & interactions:

- The recommended gain range is derived from pre-pregnancy BMI: BMI under 18.5 gives 12.5-18.0 kg, under 25 gives 11.5-16.0 kg, under 30 gives 7.0-11.5 kg, and 30+ gives 5.0-9.0 kg.
- The "where your weight comes from" breakdown is an educational estimate (baby, placenta, amniotic fluid, blood, breast tissue, energy stores) scaled by the current week from a week-23 anchor; it is explicitly labelled as an estimate, not a measurement.
- The chart is custom-drawn: an actual-weight line (dots joined by date, positioned by fractional gestational week) over a soft "recommended range" band. It deliberately uses no above/below-target or warning colours. A legend and footer note explain it.
- The history table has Date, Week, Weight and Change columns; each row shows the entry time, and long-pressing a row offers delete (with a confirm dialog). The pre-pregnancy weight is shown as a tinted "START" origin row.
- Multiple weigh-ins on the same day are all kept and never overwrite each other, so the record never appears to reset.

Data: `ToolsStore` holds the weight profile (pre-pregnancy weight + optional height) and a list of `WeightEntry` items, persisted in `shared_preferences` and synced to Supabase `weight_profile` and `weight_entries` when signed in. No notifications.

Screen: Kegel Care (`tools/kegel_care_screen.dart`)

Status: Live. **Reached from:** Tools hub -> "Kegel" tile. **Purpose:** Pelvic-floor self-care and birth preparation, deliberately not a gamified workout (no levels, XP, streaks or achievements). It offers a pregnancy-aware routine, a guided hold/relax session, and a calm "Care Journey".

Sections & UI:

- **"What is a Kegel & how to do it"** - an expandable card, open by default at the top.
- **Current routine card:** shows the effective routine (hold seconds, relax seconds, reps, estimated time); an info link "Why this routine?" (opens an explanation dialog); an edit (pencil) button that opens the Customize sheet; a "Custom" badge and a "recommended" comparison line when a custom routine is active; and a "Start Care Session" button.
- **"Why am I doing this?"** - an expandable card holding the pelvic-floor intro and benefit lines.
- **Safety warning banner** - an amber-bordered card listing stop signals (pain, bleeding, dizziness, contractions).
- **Customize sheet:** plus/minus steppers for hold, relax and reps (each with the recommended value shown), a live estimated-time readout, a "Save" button, and a "Reset to recommended" button.
- **Guided session screen:** a full-screen animated ring that depletes over each phase, large "Hold"/"Relax" labels with a countdown, the current rep ("Rep X of Y"), pause/resume and exit buttons, and a voice-cue toggle in the app bar. On completion it shows a "well done" screen with three feedback buttons (Easy / Comfortable / Difficult).
- **Care Journey screen** (app-bar heart action): stat cards (stage, current routine, sessions completed, completed this week, last completed) and a history list.

Features & interactions:

- The recommended routine adapts by week in three stages: week 16 or under = hold 3s / 8 reps; weeks 17-28 = hold 5s / 10 reps; week 29+ = hold 8s / 12 reps. Relax time equals hold time.
- Feedback nudges difficulty over time: "Easy" gradually increases hold (then reps); "Difficult" decreases them. A custom routine, if set, overrides the recommendation until reset.
- During a session, phases auto-advance (hold then relax, repeated for all reps). Spoken cues ("Hold", "Relax", "Well done") play via text-to-speech in a normal (not baby) voice, with light haptic feedback; the voice can be muted and the setting is remembered. Pause/resume stops and continues the current phase.
- Completing a session records it: increments session counts, applies the adaptive adjustment, and adds a history entry with the chosen feedback.

Data: `ToolsStore` holds Kegel state (session count, this-week timestamps, last date, adaptive offsets, optional custom routine, voice on/off) and a `KegelRecord` history, persisted in `shared_preferences` and synced to Supabase `kegel_state` (and the history blob) when signed in. Uses `flutter_tts` for voice. No scheduled notifications.

Screen: Contraction Tracker (`tools/contraction_tracker_screen.dart`)

Status: Live. **Reached from:** Tools hub -> "Contractions" tile. **Purpose:** A calm, non-alarmist tap-to-time contraction timer with automatic pattern insight (explicitly not a diagnosis) and a doctor-ready summary.

Sections & UI:

- The screen has three phases: **Home**, **Active** (a contraction is happening), and **Rest** (between contractions).
- **Home:** an "Understanding contractions" card (true vs false / Braxton Hicks and how to time one); a "this is a timer, not a medical app" disclaimer; a safety-check card; and a full-width "Contraction started" button.
- **Active:** the current contraction number, a large orange stopwatch circle counting up, "tap when it ends" text, and a "Contraction ended" button.
- **Rest:** an assessment banner, a safety card, a blue "time since last" stopwatch, stat tiles (last duration, average duration, average interval), a live list of this session's contractions (number, time, duration, interval), a "View summary" button (once there are 3+ contractions), an "End session" link, and a "Contraction started" button to begin the next one.
- **App bar:** a health/safety icon (opens the symptom safety sheet; turns red if an emergency symptom is set) and a history icon.
- **Safety sheet:** choice chips for water broken (no/yes/unsure), bleeding (none/light/heavy), reduced movement (no/yes/unsure), and severe pain (no/yes).
- **Summary screen:** a metrics grid (count, average duration, average interval, longest), the pattern line, a "consult your provider" note, and a "Copy summary" button (copies a text block to the clipboard).
- **History and session-detail screens:** a list of past sessions (with a "felt like labour" chip where answered) opening a per-contraction table.

Features & interactions:

- Tapping "Contraction started" times a contraction; "Contraction ended" records its duration and the interval since the previous one, then moves to Rest. Light haptics fire on each tap. The session is saved continuously as it builds and on leaving the screen.
- **Two-layer assessment engine (not a diagnosis):** Layer 1 classifies the pattern from the timings alone into insufficient / no pattern / possible early labour / labour pattern likely / active labour likely, using thresholds on average interval, duration, regularity and tracking time. Layer 2 is a medical-symptom override: any emergency symptom forces an "emergency" reading; before 37 weeks a labour-like pattern reads as "preterm". The banner always points the mother to her doctor, even on a calm "no pattern" reading.
- Once per session, if Layer 1 detects active labour (and there is no emergency), a gentle "does this feel like labour?" prompt appears; the yes/no answer is saved and shown as a chip.
- The summary can be copied for sharing with a provider.

Data: `ToolsStore` stores `ContractionSession` objects (each a list of `Contraction` timings plus the optional labour response), persisted in `shared_preferences` and synced to Supabase `contraction_sessions` when signed in. The classification/assessment logic lives in this file. No notifications.

Screen: Due Date Calculator (`tools/due_date_calculator_screen.dart`)

Status: Live. **Reached from:** Tools hub -> "Due Date Calculator" tile. (The same estimated-due-date math is shared with the sign-up "calculate your due date" sheet.) **Purpose:** A warm "gateway" calculator: pick a method, and the result blooms into a full pregnancy roadmap ending in a button that sets the app's real due date.

Sections & UI:

- **Input view:** a header and subtitle; five method cards (Last Menstrual Period, Conception date, IVF, Ultrasound, Known due date); method-specific inputs; and a "Calculate" button (enabled only once the required date is provided).
- Method inputs: LMP shows a date field plus a cycle-length slider (21-35 days); Conception shows a date field; IVF shows a transfer-date field plus a day-3/day-5 embryo chooser; Ultrasound shows a scan-date field plus gestational-age week/day steppers; Known shows a future-date field.
- **Result "roadmap" view:** a celebration card with the estimated due date and current week/day/trimester; a "you are here" timeline bar; a key-milestones checklist; a trimester breakdown with date ranges; a conception window with a 9-month circle strip; and a conversion card that lists app benefits and a "Start My Pregnancy Journey" button. A "Recalculate" link returns to the input view.

Features & interactions:

- Estimated due date math: $LMP = LMP + 280$ days adjusted for cycle length; $Conception = date + 266$ days; $IVF = transfer + (266 - embryo\ day)$; $Ultrasound = scan\ date + (280 - gestational\ age)$; $Known = the\ date\ as\ entered$.
- If the mother already has a due date set, the screen opens straight to the saved roadmap (with the Recalculate option) rather than a blank calculator.
- The milestones checklist ticks off weeks 8, 12, 20, 24, 28, 37 and 40 based on the computed current week.
- "Start My Pregnancy Journey" writes the due date into the app (via `PregnancyController.setDueDate`), shows a confirmation snackbar, and pops back to the app's first screen so the whole app now runs on that date.

Data: Uses `PregnancyController` only; the calculator itself has no store. Setting the due date persists through the controller (used app-wide). No notifications.

Screen: Symptoms Companion (`tools/symptom_companion_screen.dart`)

Status: Live. **Reached from:** Tools hub -> "Symptoms Companion" tile. **Purpose:** A calm understanding-and-reassurance library (not a symptom checker): search or browse symptoms and read how common each is, why it happens, what may help, and when to call the doctor. Logging is optional.

Sections & UI:

- **Search field** at the top.
- **When not searching:** a "common around week N" list (up to 8 non-urgent symptoms common in the current trimester); a "browse by category" chip row (digestive, physical, sleep, emotional, circulation, movement, labour); a calmly-flagged **urgent** card listing urgent symptoms; and an "All" (or selected-category) list.
- A small disclaimer line at the bottom.
- **Detail screen:** the symptom name and icon; an optional "you've noted this N times this week" insight (shown when logged 2+ times); "How common is it", "Why it happens", "What may help" (tip bullets); a "When to contact your doctor" panel (always shown, more prominent for urgent symptoms); and, for non-urgent symptoms, a "Log this" button.
- **Log sheet:** a severity chooser (mild / moderate / severe), a notes field, and an "add to Journal" switch (on by default).

Features & interactions:

- Search matches the symptom name and its keyword synonyms in either language.
- Category chips toggle a filtered list; tapping a symptom row opens its detail page.
- Logging a symptom records severity and notes; with the switch on it also creates a Journal entry (which in turn surfaces in the Calendar). A confirmation snackbar appears. Urgent symptoms are read-only (no log button).

Data: Symptom content comes from `kSymptoms` in `data/symptom_data.dart` (bilingual, English + Hindi). Optional logs are held by `SymptomStore` (persisted in `shared_preferences`, synced to Supabase `symptom_logs`), and journal entries via `JournalStore`. No notifications.

Screen: Medication & Supplements Tracker

(tools/medicine_tracker_screen.dart)

Status: Live. **Reached from:** Tools hub -> "Medication & Supplements" tile. **Purpose:** A gentle "nourishment companion" for tracking doctor-recommended supplements and medicines: mark them taken each day, see a weekly awareness view, and read supplement education. It is tracking only, never advice, and never gamified.

Sections & UI:

- **Setup / empty state:** a friendly header, a wrap of preset supplement chips (Iron, Calcium, Folic Acid, Vitamin D, DHA, Multivitamin), an "Add custom" button, and a disclaimer.
- **Main view:** a Daily / Weekly segmented switch, plus a floating "Add new" button.
- **Daily tab:** a "Today's Nourishment" card with a progress bar (taken vs total) and each medicine as a row with a mark-as-taken toggle. Tapping a row opens a details sheet.
- **Weekly tab:** each medicine with a "days of 7" count, plus a 30-day consistency line.
- **Add / edit form:** name, dose, time, frequency and notes fields.
- **Details sheet:** the medicine name and details, the preset educational blurb (for preset supplements), any notes, and a delete option (with a confirm dialog).

Features & interactions:

- Choosing a preset chip pre-fills the form with that supplement's name; "Add custom" opens a blank form. Saving adds the medicine.
- The taken toggle is a once-per-day model: tapping marks it taken today (with a snackbar) or un-marks it. The progress bar and weekly counts update accordingly.
- Weekly stats are gentle and judgment-free (distinct days taken in the last 7, and days in the last 30 with at least one medicine logged); there are no streaks.

Data: MedicineStore holds Medication items and MedicationLog entries (persisted in shared_preferences, synced to Supabase medications and medication_logs). Preset keys and educational text come from models/medication.dart and the string table. No scheduled notifications from this screen (reminders are a separate tool).

Screen: Scans & Appointments (tools/scans_appointments_screen.dart)

Status: Live. **Reached from:** Tools hub -> "Scans & Appointments" tile. (The Home screen's "Scans & appointments" due-now card reads from the same store.) **Purpose:** A calm, confidence-building care roadmap (not hospital software): see upcoming and completed scans, learn what each scan is and how to read its report, mark scans done, and add your own appointments.

Sections & UI:

- A **Upcoming / Completed** segmented switch, and an app-bar "+" to add an appointment. (A third "Care Roadmap" tab existed but has been removed from the UI; its code is kept commented for revert.)
- **Upcoming tab:** a "Next up" hero card for the nearest scan (its name, week range, "in N days", a short "why" line, and Learn more / Mark done buttons); simpler rows for later scans; and an "Appointments" section for the mother's own appointments. If nothing is pending it shows an "up to date" note.
- **Completed tab:** completed scans (with the date marked done) and past appointments.
- **Scan detail screen:** a "What is this scan?" intro card; the scan's information sections and bullet lists; an "important note"; a "How to interpret the report" link (opens a full-screen glossary); and a Mark done / undo button.
- **Interpret screen:** a large, unmissable "not for medical diagnosis" disclaimer, then a term-by-term glossary of what a report's values mean.
- **Add-appointment sheet:** a type chooser (doctor, scan, test, vaccination, custom), a title field, a date picker, and time / location / doctor / notes fields.

Features & interactions:

- Scan dates are computed from the mother's due date and each scan's anchor week, so "Next up" and "in N days" are personalised.
- "Mark done" (from the hero, a row, or the detail page) records the scan as completed and creates a Journal "Scans" entry; it can be undone.
- Adding an appointment stores it and makes it appear in the Calendar's "Appointment" lane; each appointment row has a delete control.
- **Partner sharing:** when paired and signed in, a scan reads as done if either partner marked it, and both partners see all appointments (the partner's rows are read-only, pulled from the cloud).

Data: Scan content is reused from kJourneyMilestones (medical milestones) plus data/scan_guide_data.dart (the "what is" intros and interpret glossaries, bilingual English + Hindi). The mother's own data (CompletedScan, Appointment) lives in ScansStore, persisted in shared_preferences and synced to Supabase completed_scans and appointments; completed scans link into JournalStore. No notifications from this screen.

Screen: My Hospital Bag - V1 (tools/hospital_bag_screen.dart)

Status: Live (this is the default, wired-in Hospital Bag). `HospitalBagScreen` is the real entry point registered in the Tools tab. It hosts a small floating "Classic | New" switcher: "Classic" shows this V1 experience, "New" shows the V2 redesign. The chosen version is saved in `SharedPreferences` under key `hb_use_v2` and defaults to `false`, so a first-time tester lands on V1. Both versions are wired and reachable; V2 is opt-in behind the toggle (see the next screen). Within V1, the older three-tab UI (Bag / Planner / Shopping) is commented out under an `OLD_BAG_UI_DISABLED` block and replaced by the simpler "My Bag" flow described here.

Reached from: Tools tab -> "Hospital Bag" tile. Also opened by Ask Veda when a query resolves to the hospital-bag tool.

Purpose: A warm, personalised preparation experience (not a rigid checklist) for the third trimester. A short onboarding builds a smart default bag; the mother then decides where to get each item and packs it over time.

Sections & UI:

- **Version pill (overlay):** A pill floating at the bottom center with two segments, "Classic" and "New", present in both versions. Tapping switches the whole screen between V1 and V2.
- **Onboarding (first open only):** Step 0 is a welcome page (backpack graphic, title, subtext, "Start building" button). Step 1 asks delivery type via three radio tiles: Unsure, Vaginal birth, C-section. "Build my bag" generates the starter bag (`generateDefaultBag`) tailored to the delivery type.
- **My Bag home (`_MyBagScreen`):** App bar titled "My bag" with a share icon and an overflow menu ("Remind me" / "Reminder off"). A hero card shows a hand-painted filling-bag graphic, a "filling up" or "ready" message, percent packed, days to due date, and a progress bar (packed / total). An "Add items" button sits below.
- **Item groups:** Items are grouped by where she will get them: "Buy from ParentVeda" (`buyVeda`), "Buy elsewhere" (`buyElse`), "Already have" (`have`), and "Still deciding" (`needed`). Each group shows an icon, label, and count.
- **Item card:** Emoji, item name, an expand affordance, and action pills. For "buy elsewhere" items the chosen store (and a link glyph) shows under the name.
- **Empty state:** A backpack graphic with encouraging copy when the bag has no items.

Features & interactions:

- **Choose a source (per item):** Tapping a card opens a bottom sheet: "Buy from ParentVeda", "Buy elsewhere", "I already have this", or "Remove". "Buy elsewhere" opens a second sheet with store chips (Amazon, Flipkart, FirstCry, Other) and an optional link field.
- **Buy pill:** For sellable ParentVeda items not yet purchased, a coral "Buy" pill shows the price and opens a mock single-item Buy Now checkout (`showSingleBuyNow`). This is a simulated checkout, not a real payment.
- **To buy / Bought toggle:** Marks a buyable item as purchased.
- **Pack / Packed toggle:** One tap marks an item packed, fires a light haptic and a rotating cheer snackbar.
- **All packed celebration:** When every item is packed, a full-screen keepsake screen ("Baby's bag is ready") appears with a share button and a dated message.

- **Add items screen:** A search field, a "Mums also packed" suggestion strip (from suggestedEssentials), and expandable category sections (Labour, After delivery, Baby, Partner, Documents, Comfort). Tapping a row adds or removes it from the bag with a selection haptic.
- **Reminder:** The overflow "Remind me" creates a daily 6:00 PM reminder (id bag_prep) via ReminderStore; selecting it again removes it.
- **Share:** Builds a plain-text summary of what is still to buy plus a packed count and opens the OS share sheet.

Data: HospitalBagStore (V1 store, local + cloud-synced). Item model BagItem with BagItemStatus (needed, have, buyVeda, buyElse, skip) plus packed, purchased, selectedProductId, store, link, price, isCustom, notes. DeliveryType (unsure, vaginal, csection). Starter items from data/hospital_bag_seed.dart (generateDefaultBag); catalogue, products, and helpers (bagBestProduct, bagIsSellable, bagCatalogByCategory, suggestedEssentials) from data/hospital_bag_catalog.dart. Purchases mirror BoughtStore. Version flag in SharedPreferences (hb_use_v2).

Screen: My Hospital Bag - V2 redesign

(tools/hospital_bag_v2_screen.dart)

Status: Live but opt-in. HospitalBagV2Screen renders only when the "Classic | New" pill is set to "New" (flag `hb_use_v2 = true`). It uses its own separate store and persistence keys, so V1 and V2 hold independent data and can be compared side by side. It is not the default and not commented out.

Reached from: Tools tab -> "Hospital Bag" -> tap the "New" segment of the floating version pill.

Purpose: A from-scratch, calmer redesign where the mother never sees internal "states". Every item moves along one plain-language journey: "Needs your decision" -> "Planning to buy" -> "Ready at home" -> "Packed", plus a gentle "Maybe later" set. Commerce stays hidden until she asks for help choosing.

Sections & UI:

- **Onboarding (first open only):** A single gentle screen with a luggage graphic, title, subtext, one delivery-type question (chips: Vaginal, C-section, Unsure), and a "Start" button that generates the smart bag.
- **Home:** App bar with a summary (receipt) icon and a share icon. A hero card shows a "building" or "ready" headline, days to go, and two animated progress bars: "Shopping" (how much is acquired) and "Packing" (how much is packed). A packing nudge card appears once shopping progress passes 75 percent and not everything is packed.
- **Needs your attention:** A short list (up to 6) of items not yet packed, ordered decision-first. Ready-at-home items show a one-tap pack toggle; others show a chevron.
- **Categories:** Tiles for Labour, After delivery, Baby, Partner, Documents, Comfort, Custom, each with a packed / total count.
- **Category screen:** "Add my own" button, item rows showing name, current journey stage (icon + label), any selected product, and any chosen store. A collapsible "Maybe later" section at the bottom lets her restore skipped items.
- **Product Experience screen:** The only commerce path. Opens when she taps "Help me choose one". Shows a ParentVeda "pick" hero card (badge, price, choose / buy actions), a "why we recommend" list, an optional "things to consider" list, a buying guide, a reviews block, and a compare list of alternatives (ParentVeda or affiliate).
- **Shopping summary:** Totals for ParentVeda spend, external spend, and combined total, then sections: From ParentVeda, Buy elsewhere, Waiting to buy, Ready at home, Packed.

Features & interactions:

- **Item action sheet (always five options):** "Help me choose one" (opens the Product Experience), "I have one at home", "Buy elsewhere" (store chips or "Skip for now"), "Maybe later" (moves to the gentle later set), "I do not need this", plus "Remove" for custom items only.
- **Pack toggle:** One satisfying tap flips Ready-at-home to Packed and back, no dialog.
- **Mark bought:** For a "buy elsewhere" item, a single "Mark bought" button advances it to Ready-at-home.
- **Add my own:** A sheet to add a custom item (name + optional notes) to a category.
- **Choose / Buy on ParentVeda:** Selecting a product records the choice; "Buy on ParentVeda" opens the same mock Buy Now checkout. Affiliate alternatives record a "buy elsewhere" store and link instead.

- **Auto-advance:** When a chosen ParentVeda product is later marked bought (via BoughtStore), the item auto-advances to Ready-at-home.
- **Share:** Text summary grouping items to buy, items to pack, and any missing documents.

Data: HospitalBagV2Store (separate keys hb2v2_items / hb2v2_meta, cloud key hb2, cloud-synced). Reuses V1's BagItem model; the journey stage is computed by bagStageOf (BagStage: needsDecision, planningToBuy, readyAtHome, packed, maybeLater). Products via bagProductsFor / BagProduct; store list kBagStores. Buying guide and reviews blocks are tastefully placeholdered (no real data yet, "coming soon" copy).

Screen: Product Checklist (`tools/product_checklist_screen.dart`)

Status: Live. Note a naming mismatch to flag for the reviewer: the current live implementation is a two-state "got / not got" checklist builder, not a three-state "approved / rejected / partial" review workflow. The approved/rejected/partial concept exists in project planning notes as a parked revamp and is not what this screen currently does.

Reached from: Tools tab -> "Product Checklist" tile. The helper `showAddToCheckListSheet` is also invoked from product detail pages to add a single product into a list.

Purpose: Lets the mother turn ParentVeda's product catalogue into her own named checklists, tag each item with a custom "when / for" note, and tick items off as she gets them. Curated starter lists give a head start.

Sections & UI:

- **Home:** Intro text; a "Your lists" header with a "+ New" button; existing checklist cards; then a "Curated starters" section with three ready-made lists.
- **Checklist card:** List icon, name, a "N items, M got" summary, a progress bar, and an overflow menu (Delete). Swipe left also deletes (with confirm).
- **Curated starters:** Three cards (Newborn essentials, Bump comfort, Skin & body). Tapping one opens a preview sheet listing its products with notes and an "Adopt" button that copies it into an editable list.
- **Checklist detail:** A progress bar with "got of total", an "Add products" button, and the item rows. A sticky bottom bar offers "Save list" and "Add remaining to cart". Overflow menu offers Rename and Delete.
- **Item row:** A checkbox (or a locked green check if the product was bought through the app's checkout), emoji, name (struck through when owned), a tag (Bought / Affiliate / Custom), an editable "when / for" note with a clock icon, price, and an overflow menu.
- **Add products screen:** Search field, an "Add your own" button, and the catalogue browsed by category. Each product row has an Add / Added toggle. A bottom bar offers "Save list" and "Add to cart".

Features & interactions:

- **Create / rename / delete lists;** delete asks for confirmation.
- **Add / remove catalogue products;** tapping a product row in the picker toggles membership.
- **Add your own product:** A sheet capturing name, link, price, and note for products not in the catalogue.
- **Tick off with prompt:** Ticking a not-yet-got item first asks "Already got this?" (Yes marks it owned with no cart action). Un-ticking simply clears it.
- **Edit the "when / for" note** inline per item.
- **Cart actions:** "Add remaining to cart" and per-item "Add to cart" / "Buy now" add only catalogue, non-affiliate, un-got, not-already-bought items to the shared products cart. Affiliate items offer "Open on Amazon"; custom items with a link offer "Open link". Checkout is the app's mock flow.
- **Tap an item** to open its product detail (catalogue) or its external link (custom).

Data: `ProductChecklistStore` (local, cloud key `product_checklists`, cloud-synced). Models `ProductChecklist` and `CheckListItem` (catalogue items resolve via `productById`; custom items carry their own name/link/price). Curated starters are `kCuratedCheckLists` built from real product ids. Cart via

CartStore (kProductsCartId); ownership via BoughtStore.

Screen: Reminders (`reminders_screen.dart`)

Status: Live and fully wired to the OS notification layer. Important platform nuance for testers: the Dart layer (`NotificationService`, backed by `flutter_local_notifications` plus `timezone`) is fully implemented for both Android and iOS, and `ReminderStore` schedules / cancels notifications on every change. Android is fully configured at the platform level (`AndroidManifest.xml` declares `POST_NOTIFICATIONS`, `RECEIVE_BOOT_COMPLETED`, `SCHEDULE_EXACT_ALARM`, and `USE_EXACT_ALARM`). iOS platform config is still incomplete: `AppDelegate.swift` is the default Flutter delegate with no `UNUserNotificationCenter` delegate and `Info.plist` has no notification or background-mode keys, so notifications may not fire reliably on iOS yet. The in-code header comments ("wired once `flutter_local_notifications` is installed") are stale; the plugin is installed and used.

Reached from: Tools tab -> "Reminders" tile. The hospital-bag "Remind me" action and other features create reminders through the same store.

Purpose: The mother creates gentle local nudges (Kegel session, prenatal vitamin, read to baby, water, or anything custom) at a time and repeat cadence she chooses; each becomes a scheduled OS notification.

Sections & UI:

- **App bar test buttons:** "Send a test notification now" and "Schedule a test for about 1 minute from now" (both request permission first and show a confirmation snackbar). These are diagnostics for verifying notifications on a device.
- **Info banner:** A short "what this does" note.
- **Reminder cards:** Each shows a category icon, title, a human-readable "how often plus when" summary, and an enable / disable switch. Tapping a card opens the editor.
- **Empty state:** A bell graphic with guidance when no reminders exist.
- **Quick ideas:** One-tap preset chips: Kegel (9:00), Vitamin (9:00), Read to baby (20:00), Water (12:00), Calm (7:30).
- **Add button:** A floating "Add" button opens the create editor.

Features & interactions:

- **Simple editor** (bottom sheet): Title field, time picker, repeat chips (Once / Daily / Weekly). Weekly reveals a weekday chooser. Save asks for notification permission on commit; editing an existing reminder also offers Delete.
- **Medication editor** (richer, used when a card is a medication reminder): A frequency dropdown (Once, Twice, Thrice a day, Weekly, Fortnightly, Monthly, Custom days), one time picker per daily occurrence, a weekday chooser (weekly / fortnightly), a multi-weekday chooser (custom), a day-of-month dropdown (monthly), and an optional note.
- **Toggle** enables or disables a reminder, which schedules or cancels its notification.
- **Preset chips** open the editor pre-filled with the preset's title, category, and time.

Data: `ReminderStore` (local via `SharedPreferences`, cloud-synced to a reminders table). Model `Reminder` with `ReminderRepeat` (once, daily, weekly, fortnightly, monthly, customDays), multi-time support (`times`), `dayOfMonth`, `weekdays`, `category`, and `enabled`. Scheduling handled by `NotificationService` (exact-alarm scheduling, per-occurrence ids, monthly / weekday matching).

Screen: Can I? (`can_i_screen.dart`)

Status: Live.

Reached from: Tools tab -> "Can I?" tile.

Purpose: A fast, calm safety lookup that settles everyday "is this okay during pregnancy?" worries. One question resolves to one clear verdict with a short answer, the reasoning, trimester notes, Indian context, and related questions. Educational general guidance, never a diagnosis.

Sections & UI:

- **Home:** Title, subtitle, a tappable search bar (opens a search delegate over the entry library), a "Popular" chip row, and a "Browse" 2-by-2 grid by category (Eat, Drink, Take, Do) with per-category counts. A bookmark icon in the app bar opens saved questions. A disclaimer sits at the bottom.
- **Category screen:** An alphabetical list of entry rows (verdict-coloured icon, name, verdict label).
- **Answer screen:** A large verdict hero card colour-coded by verdict (Safe green, In moderation amber, Depends orange, Best avoided red, Ask your doctor purple) with the short answer; a "Why?" section; "Trimester notes" (first / second / third, with the mother's current trimester highlighted by a "Now" badge); an "Indian context" card; "Related questions" rows; an "Ask Veda" handoff card; a bookmark toggle; and a disclaimer.
- **Saved screen:** The mother's bookmarked questions, or an empty state.

Features & interactions:

- **Search** filters the entry library (`canISearch`) and opens the matched answer.
- **Popular chips and category tiles** jump straight to an answer or a category list.
- **Bookmark toggle** saves or unsaves an entry (persisted).
- **Related question rows** navigate to other answers.
- **Ask Veda handoff** opens `AskVedaScreen` pre-filled with the current question, so the offline engine answers it immediately.

Data: `data/can_i_data.dart` holds a large curated library (on the order of 190 `CanIEntry` records).

Model `CanIEntry` (`CanIVerdict`: safe, moderation, depends, avoid, askDoctor; `CanICategory`: eat, drink, take, doActivity; short, why, optional t1/t2/t3, optional Indian context, related ids, aliases). Saved ids persist via `CanIStore`. Content is English-first (`LocalizedString`, Hindi mirrors English today).

Screen: Understanding Your Report (report_screen.dart)

Status: Live.

Reached from: Tools tab -> "Understanding Your Report" tile.

Purpose: A calm, reassurance-first library that helps a worried mother understand a scan or test finding. It answers "what does this mean?" first, follows the same fixed sections for every finding, and never gives a verdict, diagnosis, or prediction.

Sections & UI:

- **Home:** Title, subtitle, a tappable search bar, a "Popular" topics list, and an "All topics" list sorted alphabetically. Each row shows a document icon, the finding name, and an optional medical alternate name.
- **Article screen (seven fixed sections):**
 - What does this mean (always first).
 - How common is it.
 - What usually happens next (rendered in an emphasised teal card, the most important section).
 - When is it usually discussed (a week-range chip, shown only if present).
 - Questions to ask your doctor (a list, if present).
 - Things to remember (a green-check list, if present).
 - A fixed ParentVeda reassurance card (identical for every article).
 - An "Ask Veda" handoff card below the sections.

Features & interactions:

- **Search** filters findings (reportSearch) and opens the matched article.
- **Popular and all-topic rows** open an article.
- **Ask Veda handoff** opens AskVedaScreen pre-filled with the finding name.
- There is no saving, no verdict, and no user input; it is a read-only explainer.

Data: data/report_findings_data.dart holds the curated findings (27 ReportFinding records) plus a popular subset; scan explainer content in data/scan_guide_data.dart. Model ReportFinding (name, optional altName, whatItMeans, howCommon, whatNext, optional weekFrom/weekTo, questions, remember, aliases). The reassurance message is a fixed app string, not per-finding. English-first (LocalizedString).

Screen: Ask Veda (`tools/ask_veda_screen.dart`)

Status: Live. It is a fully offline answer experience (no live LLM, no network). Voice playback and expert booking / calling are placeholders that show a "coming soon" snackbar. This file is the pregnancy-side Ask Veda; a separate parenting-side Ask Veda exists under `screens/post_pregnancy/` and is out of scope here.

Reached from: Tools tab -> "Ask Veda" tile; the "Ask Veda" handoff cards on Can I? and Understanding Your Report answers (which pass the question as `initialQuery` and auto-run it); the Garbh Sanskar screen; and global search. In the pregnancy app it is not a persistent floating button (the persistent Ask Veda floating button is a parenting-side feature).

Purpose: A search-to-structured-result companion. The mother types (or dictates) a question and gets a fixed 7-section answer assembled entirely from ParentVeda's own content and her local data.

Sections & UI:

- **Top bar:** ParentVeda logo mark, the "Ask Veda" wordmark, and a profile avatar (opens Profile).
- **Search pill (pinned at top):** In the initial view it is an editable field with a hint, a mic dictation button (real speech-to-text into the field), and a submit button. After a question is asked it shows the query text with a clear button and a mic button to ask again.
- **Initial view:** Stage-wise suggestion cards (`kVedaSuggestions`). Active sections show four question chips; inactive sections show three chips plus a "Soon" tag. A shuffle button re-rolls the suggestions. Tapping any chip runs that question.
- **Result view (the fixed structured page):** Rendered below the pinned pill. Sections in order:
 - S1 Veda Answer: a hero card with a week / trimester context chip, an urgent red banner when flagged, a speaker button (voice is "coming soon"), and a themed illustration.
 - S2 What this means for you: the curated explanation plus a personalised line drawn from her own logged symptoms and medications (when relevant).
 - S3 Recommended actions: a list of next-step rows with contextual icons (call, track, read, and so on). These are guidance, not navigation.
 - S4 More information: ParentVeda content cards typed by kind (Weekly Journey, Tool, Video, Article) that route to the matching tool, the weekly journey, the calendar, or the reading hub.
 - S5 Community insights: a social-proof card that opens the community page. Community is never used to form the answer itself.
 - S6 Products: horizontal product cards; tapping opens the product (or the products page).
 - S7 Services: expert rows with "Book" / "Call" buttons (both show "coming soon").
 - A closing disclaimer.
- **Honest fallback:** When nothing scores above the relevance threshold, it shows a plain, honest "I do not have a confident answer yet" card plus the disclaimer, rather than surfacing noise.

Features & interactions:

- **Ask by text or voice;** submit re-renders the result and scrolls to the top.
- **Clear** returns to the suggestion view.
- **Tap suggestion chips** to run canned questions.
- **Tap result content, products, or community** to navigate to the corresponding screen; retrieval reference reads (Can I, symptoms, tips, garbh) open in a bottom sheet since they have no standalone

screen.

- `initialQuery` (from a handoff) is answered automatically on open.

Data: Rendered from `VedaResult` produced by `vedaAnswer` (`services/veda_answer.dart`). Curated showcase entries `data/veda_showcase.dart`; suggestion sections `data/veda_suggestions.dart`; product matching against `data/product_data.dart`. The offline engine itself is documented next.

Screen: Ask Veda - Answer Engine (`ask_veda/veda_core.dart`)

Status: Live, offline, on-device. No LLM and no network. It performs grounded retrieval (it surfaces the most relevant content the app already has, with its source) rather than generating text. It is also designed as the retrieval layer a real LLM backend could plug into later.

Reached from: Not a screen. It is the shared "brain" behind every Ask Veda answer, called by `services/veda_answer.dart` and fed by `services/veda_index.dart`. This section explains how a typed question becomes the 7-section result the tester sees.

Purpose: One app-neutral search core shared by both the pregnancy and parenting sides. It knows nothing about pregnancy or parenting; it only holds tagged content and scores a question against it, scoped by tag. Each side is a thin adapter that builds its own tagged content and asks the core to rank a query.

How the engine works:

- **Tagged documents.** Every piece of content becomes a `VedaDoc` stamped with a `VedaDomain` (pregnancy, parenting, or universal) and a `VedaKind` (`canI`, `symptom`, `weekBaby`, `weekMother`, `product`, `read`, `trimesterTip`, `spiritual`, `readToBaby`, `garbh`, `bodyChange`, `tool`, `community`, `scan`, plus parenting kinds). Titles, keywords, and body are tokenised into word sets on construction.
- **Scoring.** For a query, tokens are matched with weights: a title hit counts far more than a keyword hit, which counts more than a body hit. There are strong boosts when the whole query appears in the title or equals the title. Ubiquitous words ("pregnancy", "baby", "week", "mother") are heavily down-weighted and never count as a specific match, and a document must land at least one specific (non-generic) word to score at all. This is what stops loosely related cards from appearing.
- **Domain scoping.** A predicate keeps a pregnancy question from ever seeing parenting documents and vice versa; universal content is shared. `vedaScore` returns best-first hits above a relevance threshold, or empty when there is no real match (so the UI can honestly say "I do not have that").
- **Pregnancy corpus and adapter** (`services/veda_index.dart`). Builds and caches the pregnancy corpus from `Can I?` entries, symptoms, products, reads and weekly written articles, scan and test guides, trimester tips, spiritual reading, read-to-baby pieces, `Garbh Sanskar` (Vichara, Shravan, Kriya, Samvad, Sacred Insights), the mother's weekly body changes, tool descriptions, verified-expert community posts, and the loaded weeks' baby and mother content. Faith content (spiritual reading, read-to-baby) is gated to only the traditions the mother has explicitly chosen. Community is excluded when forming the answer.
- **Answer assembly** (`services/veda_answer.dart`). First it tries `matchShowcase`: if the query contains a keyword of one of the five hand-authored showcase entries (longest, most specific keyword wins), it returns that fully authored 7-section page. Otherwise it runs `vedaSearch` (community excluded), takes the top hit as the answer (preserving the rich `Can I?` and `Symptom` formatting when one of those wins), fills S4 with the next best typed content, pulls any matched products into S6, and adds a community social-proof line into S5 only. If nothing clears the threshold it returns a gentle "no match".
- **Personalisation** (`services/veda_context.dart`). `VedaContext.gather` reads the mother's local data (current week and trimester, the symptoms she has logged and roughly which week, and her active medications) and produces a short warm sentence woven into S2 "What this means for you" (bilingual English and Hindi). When real login and profiles land, only this gather step changes.
- **Shared answer model.** The core defines `VedaAnswerView` (the fixed seven-section result) and `VedaContentRef` (a typed content card carrying a human type label plus routing kind), so both sides

produce the identical structure and the UI omits any empty section.

Data: Corpus assembled from most of the pregnancy content data files (see the adapter list above). Curated showcase data/`veda_showcase.dart` (five entries). Local personalisation from `SymptomStore` and `MedicineStore` via `PregnancyController`.

Sub-component: Shared Veda Result UI (`ask_veda/veda_result_view.dart`)

Status: Live but not used by the pregnancy Ask Veda screen. `VedaResultView` is the single app-neutral widget that renders a `VedaAnswerView` (the fixed seven sections) driven purely by data, a `VedaViewTheme` palette, and routing callbacks. Testers should note that the pregnancy Ask Veda screen renders its own inline, more decorated version of the same seven sections; `VedaResultView` is the shared renderer used by the parenting side so both apps share one interface. It is included here because it defines the canonical section layout.

Sections rendered: S1 Veda answer (hero panel, optional "worth checking with a doctor" urgent chip), S2 What this means for you, S3 Recommended actions (tappable rows), S4 From ParentVeda (typed content cards with a per-kind icon and a chevron), S5 Community insight (social proof), S6 Products, S7 Services, then a disclaimer. Empty sections are omitted. Typography is Fraunces (headings) plus Manrope (body). Each app passes its own colours and its own tap-routing callbacks, since routing needs that app's navigator.