

## **ZEBULON ORACLE DATABASE — LOGIC & IMPLEMENTATION INSTRUCTIONS**

**System Path:** /oracle

**Purpose:** Acts as the master memory hub for the Zebulon system. Stores all saved workflows, reusable logic, and user-defined memory under full control of the Admin User.

### **FUNCTION OVERVIEW**

The Zebulon Oracle Database is a manual memory system, not automatic.

It is designed to:

- Store labeled information blocks
- Allow Admin to recall memory for use in workflows
- Allow Admin to lock memory to prevent edits
- Allow export or cloning of memory for backup or migration
- Restrict access to all other modules unless explicitly granted

No AI in the system can write to or retrieve data from the database unless a request is routed through Zebulon and approved by the Admin.

### **PAGE FUNCTION — /oracle**

The /oracle page must include the following UI:

#### **1. Memory Entry Table**

- Columns: Label, Description, Last Modified, Status (active, locked), Options

#### **2. Entry Actions Panel**

- Button: Store New Memory (opens labeled input modal)
- Button: Recall Memory (dropdown of labeled entries)
- Button: Lock Memory (toggle to prevent further edits)
- Button: Export Entry (choose JSON, TXT, or DOCX)

#### **3. Manual Input Field**

- Text area for Admin to manually paste or type logic to store
- Required label input before saving

#### **4. Filter & Search Bar**

- Input: Search memory by label
- Filters: Locked only, Active only, Recently Modified

### **BACKEND ACTIONS**

Save a new memory block:

**POST** /oracle/store

```
{
  label: "workflow_step_1",
  content: "When user requests credit guide, suggest Crown, Staples, and Zwap
tool",
  created_by: "admin",
  timestamp: Date.now(),
  status: "active"
}
```

Recall memory:

GET /oracle/recall/:label

Lock memory:

PATCH /oracle/lock

```
{
  label: "workflow_step_1",
  status: "locked"
}
```

Export memory:

GET /oracle/export/:label?format=json

// or format=txt / docx

## PERMISSIONS

- Only authenticated Admin User may access or view this page
- All stored data must be encrypted at rest
- All requests to access memory from Zed, Zeta, Zync, Zwap, or Zulu must pass through Zebulon and include Admin approval token
- No background memory capture is allowed. Everything must be triggered manually

## MEMORY ACCESS RULES PER AI

Module | Access | Conditions

Zed | Read-only | Only when user prompts recall of a specific label

Zync | Structure only | Can assist in labeling, tagging, organizing when directed

Zeta | Protect only | Cannot view or write, but encrypts and blocks unauthorized access

Zwap | No access | Does not use or reference Oracle memory

Zulu | Optional read | Can reference approved repair logs if assigned

Zebulon | Full control | Routes all memory calls based on Admin settings

## ORACLE DATABASE MEMORY TYPES

Each memory entry must be assigned a type:

- workflow — steps for automation
- response — preset reply blocks for Zed
- repair — repair protocol used by Zulu
- security — access rules, known threats
- data-tag — structured tags from Zync
- custom — any other Admin-defined label

## EXPORT FORMATS

Memory entries should be exportable as:

- .json (structured data backup)
- .txt (clean plain text)
- .docx (styled for print/archive)

Admin must choose format at export and destination path.