SartaroshGo

A focused Flutter mobile application eliminating unpredictable barbershop waiting queues across Tashkent mahallas.

LEAD • MEMBER 1

Abdulbosit Xolikov

Problem & Evidence

Slides 1-2 • 10 Interviews

MEMBER 2

Jaxongir Niyazmetov

UX/UI & Wireframes

Slides 3-4 • 5 Screens

MEMBER 3

Ilnur Yamaletdinov

Flutter Architecture

Slide 5 • State & Nav

MEMBER 4

Otabek Abdumalikov

Data Models & Scope

Slide 6 • Dart Classes

Target: Uzbek Urban Barber Market (Tashkent)

"Young working men and students in Tashkent face unpredictable **40–90 minute wait times** and frequent scheduling conflicts because local neighborhood barbers rely on uncoordinated phone calls, Telegram voice messages, and informal walk-in queues."

1 • REAL

Field Proof

10 user interviews confirm constant 40–90 min queues & double-booking.

2 • LOCAL

Uzbek Habit

Rooted in mahalla culture, Telegram audio while cutting, cash/Payme.

3 • NARROW

Single Focus

Strictly male barbershop slots, avoiding broad "all-salon" bloat.

4 • SOLVABLE

Mobile First

Direct 3-tap slot booking on personal phone eliminates verbal chaos.

Jasur (22, Chilanzar): "Barber takes 2 hours to reply on Telegram; waiting couch packed on Saturdays."

Sardor (31, Yunusabad): "Masters write names on paper napkins while blow-drying, then double-book."

JK

Jasur Karimov

23 y.o. • Senior Student

HABIT

Chilanzar-9, gets fade every 12 days

PAIN

Loses 45+ min waiting due to unannounced walk-ins

Goal: Book slot in < 60 seconds

1. **Browse Masters:** Filter neighborhood barbers by district & rating.
2. **Select Services:** Choose Haircut (60k) + Beard (35k) with sticky total.
3. **Pick Open Slot:** Tap available 30-min block (15:30); booked slots disabled.
4. **Validate & Book:** Input name & +998 phone with form validation.
5. **Active Ticket:** Stored in "My Bookings" with salon address & cancellation.

Direct 1:1 mapping between flow steps and 5 Flutter Screens

03. SCREEN WIREFRAMES


SartaroshGo

🔍 Search barber...

Master Alisher
Chilanzar-9 • ★ 4.9

Master Bobur
Yunusabad-4 • ★ 4.8

1: Directory


← Sartaroshlar

Alisher Qosimov
8 yillik tajriba

✓ Soch olish 60k

✓ Soqol olish 35k

2: Services


Sana va Vaqt

~~14:00~~ | 15:00
15:30 ✓ | 16:00

3: Slots


Mijoz ma'lumotlari

Jasur Karimov

+998 90 123 45 67

Jami: 95k UZS

4: Checkout


Buyurtmalarim

TASDIQLANGAN
Master Alisher
Chilanzar-9 • 15:30

5: Tickets

5 Core Screens: Direct translation into Flutter Widgets

04. FLUTTER ARCHITECTURE

01 / WIDGET COMPOSITION

Layouts & Builders

- `ListView.builder` : Recycled directory & service lists.
- `GridView.builder` : 2–column matrix for 30–min slots.
- `Expanded / Flexible` : Zero RenderFlex overflow safety.

Scaffold & MaterialApp root

02 / STATE MANAGEMENT

Lifting State Up

- **Root:** `List<BookingModel>` lifted to parent widget.
- **Screen:** `Set<String>` for live price accumulation.
- **Lifecycle:** Targeted `setState()` calls without redundant rebuilds.

Weeks 1–7 curriculum standard

03 / NAV & FORMS

Typed Navigation & Keys

- `Navigator.push` : Passing strongly typed objects.
- `Navigator.pop(ctx, ticket)` : Returning booking result.
- `GlobalKey<FormState>` : +998 phone regex check.

TextFormField validation

Oral Check: Prepared to explain state propagation across screens

05. DATA MODELS & SCOPE

`lib/models/models.dart` **Null-Safe**

```dart
class BarberModel {
  final String id, name, salonName, district;
  final double rating; final List<String> services;
}
```

```dart
class ServiceItem {
  final String id, title; final int priceUzs, durationMinutes;
}
```

```dart
class BookingModel {
  final String bookingId, clientName, clientPhone, slotTime;
  final BarberModel barber; final int totalPrice;
}
```

Maps 1:1 to wireframe parameters.

HONEST BOUNDARIES

Out of Scope for Midterm

1. Cloud Backend & WebSockets:
Simulated via local in-memory Dart mock repositories.

2. Payment Gateway SDKs:
Marked as "To'lov sartaroshxonada" (Cash / Payme on-site).

3. Live Map SDKs:
Clean district selectors instead of heavy maps.

Disciplined adherence to syllabus.

Clean Dart definitions matching Weeks 1-7 limits

LEAD • M1

Abdulbosit Xolikov

- 1-sentence narrow problem
- 10 Tashkent user interviews
- Proposal Sec 1 & 7
- Coordinated deadlines

`Pres: Slides 1 & 2`

MEMBER 2

Jaxongir Niyazmetov

- Target persona (Jasur, 23)
- 5-step user journey flow
- Wireframes for all 5 screens
- Proposal Sec 2 & 3

`Pres: Slides 3 & 4`

MEMBER 3

Ilnur Yamaletdinov

- Widget tree hierarchy
- Lifting State Up architecture
- Navigator routes & typed args
- Form validation logic (+998)

`Pres: Slide 5`

MEMBER 4

Otabek Abdumalikov

- 4 null-safe Dart data models
- Mapped fields to UI params
- Out-of-scope boundaries
- Verified code correctness

`Pres: Slide 6`

WEEK 7 (CURRENT)

Proposal & Defense

Proven Tashkent problem, complete screen wireframes, Dart models, oral check.

`Ready for Oral Check`

WEEKS 8-13

Flutter Construction

Translating 5 wireframes into interactive widgets, state lifting, dynamic slots.

`Code Sprint`

WEEK 15

Final App Delivery

Fully functional Flutter application submitted with final working APK.

`Target: Working App`