
Inflammatory RNA patterns alongside retained Foxp3 expression

Wang et al. (2018): initially CD62L-high Tregs after 96-hour anti-CD3/CD28 + IL-2 culture

A Inflammatory gene-set patterns




B Sensitivity of enrichment patterns

	Log-ratio rank		Signal2Noise rank	
	Pooled	+/+	Pooled	+/+
TNF / NF-kB	+0.51	+0.52	+0.48	+0.51
Inflammatory response	+0.49	+0.47	+0.45	+0.45
IFN-gamma response	+0.41	+0.41	+0.40	+0.41
IL-2 / STAT5	+0.30	+0.30	+0.31	+0.32
E2F targets	-0.37	-0.33	-0.40	-0.36
G2/M checkpoint	-0.28	-0.23	-0.31	-0.26
Apoptosis	+0.46	+0.44	+0.42	+0.42
Unfolded protein response	-0.33	-0.33	-0.28	-0.28


−0.6 −0.3 0.0 0.3 0.6

Descriptive enrichment score (not NES)

C Il10 RNA in individual libraries



D Foxp3 RNA in individual libraries



Pooled controls: four +/+ and one fl/+ library; strict controls: four +/+ libraries. Each dot is one deposited library.

Eight themes retain the prior display selection; scores are not pathway activity, cell counts or significance tests.

Animal/pool identities and control labels remain unresolved. Bulk RNA does not establish secretion, lineage stability or suppression.