

# CyberLeek / \$CYBERLEEK — On-Chain Funding Trail Analysis

Independent, reproducible analysis of the Solana funding trail associated with the deployment and initial liquidity of \$CYBERLEEK.

**Analysis date:** 27 August 2026  
**Network:** Solana mainnet-beta  
**Scope:** On-chain financial relationships and transaction chronology  
**Status:** Completed initial reconstruction

## ⚠ Important scope and attribution disclaimer

This repository analyzes **public blockchain data**.

It establishes financial relationships between addresses and, where supported by public explorer metadata, discusses possible links to exchange infrastructure.

It does **not** establish:

- the real-world identity of "CyberLeek";
- the identity of any person controlling a specific wallet;
- the identity of the person or group responsible for obtaining the original GTA VI material;
- which KYC account at an exchange corresponds to a specific on-chain transfer;
- that the publisher, token operator, and original attacker are necessarily the same actor.

In particular:

wallet A → wallet B does not imply person X = person Y.

All identity attribution is deliberately kept outside the evidentiary claims of this repository.

## Executive summary

The \$CYBERLEEK funding trail was reconstructed backwards from the token deployer through a network of intermediary wallets.

The strongest findings are:

- The token infrastructure was operational before the publicly reported leak distribution.**
- 331.66 SOL received by the deployer were primarily used to seed the Raydium liquidity pool, rather than representing a direct cash-out.**
- The deployer was funded by coordinated pass-through wallets with limited retained balances.**
- The upstream trail can be followed through multiple verified Solana transfers to a large aggregation hub, J4zo...**
- J4zo... exhibits behavior consistent with CEX-grade deposit aggregation, but it does not have a directly verified KuCoin entity label in the analyzed evidence.**
- Its creation/funding genealogy includes a First Funder publicly shown by Solscan as funded by a KuCoin Hot Wallet.**
- No on-chain smart-contract mixer was identified in the analyzed path. This does not exclude every possible off-chain or custodial obfuscation mechanism.**
- None of the above identifies CyberLeek or proves who performed the original intrusion.**

## Confidence model

Every significant conclusion is classified using the following terminology.

| Level                   | Meaning                                                                       |
|-------------------------|-------------------------------------------------------------------------------|
| ● VERIFIED              | Directly observed in raw blockchain data or reproducible transaction data     |
| ● STRONG INFERENCE      | Strong interpretation supported by multiple independent on-chain observations |
| ● PLAUSIBLE             | Possible explanation, but alternative explanations remain                     |
| ● UNKNOWN / UNSUPPORTED | Insufficient evidence                                                         |

A critical distinction used throughout this repository:

**Blockchain facts and interpretations are not the same thing.**

For example:

- Ec2 transferred 311.42 SOL to Hok9 → ● VERIFIED
- Ec2 was controlled by the same human as Hok9 → ● UNKNOWN
- The wallet mesh was intentionally designed to obscure attribution → ● STRONG INFERENCE, not a directly observable fact

## 1. Methodology

### Data sources

The reconstruction was performed using Solana JSON-RPC data, including:

- getSignaturesForAddress

- `getTransaction`
- `jsonParsed` transaction decoding
- `raw` `lamports`
- `preBalances` / `postBalances`
- transaction signatures
- block timestamps
- slots

RPC data was collected through Helius endpoints during six extraction rounds between 13 and 27 August 2026.

Entity labels were **not** treated as blockchain facts.

Where exchange attribution is discussed, labels originate from public third-party explorers such as:

- Solscan
- Arkham

These labels may be incomplete or inaccurate and are therefore treated separately from raw on-chain evidence.

### Reconciliation rule

Every aggregate figure in this report is checked against the wallet's **actual balance delta** (`preBalances` / `postBalances`) rather than against a sum of parsed transfer instructions alone, and inflows must reconcile with outflows: a wallet cannot send more than it received plus its prior balance. This check exists because an earlier version of \$14b failed it. The cash-out total was overstated by ~19% after a wallet's inbound and outbound transfers of the same amount were both counted, producing a figure implying more SOL leaving the chain than had ever entered it. The balance-delta check surfaces exactly that class of error, and is now applied to every headline number here.

### Reconstruction approach

The investigation started from known addresses associated with the token:

1. identify funding of the deployer;
2. verify each relevant transaction directly;
3. follow significant incoming funds backwards;
4. identify intermediary wallets;
5. distinguish pass-through behavior from retained balances;
6. reconstruct converging and diverging branches;
7. compare amounts and timestamps;
8. test whether upstream flows can be reconciled with downstream flows;
9. stop attribution where the blockchain no longer provides sufficient evidence.

The analysis follows **native SOL transfers through the System Program** unless otherwise noted.

### Noise exclusion

Approximately 120 dust transfers were identified as address-poisoning activity.

These addresses:

- transferred extremely small amounts, generally  $\leq 0.00001$  SOL;
- used visually similar prefixes/suffixes;
- imitated known addresses.

Examples included addresses resembling:

- `Hok9...H3Np`
- `Ec2q...yYC7`
- `3YLN...9NA4`

These transactions were excluded from the funding reconstruction.

## 2. Key addresses

| Label            | Role                   | Address                                      |
|------------------|------------------------|----------------------------------------------|
| \$CYBERLEEK mint | Token mint             | ApZuxdpzMrbEYTGEzeY9afh5pj9d6qPRJCTgQYiipbKg |
| Hok9             | Deployer               | Hok9nbV89yBSKcttXe3goqajwbicQa9mtHvQBsbJH3Np |
| Ec2              | Funding / pass-through | Ec2qmcPCCD9hjahAcquiQf5JkZWCK68BUahCje1izYC7 |
| 9Ve5             | Pass-through           | 9Ve5Cgt5xzkdLnowxfFBk89R3mo5QmVrngDedqWdxxVg |
| 3YLND            | Intermediate funder    | 3YLNDXnV9fNysDWaD39uQxwxeSaMFeAswvoQPZNvuNA4 |
| 2ZdU             | Relay                  | 2ZdUUvrr7ANY2rzpbyBcZHp1hTZ5uTY8JZ4vFnYvJhD  |
| EjsB             | Relay                  | EjsB4qhcQv3zwXwqMbD739VA7nFc85f2egwTnkr3KGB2 |
| 4wzwhe           | Relay                  | 4wzwheYAC6hNW2JxJmxZyY9a5mEFf8epEqHKgPXvxZbB |
| 734tW6           | Edge relay             | 734tW6ytogjF3e4qoaqiNKpq9byVRgL5fK7ZEFn72Sb  |
| 26sZ             | Upstream disperser     | 26sZDubW854zGAasvUaRAgY54MiC97CEHWZKPRMPMQ9  |
| J4zo             | Aggregation hub        | J4zoc1rFgpP2Mrknb48BRRoQW9P5GiVtPyuemkKmpAnV |
| FktH8            | Downstream omnibus     | FktH8nUpVrG9g2iFngFgW6VCBRDAEAQCxVyBjrRQMfFt |
| 9WwEfd           | First Funder of J4zo   | 9WwEfdZfSE2Tg5VcSGSH3gEddcpWeTmH1KbRD2xLmd7  |

### 3. Verified funding of the deployer

● VERIFIED

Hok9 received three key transfers on 15 August 2026.

| Sender | Recipient | Amount            | Timestamp UTC | Slot      |
|--------|-----------|-------------------|---------------|-----------|
| Ec2    | Hok9      | 10.000000000 SOL  | 14:07:08      | 439447999 |
| 9Ve5   | Hok9      | 10.240000000 SOL  | 20:44:25      | 439505282 |
| Ec2    | Hok9      | 311.420000000 SOL | 20:47:50      | 439505779 |

Total: 331.660000000 SOL

Raw amounts

- 10,000,000,000 lamports
- 10,240,000,000 lamports
- 311,420,000,000 lamports

Transaction signatures

The raw transaction dumps are regenerated locally with `scripts/fetch_wallets.py` (they are large and git-ignored, not committed). Running `scripts/verify.py` re-reads those dumps and prints each key transfer with its full signature, slot and block time, so every signature can be cross-checked on any Solana explorer.

**Recommendation:** do not shorten signatures when exporting or citing them.

### Pass-through behavior

Ec2

- SOL in: approximately 321.43 SOL
- SOL out: approximately 321.42 SOL

9Ve5

- SOL in: approximately 161.37 SOL
- SOL out: approximately 161.35 SOL

Both addresses retained only small residual balances consistent with transaction fees and operational residue.

Conclusion

- **VERIFIED:** both wallets exhibit pass-through behavior.
- **STRONG INFERENCE:** they are operational nodes within the same broader funding workflow rather than long-term treasury wallets.
- **UNKNOWN:** whether they are controlled by the same person or by multiple collaborators.

### 4. Token lifecycle

The main token operations occurred on 15 August 2026.

| Timestamp UTC | Event                                                        |
|---------------|--------------------------------------------------------------|
| 14:20:54      | Mint account created and initialized                         |
| 14:23:38      | mintToChecked — token supply issued                          |
| 17:05:19      | Mint authority revoked                                       |
| 21:07:26      | Raydium CPMM pool created                                    |
| 21:19:37      | LP lock transaction                                          |
| 18 Aug 2026   | Secondary Token-2022 activity observed after the main launch |

Liquidity reconciliation

The deployer balance changed by approximately:

|                                           |
|-------------------------------------------|
| Hok9 → Raydium liquidity<br>-330.1922 SOL |
|-------------------------------------------|


This occurred during the pool creation transaction.

Conclusion

- **VERIFIED:** the approximately 331.66 SOL received by the deployer immediately before pool creation were consistent with funding the initial liquidity.
  - **STRONG INFERENCE:** describing the inflow as a "dump" or direct profit-taking is misleading in this context.
- The liquidity was subsequently locked.

### 5. Reconstructed upstream funding path

The following transfers were directly verified:



The CyberLeek-related branch represents approximately 327 SOL, or around 2% of the larger 26sZ flow.

### Major verified hops

| From   | To     | Transactions | Total SOL  | Largest transaction |
|--------|--------|--------------|------------|---------------------|
| J4zo   | 26sZ   | 319          | 14,334.203 | 380 SOL             |
| 26sZ   | EjsB   | 1            | 156.025    | 156.025 SOL         |
| EjsB   | 2ZdU   | 2            | 156.000    | 146 SOL largest     |
| 26sZ   | 4wzwhe | 1            | 171.344    | 171.344 SOL         |
| 4wzwhe | 734tW6 | 1            | 171.120    | 171.120 SOL         |
| 3YLND  | Ec2    | 8            | 39.693     | 17.354 SOL largest  |

All corresponding signatures and timestamps should be stored in the repository datasets.

## 6. Wallet mesh analysis

### ● VERIFIED

The intermediary cluster includes wallets such as:

- Ec2
- 9Ve5
- 3YLND
- 4xeHfa
- 2KxnXd
- 612ir7
- 56uUe7
- 5Aqesz
- H4i7PF
- 8jUWGZ
- J34vSq
- 734tW6
- 2ZdU
- EjsB
- 4wzwhe

Observed characteristics include:

- incoming and outgoing amounts frequently close in value;
- limited retained balances;
- multiple wallets forwarding funds shortly after receipt;
- fresh edge wallets with little or no prior transaction history;
- single large incoming transfers followed by onward movement;
- convergence toward the deployer funding branch.

Some edge wallets first became active on 13–14 August 2026.

### Interpretation

#### ● VERIFIED:

A structured network of intermediary pass-through wallets existed upstream of the deployer.

#### ● STRONG INFERENCE:

The structure is consistent with automated or coordinated dispersion/consolidation of funds.

#### ● STRONG INFERENCE:

The structure makes direct visual tracing from the upstream funding hub to the deployer less immediate.

#### ● NOT VERIFIED:

The blockchain alone cannot establish that the purpose of this structure was deliberate anonymity or attribution evasion.

## 7. The J4zo aggregation hub

### Behavioral profile

J4zo shows a strong fan-in / consolidation pattern.

Observed characteristics:

- approximately 1,649 distinct incoming sources;
- 505+ sources visible in the analyzed 1,000-row CSV export;
- relatively flat incoming amounts, commonly around 100–286 SOL;
- only 16 outgoing destinations;
- dominant downstream transfer of approximately 67,665 SOL to FktH8;
- 14,334 SOL routed toward 26sZ;
- activity beginning in late May 2026;
- thousands of transactions per month;
- activity predating the CyberLeek operation.

### Conclusion

- **VERIFIED:** J4zo is a high-volume aggregation hub with strong fan-in and limited fan-out.
  - **STRONG INFERENCE:** its behavior is consistent with CEX-grade deposit aggregation or comparable custodial/payment infrastructure.
  - **NOT VERIFIED:** that J4zo itself is directly owned or labeled as KuCoin.
- Alternative explanations may include another large custodial service, payment infrastructure, trading system, or similar aggregation service.

## 8. KuCoin genealogy

The First Funder associated with the creation/funding history of J4zo is:

|                                              |
|----------------------------------------------|
| 9WwEfddZFsE2Tg5VcSGSH3gEddcpWeTmH1KbRD2xLmd7 |
|----------------------------------------------|

Public Solscan metadata showed this address as funded by:

|                           |
|---------------------------|
| KuCoin Hot Wallet (BmFdp) |
|---------------------------|

with the relevant block time reported as:

|                         |
|-------------------------|
| 2026-05-29 11:28:27 UTC |
|-------------------------|

### Confidence assessment

- **VERIFIED ON EXPLORER METADATA:** the reported public label exists for the First Funder genealogy.
- **STRONG INFERENCE:** the J4zo aggregation infrastructure is connected genealogically to infrastructure publicly attributed to KuCoin.
- **NOT VERIFIED:** that all funds subsequently passing through J4zo originated from KuCoin-owned funds.
- **NOT VERIFIED:** that a specific KuCoin customer account can be identified from the public blockchain.

This is the most important boundary in the entire investigation.

The evidence supports:

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <pre>graph TD     classDef Verified fill:#1c4532,stroke:#48bb78,stroke-width:2px;     classDef Label fill:#2d3748,stroke:#ecc94b,stroke-width:2px,stroke-dasharray: 5 5;      KC1[Solscan Label:&lt;br&gt;KuCoin Hot Wallet BmFdp]:::Label --&gt; Explorer Metadata Link  FF[First Funder&lt;br&gt;9WwEfd]:::Verified     FF --&gt; Verified Transfer  Hub1[J4zo Aggregation Hub]:::Verified     Hub1 --&gt; Verified Flow  Mesh[Intermediary Wallet Mesh]:::Verified     Mesh --&gt; Verified Transfer  Deployer[Hok9 Deployer]:::Verified     Deployer --&gt; Verified Cash-out  Peel[Fresh Peel Chain]:::Verified     Peel --&gt; Verified Transfer  Shared[GPscf Shared Aggregator]:::Label     Shared --&gt; Downstream flow&lt;br&gt;Shared funds  KC1</pre> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

It does **not** support:

|                                         |
|-----------------------------------------|
| "CyberLeek's KuCoin account identified" |
|-----------------------------------------|

## 9. Mixer and obfuscation tests

The upstream topology could superficially resemble either:

- exchange aggregation;
- payment routing;
- wallet automation;
- a dispersion/consolidation workflow;
- or, theoretically, some form of mixing/private routing.

Three tests were performed.

### Test 1 — Invoked programs

Transactions involving 26sZ and J4zo were inspected.

Observed programs included:

- System Program
- ComputeBudget
- SPL Token
- Token-2022
- Associated Token Account
- Memo Program

No recurring smart-contract mixer or swap contract was identified in the analyzed transactions.

Result

● **VERIFIED:** no identified on-chain mixer smart contract appears in the analyzed path.

Test 2 — Amount and timing reconciliation

For 26sZ:

- 312 of 315 outgoing transfers were reconciled by amount, within approximately 1%, and chronological ordering with preceding incoming funds;
- approximately 14,334.20 SOL entered;
- approximately 14,333.21 SOL exited.

Result

● **VERIFIED:** the analyzed flow preserves a high degree of amount and timing continuity.

● **STRONG INFERENCE:** the observed branch behaves more like routing/distribution of traceable funds than an on-chain mixer that breaks straightforward source-destination continuity.

Test 3 — DzGHjS...umpuv

The candidate address was examined because its suffix superficially resembled a possible service identifier.

Observed behavior:

- System Account;
- 6 transactions;
- 2 counterparties;
- relay-like activity;
- no identified associated mixer contract.

Result

● **VERIFIED:** the observed address does not behave like a high-volume public mixing service.

Overall conclusion

● **VERIFIED:**

No smart-contract mixer or identified on-chain private-swap service was found in the analyzed transaction path.

● **PLAUSIBLE / NOT EXCLUDED:**

The analysis cannot exclude every possible off-chain mechanism, including:

- internal exchange ledger transfers;
- OTC settlement;
- custodial accounting;
- centralized services using ordinary SOL transfers.

Therefore this repository does **not** claim:

"No possible obfuscation mechanism exists."


It claims only:

**No on-chain mixer or identified private-swap mechanism was observed in the analyzed path.**

**Note (see §14b):** the later 27 August cash-out did route part of the proceeds through **CCE.Cash**, an automated non-custodial swap service — a concrete instance of exactly the off-chain / custodial mechanism this section declined to exclude. It was identified through the destination's exchange label, not through an on-chain mixing contract.

10. Consolidated timeline

All timestamps UTC.



| Date / time            | Event                                                                                               |
|------------------------|-----------------------------------------------------------------------------------------------------|
| 2026-05-29 11:28       | First Funder genealogy associated with a KuCoin Hot Wallet label                                    |
| May-Aug 2026           | J4zo operates as a high-volume aggregation hub                                                      |
| 2026-08-08 00:19       | J4zo → 26sZ, largest verified transfer: 380 SOL                                                     |
| 2026-08-13 09:23       | 26sZ → EjsB, 156.025 SOL                                                                            |
| 2026-08-13 10:09       | 26sZ → 4wzwhe, 171.344 SOL                                                                          |
| 2026-08-14 08:16       | 4wzwhe → 734tW6, 171.120 SOL                                                                        |
| 2026-08-15 09:49-12:36 | 3YLND → Ec2, 8 transfers totaling approximately 39.7 SOL                                            |
| 2026-08-15 14:07       | Ec2 → Hok9, 10 SOL                                                                                  |
| 2026-08-15 14:20-14:23 | Mint created and token supply issued                                                                |
| 2026-08-15 17:05       | Mint authority revoked                                                                              |
| 2026-08-15 20:44       | 9Ve5 → Hok9, 10.24 SOL                                                                              |
| 2026-08-15 20:47       | Ec2 → Hok9, 311.42 SOL                                                                              |
| 2026-08-15 21:07       | Raydium CPMM pool created                                                                           |
| 2026-08-15 21:19       | LP lock                                                                                             |
| 2026-08-18             | Public GTA VI leak distribution reported                                                            |
| 2026-08-27 07:29-07:32 | Hok9 moves ~2,705 SOL out through a fresh peel chain (see §14b), terminating at KuCoin and CCE.Cash |

Timeline assessment

- **VERIFIED:** the analyzed token deployment, authority action, liquidity creation and LP lock occurred on 15 August 2026.
  - **STRONG INFERENCE:** the crypto infrastructure was prepared before the later public distribution of the leaked material.
- The blockchain alone cannot establish the operators' subjective intent.

11. What is proven

● VERIFIED

- The three major funding transfers to Hok9 occurred.
- Their amounts, timestamps and slots are directly reproducible.
- Hok9 received approximately 331.66 SOL through those three transfers.
- The deployer subsequently committed approximately 330.1922 SOL during Raydium CPMM pool creation.
- The initial LP was subsequently locked.
- Ec2 and 9Ve5 exhibit pass-through behavior.
- The upstream path includes directly verified hops from J4zo to 26sZ and through branches leading into the downstream wallet cluster.
- 26sZ behaves as a disperser with one major upstream source and hundreds of downstream destinations.
- J4zo behaves as a large aggregation hub.
- No identified on-chain mixer smart contract was found in the analyzed path.
- On 27 August 2026 the deployer moved ~2,705 SOL into a fresh peel chain, with cleanly attributable branches reaching two labeled endpoints: KuCoin and CCE.Cash (see §14b).
- High amount/timing continuity exists across the analyzed 26sZ flow.
- Public explorer metadata links the First Funder genealogy to an address labeled as a KuCoin Hot Wallet.

12. What is inferred

● STRONG INFERENCE

- The intermediary wallet network represents a coordinated or automated funding workflow.
- The wallet structure was used to distribute and subsequently consolidate funds before deployer funding.
- J4zo has behavior consistent with CEX-grade deposit aggregation.
- The broader upstream infrastructure has a meaningful genealogical connection to publicly labeled KuCoin infrastructure.
- The token launch was prepared before the public leak distribution.
- The publisher/token infrastructure appears more structured than an entirely spontaneous post-viral meme-coin launch.


13. What remains unknown

● UNKNOWN / UNSUPPORTED

- The real-world identity of CyberLeek.
- The real-world owner of Hok9.
- The real-world owner(s) of Ec2, 9Ve5, 3YLND, or other intermediary wallets.
- Whether all relevant wallets belong to one actor or multiple collaborators.
- The specific KYC account associated with any upstream exchange transaction.
- Whether J4zo is directly operated by KuCoin.
- Whether the original GTA VI attacker and the publisher/token operator are the same actor.
- Who obtained the original material.
- How the original intrusion, if any, was performed.

## 14. Threat-intelligence interpretation

The on-chain evidence supports a distinction between at least two conceptual layers:



The evidence does **not** collapse these layers into one identity. This is deliberate. A financially connected publisher may or may not be the original source of the leaked material.

### 14b. Update — Cash-out (27 August 2026)

On 27 August 2026, the deployer wallet `Hok9` moved out roughly **2,705 SOL** — the accumulated trading-fee proceeds of the token — in a short burst of transactions. This section was reconstructed and verified the same way as the rest of the report: raw transaction dumps, followed hop by hop, with exchange labels read independently on Solscan.

#### ● VERIFIED — the four exits from `Hok9`

All on 27 August 2026, 07:29–07:32 UTC:

| Time UTC | Amount (SOL) | Destination (fresh L1 wallet)                |
|----------|--------------|----------------------------------------------|
| 07:29    | 781.241      | He8QKFkGkZAKyXnV5xc7KXJLN5cjxxFXXM2JtbBnAUjL |
| 07:30    | 741.631      | BFeK4aW5N5zDPDJy4bHeWwxnSwAj2FyvaMvzdjJ7AUuL |
| 07:30    | 676.521      | Bv6U52fwZtwAAxod34MqwtXTU4NMSCQTFPqew3trZGJ  |
| 07:32    | 505.681      | 8hypo8YwmtYVvSUFzGSWJdPbEteLmxeCndqGyNz8X3Rh |

**Total out:** ~2,705.07 SOL.

The wallet funded these exits by collecting ~15.49M CYBERLEEK in creator fees at 07:27 and selling the entire allocation one minute later, receiving 1,442.43 + 1,234.23 = **2,676.67 SOL**; the ~28 SOL difference was pre-existing balance. Inflows and outflows therefore reconcile.

#### ● VERIFIED — a peel chain of fresh single-purpose wallets

The four L1 wallets do not hold the funds. Each splits and forwards its balance to further wallets, which split and forward again — a multi-level peel chain. Every wallet in the chain is fresh: created on the morning of 27 August (each shown by Solscan as *Funded by* the wallet one level above), with no prior history. Amounts decrease level by level while the topology stays clean (1 → few), the same obfuscation signature seen upstream in the funding mesh, here on the way out.

#### ● VERIFIED — two labeled exchange endpoints

Following the branches to their terminals and reading the labels on Solscan:

| Endpoint                                      | Solscan label                              | Cleanly attributable SOL | Branch                            |
|-----------------------------------------------|--------------------------------------------|--------------------------|-----------------------------------|
| 3AfnRwXvWxu4HpA6HQQwMzWfP6bETq62oUrwPMfHJ2rH  | <b>CCE.Cash: Exchange Deposit Wallet</b>   | ~1,337 (3 tx)            | CoSKZDV8 + HLSU45P2 + HHRZoUMx    |
| eS4n56zrQ4ESznC8mDxQhsY4JoCpEt1jDczgcQ299qW   | <b>#Kucoin Exchange · #Deposit Address</b> | ~544 (3 tx)              | 7M79fHZ8 + AZN1ecqe + GokFVhEr    |
| BmFdpPraQhkiDQE6SnfG5omcA1VwzqfXrwtNYBwWTymy6 | <b>KuCoin Hot Wallet (BmFdp)</b>           | not cleanly attributable | via GPscfRmNg (shared aggregator) |

`3Afn...`, `eS4n...` and `BmFdp...` are high-volume, shared infrastructure (hundreds to millions of counterparties), not wallets dedicated to this operation.

#### Approximate split (verified by us)

- CCE.Cash: ~1,337 SOL** — cleanly attributable (three single-purpose relays send directly to the CCE.Cash deposit wallet).
- KuCoin deposit address: ~544 SOL** — cleanly attributable (three single-purpose relays send directly to the KuCoin deposit address).
- KuCoin hot wallet (BmFdp): present but not cleanly attributable.** One branch runs `GPscf` → `BmFdp`, but `GPscf` is a *shared* aggregator that also pools unrelated users' funds; it forwards a large lump (thousands of SOL) to the KuCoin hot wallet, of which only a fraction is CyberLeek's. On-chain that fraction cannot be cleanly separated (SOL is fungible), so it is **not** added to the KuCoin total — it is reported separately for context.
- Remainder** in transit through fresh relays and dust / micro-branches.

Cleanly attributed total: **~1,881 SOL of the ~2,705 SOL** that left the deployer (~70%). The rest is either inside the shared-aggregator lump or still moving at capture.

```
graph LR
  classDef Verified fill:#1c4532,stroke:#48bb78,stroke-width:2px;
  classDef Label fill:#2d3748,stroke:#ecc94b,stroke-width:2px,stroke-dasharray: 5 5;
  classDef Deployer fill:#2d3748,stroke:#ecc94b,stroke-width:2px,stroke-dasharray: 5 5;

  Deployer[Hok9<br>~2,705 SOL] -->|Verified| R1[4 Fresh L1 Wallets];
  R1 -->|Verified| R2[Multi-level<br>Fresh Relays];
  R2 -->|Verified| R3[...];
```



```
R2 -->|Verified cleanly:<br>~1,337 SOL| CCE[Solscan Label:<br>CCE.Cash Deposit]:::Label
R2 -->|Verified cleanly:<br>~544 SOL| KCDep[Solscan Label:<br>KuCoin Deposit]:::Label
R2 -->|Mixed funds| GP[GPscf<br>Shared Aggregator]:::Label
GP -->|Fungible Lump<br>Cannot isolate CyberLeek share| KCHot[Solscan Label:<br>KuCoin Hot Wallet]:::Label
```

(An earlier draft counted the shared `GPscf` → `BmFdp` lump toward KuCoin. That over-attributes fungible funds; the corrected method reports shared-aggregator flows as context only, never summed into an endpoint total — exactly what `tally_cashout.py` enforces.)

**Correction (2 September 2026, v1.4.0).** Earlier versions of this report, and coverage based on them, stated the cash-out total as **3,210.80 SOL**. That figure was wrong. The fourth exit, to `8hypo8...`, was counted as 1,011.411 SOL when the wallet in fact received a single transfer of **505.681 SOL**; the same amount was double-counted because the wallet's inbound and outbound transfers were both summed. The corrected total is **2,705.07 SOL**, which reconciles with the 2,676.67 SOL the deployer received from selling its creator-fee allocation minutes earlier (the earlier figure did not reconcile — it implied more SOL leaving than ever arrived, which should have been caught). The absolute endpoint figures are unaffected: ~1,336.67 SOL to CCE.Cash and ~543.90 SOL to the KuCoin deposit address were measured directly. Only the denominator changes, so the cleanly-attributed share rises from ~59% to ~70%.

## Findings

- **STRONG INFERENCE:** the proceeds were cashed out to **two distinct exchanges — KuCoin and CCE.Cash** — which is consistent with the possibility of two parties, as suggested in public reporting, though on-chain data alone does not prove distinct control.
- **VERIFIED:** the KuCoin branch of the cash-out terminates at the **same KuCoin Hot Wallet (`BmFdp...`)** that appears in the *upstream* creation genealogy of the aggregation hub `J4zo` (\$8). The same KuCoin infrastructure is therefore present at both ends — funding and cash-out.
- **VERIFIED / clarification of §9: CCE.Cash** is an automated non-custodial swap service. It is exactly the kind of off-chain / custodial obfuscation mechanism that §9 explicitly declined to exclude. Its presence here confirms that caveat rather than contradicting it; note that CCE.Cash routing was identified via the destination's Solscan entity label, not via an on-chain mixing contract in the analyzed path.
- **UNKNOWN:** which KYC account is behind the KuCoin deposit; and beyond CCE.Cash (non-custodial) and inside KuCoin, the trail closes without legal process. The split figures are approximate and were captured while the cash-out was still in progress; they may change.

## Reproducing §14b

The cash-out uses a separate wallet set and window from the initial funding, so it has its own fetch and its own scripts. Steps:

```
export SOLANA_RPC="https://mainnet.helius-rpc.com/?api-key=YOUR_KEY"

# 1) fetch the cash-out wallets (four L1 exits, relays, and the endpoints)
python scripts/fetch_wallets.py --addresses-file wallets.cashout.txt \
  --start 2026-08-25 --end 2026-08-28 --out data/cashout.json

# 2) follow the peel chain and surface the terminal endpoints
python scripts/trace_cashout.py --data "data/cashout.json"

# 3) sum how much SOL reached each labeled endpoint
python scripts/tally_cashout.py --data "data/cashout.json"
```

`trace_cashout.py` prints the terminal wallets but does **not** name exchanges; the KuCoin / CCE.Cash labels in this section were read on Solscan for those exact addresses (third-party entity metadata, not a script output). `tally_cashout.py` sums direct inflows to those labeled endpoints — it deliberately does not re-walk the tree, because shared relay wallets would cause double-counting, which is why the split is reported as approximate.

# 15. Reproducibility

This repository contains everything needed to independently regenerate and verify the numerical claims. The raw RPC dumps are **not** committed (they are large and easily regenerated); the `.gitignore` excludes `data/` and `*.json`.

Repository layout:

```
.
├── README.md
├── CYBERLEEK_ONCHAIN_ANALYSIS_REPORT.md # this report
├── LICENSE # CC BY 4.0 (report text)
├── LICENSE-MIT # MIT (code)
├── requirements.txt
├── wallets.example.txt # funding-trail address list
├── wallets.cashout.txt # cash-out address list (§14b)
├── .gitignore
├── scripts/
│   ├── fetch_wallets.py # pull raw tx history for a set of wallets (RPC)
│   ├── verify.py # recompute the funding-trail headline claims from dumps
│   ├── analyze_flows.py # fan-in / fan-out, net flow, external mesh edges
│   ├── check_mixer.py # exclude mixer / private-swap (programs + reconciliation)
│   ├── trace_cashout.py # follow the 27 Aug cash-out peel chain to its endpoints
│   └── tally_cashout.py # sum SOL reaching each labeled cash-out endpoint
└── data/ # raw JSON dumps – git-ignored, regenerated locally
```

To regenerate the dumps:

```
export SOLANA_RPC="https://mainnet.helius-rpc.com/?api-key=YOUR_KEY"

# funding trail
python scripts/fetch_wallets.py --addresses-file wallets.example.txt \
  --start 2025-06-01 --end 2026-08-21 --out data/core.json

# cash-out (27 Aug 2026) – separate window and wallet set
python scripts/fetch_wallets.py --addresses-file wallets.cashout.txt \
  --start 2026-08-25 --end 2026-08-28 --out data/cashout.json
```

The regenerated dumps preserve complete transaction signatures, complete wallet addresses, exact lamport values, block timestamps and slots — everything the verification step needs.

# 16. Independent verification

To independently verify the analysis:

1. Set SOLANA RPC and regenerate the dumps: `python scripts/fetch_wallets.py --addresses-file wallets.example.txt --start 2025-06-01 --end 2026-08-21 --out data/core.json`
2. Run `python scripts/verify.py --data "data/core.json"`. It prints the three key transfers and every chain hop with full signatures, slots and block times.
3. Take any printed signature and query it through a Solana explorer or RPC provider, comparing sender, recipient, amount in lamports, slot, block time and invoked programs.
4. Run `python scripts/check_mixer.py --data "data/core.json" --target 26sZDubW854zGAasvrUaRAgY54MiC97CEHWZKPRMPMQ9` to reproduce the reconciliation and program-profile results.
5. For the 27 Aug cash-out (\$14b): fetch `wallets.cashout.txt` (window 2026-08-25 → 2026-08-28 ) into `data/cashout.json`, then run `python scripts/trace_cashout.py --data "data/cashout.json"` and `python scripts/tally_cashout.py --data "data/cashout.json"`.
6. Compare the generated output with the tables in this report.
7. Where exchange labels are referenced, verify the current label independently (Solscan / Arkham) and treat it as third-party metadata rather than a blockchain-native fact.

The goal of this repository is not trust.

The goal is reproducibility.

Legenda: ● VERIFICATO ● INFERENZA FORTE ● PLAUSIBILE ● IGNOTO/NON SUPPORTATO