

## RESULTAT DES TESTS

```
===== test session starts =====
platform darwin -- Python 3.6.2, pytest-5.2.2, py-1.8.0, pluggy-0.13.0
rootdir: /Users/emiliendurif/Dropbox/cpge/ipt_mpsi_ds/DS08/correction_auto/script/DS_08_bonnefoy
plugins: timeout-1.3.4
timeout: 60.0s
timeout method: signal
timeout func_only: False
collected 22 items
```

```
test_TP.py F...F...F.FF.F.FFFFFFFF [100%]
```

```
===== FAILURES =====
_____ test_Q1_req _____
```

```
def test_Q1_req ():
> assert requete(sol_Q1_req) == requete(Q1_req)
E AssertionError: assert [('DUPONT', '...', 'M.'), ...] == [('M.', 'DUPO..
.'Alain'), ...]
E At index 0 diff: ('DUPONT', 'Alain', 'M.') != ('M.', 'DUPONT', 'Alain'
)
E Use -v to get the full diff
```

```
test_TP.py:98: AssertionError
```

```
_____ test_Q4_req _____
```

```
def test_Q4_req ():
> assert requete(sol_Q4_req) == requete(Q4_req)
E AssertionError: assert [('DUHAMEL', ... 'Mme.'), ...] == [('Melle.', '..
.onique'), ...]
E At index 0 diff: ('DUHAMEL', 'Evelyne', 'Melle.') != ('Melle.', 'DUHAM
EL', 'Evelyne')
E Use -v to get the full diff
```

```
test_TP.py:110: AssertionError
```

```
_____ test_Q7_req _____
```

```
def test_Q7_req ():
> assert requete(sol_Q7_req) == requete(Q7_req)
E AssertionError: assert [('DUPONT', '...-92-21'), ...] == [('DUPONT', '...
-52-50'), ...]
E At index 2 diff: ('DUBOIS', '02-41-58-89-52') != ('DUPONT', '01-44-28-
52-50')
E Right contains 50 more items, first extra item: ('AIACH', '04-91-52-51
-52')
E Use -v to get the full diff
```

```
test_TP.py:122: AssertionError
```

```
_____ test_Q9_req _____
```

```
def test_Q9_req ():
> assert requete(sol_Q9_req) == requete(Q9_req)
E AssertionError: assert [('BENATTAR', ... ('MARTIN', 3)] == [(2,)]
E At index 0 diff: ('BENATTAR', 2) != (2,)
E Left contains one more item: ('MARTIN', 3)
E Use -v to get the full diff
```

```
test_TP.py:128: AssertionError
```

```
_____ test_Q10_res _____
```

```
def test_Q10_res ():
> assert sol_Q10_res.upper() == Q10_res.upper()
E AssertionError: assert '(27.0, 61.0)' == '27 ET 61'
E - (27.0, 61.0)
E + 27 ET 61
```

```
test_TP.py:131: AssertionError
```

```
test_Q11_res
```

```
def test_Q11_res ():
> assert sol_Q11_res.upper() == Q11_res.upper()
E AssertionError: assert '(27.0, 61)' == '27 ET 61'
E - (27.0, 61)
E + 27 ET 61
```

```
test_TP.py:137: AssertionError
```

```
test_Q12_req
```

```
def test_Q12_req ():
> assert requete(sol_Q12_req) == requete(Q12_req)
E assert [(1,), (2,), ...], (27,), ...] == [(1,), (3,), ...), (2,), ...]
E At index 1 diff: (2,) != (3,)
E Right contains 848 more items, first extra item: (668,)
E Use -v to get the full diff
```

```
test_TP.py:143: AssertionError
```

```
test_Q13_req
```

```
def test_Q13_req ():
> assert requete(sol_Q13_req) == requete(Q13_req)
E assert [(1,), (2,), ...), (6,), ...] == [(1,), (1,), ...), (1,), ...]
E At index 1 diff: (2,) != (1,)
E Right contains 1052 more items, first extra item: (10,)
E Use -v to get the full diff
```

```
test_TP.py:146: AssertionError
```

```
test_Q14_req
```

```
def test_Q14_req ():
> assert requete(sol_Q14_req) == requete(Q14_req)
E assert [] == [(1,), (1,), ...), (1,), ...]
E Right contains 1682 more items, first extra item: (1,)
E Use -v to get the full diff
```

```
test_TP.py:149: AssertionError
```

```
test_Q15_res
```

```
def test_Q15_res ():
> assert sol_Q15_res.upper() == Q15_res.upper()
E assert "('SILLET', 'JACQUES', 671)" == 'NOM,PRENOM,MONTANT'
E - ('SILLET', 'JACQUES', 671)
E + NOM,PRENOM,MONTANT
```

```
test_TP.py:152: AssertionError
```

```
test_Q15_req
```

```
def test_Q15_req ():
> assert requete(sol_Q15_req) == requete(Q15_req)
E AssertionError: assert [('SILLET', 'Jacques', 671)] == []
E Left contains one more item: ('SILLET', 'Jacques', 671)
E Use -v to get the full diff
```

```
test_TP.py:155: AssertionError
```

```
test_Q15_res2
```

```
def test_Q15_res2 ():
> assert sol_Q15_res2.upper() == Q15_res.upper()
E assert "('GARREAU', 'PAUL', 22)" == 'NOM,PRENOM,MONTANT'
E - ('GARREAU', 'PAUL', 22)
E + NOM,PRENOM,MONTANT
```

```
test_TP.py:158: AssertionError
```

```
test_Q15_req2
```

```
def test_Q15_req2 ():
>     assert requete(sol_Q15_req2) == requete(Q15_req)
E     AssertionError: assert [('GARREAU', 'Paul', 22)] == []
E         Left contains one more item: ('GARREAU', 'Paul', 22)
E         Use -v to get the full diff

test_TP.py:161: AssertionError
===== 13 failed, 9 passed in 0.42s =====
```