

## RESULTAT DES TESTS

```
===== test session starts =====
platform darwin -- Python 3.6.2, pytest-5.2.2, py-1.8.0, pluggy-0.13.0
rootdir: /Users/emiliendurif/Dropbox/cpge/ipt_mpsi_ds/DS08/correction_auto/script/DS_08_bernhard
plugins: timeout-1.3.4
timeout: 60.0s
timeout method: signal
timeout func_only: False
collected 22 items
```

```
test_TP.py F...F...F..F.F.FF.FFFF [100%]
```

```
===== FAILURES =====
_____ test_Q1_req _____
```

```
def test_Q1_req ():
> assert requete(sol_Q1_req) == requete(Q1_req)
E AssertionError: assert [('DUPONT', '...', 'M.'), ...] == [('M.', 'DUPO..
. 'Paul'), ...]
E At index 0 diff: ('DUPONT', 'Alain', 'M.') != ('M.', 'DUPONT', 'Alain'
)
E Use -v to get the full diff
```

```
test_TP.py:98: AssertionError
```

```
_____ test_Q4_req _____
```

```
def test_Q4_req ():
> assert requete(sol_Q4_req) == requete(Q4_req)
E AssertionError: assert [('DUHAMEL', ... 'Mme.'), ...] == [('Melle.', '..
.onique'), ...]
E At index 0 diff: ('DUHAMEL', 'Evelyne', 'Melle.') != ('Melle.', 'DUHAM
EL', 'Evelyne')
E Use -v to get the full diff
```

```
test_TP.py:110: AssertionError
```

```
_____ test_Q7_req _____
```

```
def test_Q7_req ():
> assert requete(sol_Q7_req) == requete(Q7_req)
E AssertionError: assert [('DUPONT', '...-52-56'), ...] == [('DUPONT', '...
-43-21'), ...]
E At index 2 diff: ('DREYFUS', '01-51-58-52-50') != ('DUPONT', '01-44-28
-52-50')
E Right contains 49 more items, first extra item: ('GAL', '04-90-78-10-6
8')
E Use -v to get the full diff
```

```
test_TP.py:122: AssertionError
```

```
_____ test_Q10_res _____
```

```
def test_Q10_res ():
> assert sol_Q10_res.upper() == Q10_res.upper()
E AssertionError: assert '(54.0, 88.0)' == '54.0, 88.0'
E - (54.0, 88.0)
E ? - -
E + 54.0, 88.0
```

```
test_TP.py:131: AssertionError
```

```
_____ test_Q11_res _____
```

```
def test_Q11_res ():
> assert sol_Q11_res.upper() == Q11_res.upper()
E AssertionError: assert '(54.0, 88)' == '54, 88'
E - (54.0, 88)
E ? - -- -
E + 54, 88
```

test\_TP.py:137: AssertionError

test\_Q12\_req

```
def test_Q12_req ():
>     assert requete(sol_Q12_req) == requete(Q12_req)
E     assert [(1,), (2,), ...), (26,), ...] == []
E         Left contains 366 more items, first extra item: (1,)
E         Use -v to get the full diff
```

test\_TP.py:143: AssertionError

test\_Q13\_req

```
def test_Q13_req ():
>     assert requete(sol_Q13_req) == requete(Q13_req)
E     assert [(1,), (2,), ...), (7,), ...] == []
E         Left contains 94 more items, first extra item: (1,)
E         Use -v to get the full diff
```

test\_TP.py:146: AssertionError

test\_Q15\_res

```
def test_Q15_res ():
>     assert sol_Q15_res.upper() == Q15_res.upper()
E     assert "('DUQUESNAY'...CQUES', 1056)" == 'NOM,PRENOM,MONTANT'
E         - ('DUQUESNAY', 'JACQUES', 1056)
E         + NOM,PRENOM,MONTANT
```

test\_TP.py:152: AssertionError

test\_Q15\_req

```
def test_Q15_req ():
>     assert requete(sol_Q15_req) == requete(Q15_req)
E     AssertionError: assert [('DUQUESNAY'...cques', 1056)] == []
E         Left contains one more item: ('DUQUESNAY', 'Jacques', 1056)
E         Use -v to get the full diff
```

test\_TP.py:155: AssertionError

test\_Q15\_res2

```
def test_Q15_res2 ():
>     assert sol_Q15_res2.upper() == Q15_res.upper()
E     assert "('GARREAU', 'PAUL', 22)" == 'NOM,PRENOM,MONTANT'
E         - ('GARREAU', 'PAUL', 22)
E         + NOM,PRENOM,MONTANT
```

test\_TP.py:158: AssertionError

test\_Q15\_req2

```
def test_Q15_req2 ():
>     assert requete(sol_Q15_req2) == requete(Q15_req)
E     AssertionError: assert [('GARREAU', 'Paul', 22)] == []
E         Left contains one more item: ('GARREAU', 'Paul', 22)
E         Use -v to get the full diff
```

test\_TP.py:161: AssertionError

===== 11 failed, 11 passed in 0.39s =====