```
NOM = "WOLFF"
Prenom = "Corentin"
Classe = "MPSI2"
alpha="79"
## Question 1
Q1_req = "SELECT CLI_NOM, CLI_PRENOM, TIT_CODE FROM T_CLIENT"
## Question 2
Q2_req = "SELECT COUNT(*) as nb_personnes FROM T_CLIENT"
Q2_{res} = "88"
## Question 3
Q3_req = "SELECT CLI_NOM, CLI_PRENOM FROM T_CLIENT
WHERE TIT_CODE='Mme.'"
## Question 4
Q4_req = "SELECT CLI_NOM, CLI_PRENOM, TIT_CODE FROM T_CLIENT
WHERE TIT_CODE='Mme.' or TIT_CODE='Melle.'"
## Question 5
Q5_req = "SELECT COUNT(*) as nb_clientes FROM T_CLIENT
WHERE TIT CODE='Mme.' or TIT CODE='Melle.'"
Q5_{res} = "17"
## Question 6
Q6_req = "SELECT CLI_NOM, CLI_PRENOM FROM T_CLIENT
WHERE TIT_CODE='Mme.' or TIT_CODE='Melle.'
ORDER by CLI_NOM ASC, CLI_PRENOM ASC"
## Question 7
Q7_req = "SELECT T_CLIENT.CLI_NOM, T_TELEPHONE.TEL_NUMERO FROM T_CLIENT JOIN T_T
ELEPHONE on T_CLIENT.CLI_ID=T_TELEPHONE.CLI_ID"
## Question 8
Q8_req = "SELECT T_CLIENT.CLI_NOM, T_CLIENT.CLI_PRENOM FROM T_CLIENT WHERE T_CLI
ENT.CLI_NOM= (SELECT T_CLIENT.CLI_NOM FROM T_CLIENT GROUP by T_CLIENT.CLI_NOM
HAVING count (CLI_NOM) > 1) "
## Question 9
Q9_req = "SELECT T_CLIENT.CLI_NOM, count(*) as nb_occurence FROM T_CLIENT WHERE T
_CLIENT.CLI_NOM=(SELECT T_CLIENT.CLI_NOM FROM T_CLIENT WHERE T_CLIENT.CLI_NOM= (
SELECT T_CLIENT.CLI_NOM FROM T_CLIENT GROUP by T_CLIENT.CLI_NOM HAVING count (CL
I_NOM) > 1)
Q9_res = "2"
## Question 10
Q10 reg = "SELECT AVG(LIF REMISE POURCENT), AVG(LIF REMISE MONTANT) FROM T LIGNE
Q10_{res} = "94.0 et 128.0"
## Question 11
Q11_req = "SELECT MAX(LIF_REMISE_POURCENT), MAX(LIF_REMISE_MONTANT) FROM T_LIGNE
_FACTURE"
Q11\_res = "94 et 128"
## Question 12
Q12_req = "SELECT FAC_ID AS fac_id1 FROM T_LIGNE_FACTURE WHERE LIF_REMISE_POURCE
NT NOT NULL OR LIF_REMISE_MONTANT NOT NULL"
## Question 13
Q13_req = "SELECT DISTINCT CLI_ID FROM T_FACTURE JOIN T_LIGNE_FACTURE ON T_LIGNE
_FACTURE.FAC_ID = T_FACTURE.FAC_ID WHERE LIF_REMISE_POURCENT NOT NULL OR LIF_REM
ISE_MONTANT NOT NULL"
```

Question 14
Q14_req = ""

Question 15
Q15_req = ""
Q15_res = "nom, prenom, montant"

Page 2/2