

RESULTAT DES TESTS

```
===== test session starts =====
platform darwin -- Python 3.6.2, pytest-5.2.2, py-1.8.0, pluggy-0.13.0
rootdir: /Users/emiliendurif/Dropbox/cpge/ipt_mpsi_ds/DS08/correction_auto/script/DS_08_bramas
plugins: timeout-1.3.4
timeout: 60.0s
timeout method: signal
timeout func_only: False
collected 22 items
```

```
test_TP.py F...F...FFFF.F.FF.FFFF [100%]
```

```
===== FAILURES =====
_____ test_Q1_req _____
```

```
def test_Q1_req ():
> assert requete(sol_Q1_req) == requete(Q1_req)
E AssertionError: assert [('DUPONT', '...Melle.'], ...] == [('M.', 'DUPO..
.velyne'), ...]
E At index 0 diff: ('DUPONT', 'Alain', 'M.') != ('M.', 'DUPONT', 'Alain'
)
E Use -v to get the full diff
```

```
test_TP.py:98: AssertionError
```

```
_____ test_Q4_req _____
```

```
def test_Q4_req ():
> assert requete(sol_Q4_req) == requete(Q4_req)
E AssertionError: assert [('DUHAMEL', ... 'Mme.'], ...] == [('Melle.', '..
.onique'), ...]
E At index 0 diff: ('DUHAMEL', 'Evelyne', 'Melle.') != ('Melle.', 'DUHAM
EL', 'Evelyne')
E Use -v to get the full diff
```

```
test_TP.py:110: AssertionError
```

```
_____ test_Q7_req _____
```

```
def test_Q7_req ():
> assert requete(sol_Q7_req) == requete(Q7_req)
E AssertionError: assert [('DUPONT', '...-92-21'), ...] == [('DUPONT', '..
.-43-21'), ...]
E At index 0 diff: ('DUPONT', '01-45-42-56-63') != ('DUPONT', 'Alain', '
01-45-42-56-63')
E Right contains 43 more items, first extra item: ('GAL', 'Fabrice', '04
-90-78-10-68')
E Use -v to get the full diff
```

```
test_TP.py:122: AssertionError
```

```
_____ test_Q8_req _____
```

```
def test_Q8_req ():
> assert requete(sol_Q8_req) == requete(Q8_req)
E AssertionError: assert [('MARTIN',)] == [('AIACH', 'A...édéric'), ...]
E At index 0 diff: ('MARTIN',) != ('AIACH', 'Alexandre')
E Right contains 84 more items, first extra item: ('ALBERT', 'Christian'
)
E Use -v to get the full diff
```

```
test_TP.py:125: AssertionError
```

```
_____ test_Q9_req _____
```

```
def test_Q9_req ():
> assert requete(sol_Q9_req) == requete(Q9_req)
E AssertionError: assert [('MARTIN', 2)] == [(1, 'AIACH')...AVEREL'), ...]
E At index 0 diff: ('MARTIN', 2) != (1, 'AIACH')
E Right contains 84 more items, first extra item: (1, 'ALBERT')
```

E Use -v to get the full diff

test_TP.py:128: AssertionError

_____ test_Q10_res _____

```
def test_Q10_res ():
> assert sol_Q10_res.upper() == Q10_res.upper()
E AssertionError: assert '(97.0, 131.0)' == '97 ; 131.0'
E - (97.0, 131.0)
E + 97 ; 131.0
```

test_TP.py:131: AssertionError

_____ test_Q11_res _____

```
def test_Q11_res ():
> assert sol_Q11_res.upper() == Q11_res.upper()
E AssertionError: assert '(97.0, 131)' == '97; 131'
E - (97.0, 131)
E + 97; 131
```

test_TP.py:137: AssertionError

_____ test_Q12_req _____

```
def test_Q12_req ():
> assert requete(sol_Q12_req) == requete(Q12_req)
E assert [(1,), (2,), ...], (26,), ...] == [(3,), (4,), ...], (51,), ...]
E At index 0 diff: (1,) != (3,)
E Left contains 195 more items, first extra item: (1166,)
E Use -v to get the full diff
```

test_TP.py:143: AssertionError

_____ test_Q13_req _____

```
def test_Q13_req ():
> assert requete(sol_Q13_req) == requete(Q13_req)
E assert [(1,), (4,), ...), (8,), ...] == [(1,), (4,), ...), (8,), ...]
E At index 54 diff: (64,) != (65,)
E Left contains one more item: (100,)
E Use -v to get the full diff
```

test_TP.py:146: AssertionError

_____ test_Q15_res _____

```
def test_Q15_res ():
> assert sol_Q15_res.upper() == Q15_res.upper()
E assert "('SILLET', 'JACQUES', 1441)" == 'SILLET,JACQUES,1441'
E - ('SILLET', 'JACQUES', 1441)
E ? -- - - - - -
E + SILLET,JACQUES,1441
```

test_TP.py:152: AssertionError

_____ test_Q15_req _____

```
def test_Q15_req ():
> assert requete(sol_Q15_req) == requete(Q15_req)
E AssertionError: assert [('SILLET', 'Jacques', 1441)] == [(1441, 'SILLET',
, 'Jacques')]
E At index 0 diff: ('SILLET', 'Jacques', 1441) != (1441, 'SILLET', 'Jacq
ues')
E Use -v to get the full diff
```

test_TP.py:155: AssertionError

_____ test_Q15_res2 _____

```
def test_Q15_res2 ():
> assert sol_Q15_res2.upper() == Q15_res.upper()
E assert "('GARREAU', 'PAUL', 22)" == 'SILLET,JACQUES,1441'
E - ('GARREAU', 'PAUL', 22)
```

E + SILLET, JACQUES, 1441

test_TP.py:158: AssertionError

```
_____ test_Q15_req2 _____  
  
    def test_Q15_req2 ():  
>         assert requete(sol_Q15_req2) == requete(Q15_req)  
E         AssertionError: assert [('GARREAU', 'Paul', 22)] == [(1441, 'SILLET', 'J  
acques')]  
E             At index 0 diff: ('GARREAU', 'Paul', 22) != (1441, 'SILLET', 'Jacques'  
)  
E             Use -v to get the full diff
```

test_TP.py:161: AssertionError

===== 13 failed, 9 passed in 0.36s =====