-Table of Contents

Bash tips: Colors and formatting (ANSI/VT100 Control sequences)

The **ANSI/VT100** terminals and terminal emulators are not just able to display black and white text; they can display **colors** and formatted texts thanks to **escape sequences**. Those sequences are composed of the **Escape character** (often represented by "^[" or "<ESC>") followed by some other characters: "<ESC>[FormatCodem".

In Bash, the <Esc> character can be obtained with the following syntaxes:

- \e
- \033
- \x1B

Examples:

Code (Bash)	Preview
echo -e "\e[31mHello World\e[0m"	Hello World
echo -e "\033[31mHello\e[0m World"	Hello World

NOTE1: The -e option of the echo command enable the parsing of the escape sequences.

<u>NOTE2:</u> The "\e[0m" sequence removes all attributes (formatting and colors). It can be a good idea to add it at the end of each colored text. ;)

<u>NOTE3:</u> The examples in this page are in **Bash** but the **ANSI/VT100** escape sequences can be used in every programming languages.

Formatting

Here are the most commonly supported control sequences for formatting text. Their support depends on the used terminal (see the compatibility list).

Set

Code	Description	Example	Preview
1	Bold/Bright	echo -e "Normal \e[1mBold"	Normal Bold
2	Dim	echo -e "Normal \e[2mDim"	Normal Dim
4	Underlined	echo -e "Normal \e[4mUnderlined"	Normal <u>Underlined</u>

Code	Description	Example	Preview
5	Blink 1)	echo -e "Normal \e[5mBlink"	Normal
7	Reverse (invert the foreground and background colors)	echo -e "Normal \e[7minverted"	Normal inverted
8	Hidden (useful for passwords)	echo -e "Normal \e[8mHidden"	Normal

Reset

Code	Description	Example	Preview
0	Reset all attributes	echo -e "\e[0mNormal Text"	Normal Text
21	Reset bold/bright	echo -e "Normal \e[1mBold \e[21mNormal"	Normal Bold Normal
22	Reset dim	echo -e "Normal \e[2mDim \e[22mNormal"	Normal Dim Normal
24	Reset underlined	echo -e "Normal \e[4mUnderlined \e[24mNormal"	Normal <u>Underlined</u> Normal
25	Reset blink	echo -e "Normal \e[5mBlink \e[25mNormal"	Normal Normal
27	Reset reverse	echo -e "Normal \e[7minverted \e[27mNormal"	Normal inverted Normal
28	Reset hidden	echo -e "Normal \e[8mHidden \e[28mNormal"	Normal Normal

8/16 Colors

The following colors works with most terminals and terminals emulators $^{2)}$, see the compatibility list for more informations.

NOTE: The colors can vary depending of the terminal configuration.

Foreground (text)

Code	Color	Example	Preview
39	Default foreground color	echo -e "Default \e[39mDefault"	Default Default
30	Black	echo -e "Default \e[30mBlack"	Default Black
31	Red	echo -e "Default \e[31mRed"	Default Red

Code	Color	Example	Preview
32	Green	echo -e "Default \e[32mGreen"	Default Green
33	Yellow	echo -e "Default \e[33mYellow"	Default Yellow
34	Blue	echo -e "Default \e[34mBlue"	Default Blue
35	Magenta	echo -e "Default \e[35mMagenta"	Default Magenta
36	Cyan	echo -e "Default \e[36mCyan"	Default Cyan
37	Light gray	echo -e "Default \e[37mLight gray"	Default Light gray
90	Dark gray	echo -e "Default \e[90mDark gray"	Default Dark gray
91	Light red	echo -e "Default \e[91mLight red"	Default Light red
92	Light green	echo -e "Default \e[92mLight green"	Default Light green
93	Light yellow	echo -e "Default \e[93mLight yellow"	Default Light yellow
94	Light blue	echo -e "Default \e[94mLight blue"	Default Light blue
95	Light magenta	echo -e "Default \e[95mLight magenta"	Default Light magenta
96	Light cyan	echo -e "Default \e[96mLight cyan"	Default Light cyan
97	White	echo -e "Default \e[97mWhite"	Default White

Background

Code	Color	Example	Preview
49	Default background color	echo -e "Default \e[49mDefault"	Default Default
40	Black	echo -e "Default \e[40mBlack"	Default Black
41	Red	echo -e "Default \e[41mRed"	Default <mark>Red</mark>

Code	Color	Example	Preview
42	Green	echo -e "Default \e[42mGreen"	Default <mark>Green</mark>
43	Yellow	echo -e "Default \e[43mYellow"	Default <mark>Yellow</mark>
44	Blue	echo -e "Default \e[44mBlue"	Default <mark>Blue</mark>
45	Magenta	echo -e "Default \e[45mMagenta"	Default <mark>Magenta</mark>
46	Cyan	echo -e "Default \e[46mCyan"	Default <mark>Cyan</mark>
47	Light gray	echo -e "Default \e[47mLight gray"	Default Light gray
100	Dark gray	echo -e "Default \e[100mDark gray"	Default Dark gray
101	Light red	echo -e "Default \e[101mLight red"	Default Light red
102	Light green	echo -e "Default \e[102mLight green"	Default <mark>Light green</mark>
103	Light yellow	echo -e "Default \e[103mLight yellow"	Default <mark>Light yellow</mark>
104	Light blue	echo -e "Default \e[104mLight blue"	Default Light blue
105	Light magenta	echo -e "Default \e[105mLight magenta"	Default <mark>Light magenta</mark>
106	Light cyan	echo -e "Default \e[106mLight cyan"	Default <mark>Light cyan</mark>
107	White	echo -e "Default \e[107mWhite"	Default

88/256 Colors

Some terminals (see the compatibility list) can support 88 or 256 colors. Here are the control sequences that permit you to use them.

<u>NOTE</u>¹: The colors number 256 is only supported by **vte** (GNOME Terminal, XFCE4 Terminal, Nautilus Terminal, Terminator,...).

<u>NOTE</u>²: The 88-colors terminals (like rxvt) does not have the same color map that the 256-colors terminals. For showing the 88-colors terminals color map, run the " $\underline{256\text{-colors.sh}}$ " script in a 88-colors terminal.

Foreground (text)

For using one of the 256 colors on the foreground (text color), the control sequence is "<Esc>[38;5; ColorNumber" where ColorNumber is one of the following colors:

	1	2	3	4	5	6	7	8	9
10	11	12	13	14	15				
20				24	25	26	27	28	29
30	31	32	33	34	35	36	37	38	39
40	41	42	43	44	45	46	47	48	49
50	51							58	59
60	61	62	63	64	65	66	67	68	69
70	71	72	73	74	75	76	77	78	79
80	81	82	83	84	85	86	87		
90		92	93	94	95	96	97	98	99
100	101	102	103	104	105	106	107	108	109
110	111	112	113	114	115	116	117	118	119
120	121	122	123			126		128	129
130	131	132	133	134	135	136	137	138	139
140	141	142	143	144	145	146	147	148	149
150	151	152	153	154	155	156	157	158	159
160	161	162	163	164	165	166	167	168	169
170	171	172	173	174	175	176	177	178	179
180	181	182	183	184	185	186	187	188	189
190	191	192	193	194	195	196	197	198	199
200	201	202	203	204	205	206	207	208	209
210	211	212	213	214	215	216	217	218	219
220	221	222	223	224	225	226	227	228	229
230	231							238	239
240	241	242	243	244	245	246	247	248	249
250	251	252	253	254	255	256			

Examples:

Code (Bash)	Preview
echo -e "\e[38;5;82mHello \e[38;5;198mWorld"	Hello World
for i in {1621} {2116} ; do echo -en "\e[38;5;\${i}m#\e[0m" ; done ; echo	#########

Background

For using one of the 256 colors on the background, the control sequence is "<Esc>[48;5; ColorNumber*m" where ColorNumber is one of the following colors:



Examples:

Code (Bash)	Preview
echo -e "\e[40;38;5;82m Hello \e[30;48;5;82m World \e[0m"	Hello World
for i in {1621} {2116} ; do echo -en "\e[48;5;\${i}m \e[0m" ; done ; echo	

Attributes combination

Terminals allow attribute combinations. The attributes must be separated by a semicolon (";").

Examples:

Description	Code (Bash)	Preview
Bold + Underlined	echo -e "\e[1;4mBold and Underlined"	Bold and Underlined
Bold + Red forground + Green background	echo -e "\e[1;31;42m Yes it is awful \e[0m"	Yes it is awful

Terminals compatibility

	Formatting						Colors				
Terminal	Bold	Dim	Underlined	Blink	invert	Hidden	8	16	88	256	Comment
aTerm [http://www.afterstep.org/aterm.php]	ok	-	ok	-	ok	-	ok	~	-	-	Lighter background instead of blink.
Eterm [http://www.eterm.org/]	2	-	ok	-	ok	ı	ok	2	ı	ok	Lighter color instead of Bold. Lighter background instead of blink. Can overline a text with the "^[[6m" sequence.
GNOME Terminal [http://library.gnome.org/users/gnome-terminal/]	ok	ok	ok	ok	ok	ok	ok	ok	-	ok	Strikeout with the "^[[9m" sequence.
Guake [http://guake.org/]	ok	ok	ok	ok	ok	ok	ok	ok	-	ok	Strikeout with the $^{^{\text{N}}}[9m'']$ sequence.
Konsole [http://konsole.kde.org/]	ok	-	ok	ok	ok	1	ok	ok	-	ok	
Nautilus Terminal [https://github.com/flozz/nautilus-terminal]	ok	ok	ok	ok	ok	ok	ok	ok	-	ok	Strikeout with the $^{^{\text{N}}}[9m'']$ sequence.
rxvt [http://rxvt.sourceforge.net/]	ok	-	ok	~	ok	-	ok	ok	ok	-	If the background is not set to the default color, Blink make it lighter instead of blinking. Support of italic text with the "^[[3m" sequence.
Terminator [http://www.tenshu.net/terminator/]	ok	ok	ok	-	ok	ok	ok	ok	-	ok	Strikeout with the $^{^{\text{N}}}[9m'']$ sequence.
Tilda [http://tilda.sourceforge.net/tildaabout.php]	ok	-	ok	ok	ok	-	ok	ok	-	-	Underline instead of Dim. Convert 256-colors in 16-colors.
XFCE4 Terminal [http://www.xfce.org/projects/terminal]	ok	ok	ok	ok	ok	ok	ok	ok	-	ok	Strikeout with the $^{^{\text{N}}}[9m'']$ sequence.
XTerm [http://invisible-island.net/xterm/xterm.html]	ok	ı	ok	ok	ok	ok	ok	ok	-	ok	
xvt	ok	-	ok	-	ok	ı	-	-	-	-	
Linux TTY	ok	-	-	-	ok	-	ok	2	_	-	Specials colors instead of Dim and Underlined. Lighter background instead of Blink, Bug with 88/256 colors.
VTE Terminal [http://developer.gnome.org/vte/]	ok	ok	ok	ok	ok	ok	ok	ok	-	ok	Strikeout with the "^[[9m" sequence.

Notations used in the table:

- "ok": Supported by the terminal.
- "~": Supported in a special way by the terminal.
- "-": Not supported at all by the terminal.

Demonstration programs

Colors and formatting (16 colors)

The following shell script displays a lot of possible combination of the attributes (but not all, because it uses only one formatting attribute at a time).

colors_and_formatting.sh

```
^[1:49:32m
#!/bin/bash
                                                          [0;49;34m ^[1,49;34m
                                                                                                    ^[5;49;34m
# This program is free software. It comes without
# the extent permitted by applicable law. You can
                                                          ^[4;49;36m
                                                                                                    ^[5;49;36m
# and/or modify it under the terms of the Do What
                                                                               [2;49;37m <u>^[4;49;37m</u>
                                                         ^[0;49;37m ^[1;49;37m
                                                                                                    ^[5;49;37m
 To Public License, Version 2, as published by S
# http://sam.zoy.org/wtfpl/COPYING for more detai
                                                          [0;49;92m ^[1;49;92m
                                                                              ^[2;49;92m _^[4;49;92m _^[5;49;92m
#Background
                                                                    ^[1;49;93m
for clbg in {40..47} {100..107} 49 ; do
                                                          [0:49:94m ^[1:49:94m
                                                                               ^[2;49;94m <u>_</u>
         #Foreground
         for clfg in {30..37} {90..97} 39 ; do
                                                                                         ^[4;49;96m ^[5;49;96m
                                                          [0:49:96m ^[1:49:96m
                                                                              ^[2;49;96m
                  #Formatting
                                                          [0;49;97m ^[1;49;97m ^[2;49;97m <u>^[4;49;97m</u> ^[5;49;97m
                                                                                                              ^[7;49;97m
                  for attr in 0 1 2 4 5 7; do
                                                          [0;49;39m ^[1;49;39m
                                                                                         ^[4;49;39m
                           #Print the result
                           echo -en \ensuremath{$^{\circ}}; ${clbg}; ${clfg}m ^[${attr}; ${clbg}]; ${clfg}m \ensuremath{$^{\circ}}
                  done
                  echo #Newline
         done
done
exit 0
```

256 colors

The following script display the 256 colors available on some terminals and terminals emulators like **XTerm** and **GNOME Terminal**.

256-colors.sh

```
#!/bin/bash
# This program is free software. It comes without any warranty, to
# the extent permitted by applicable law. You can redistribute it
 and/or modify it under the terms of the Do What The Fuck You Want
 To Public License, Version 2, as published by Sam Hocevar. See
# http://sam.zoy.org/wtfpl/COPYING for more details.
for fgbg in 38 48; do # Foreground / Background
    for color in {0..255}; do # Colors
        # Display the color
        printf "e[\$\{fgbg\};5;%sm %3s \\e[0m" $color $color
        # Display 6 colors per lines
          [\$(((\$color + 1) \% 6)) == 4]; then
            echo # New line
   done
    echo # New line
done
exit 0
```

Links

- Linux console codes manual ("man console_codes")[http://linux.die.net/man/4/console_codes]
- XTerm Control Sequences [http://invisible-island.net/xterm/ctlseqs/ctlseqs.html]
- Compilation of all escape sequences [http://bjh21.me.uk/all-escapes/all-escapes.txt]
- ANSI escape code (Wikipedia) [https://en.wikipedia.org/wiki/ANSI_escape_code]

Does not work with most of the terminal emulators, works in the tty and XTerm.

Some terminals supports only the first 8 colors (30..37 and 40..47), and some others does not support any color at all.

GTK Widget used in GNOME Terminal, Nautilus Terminal, XFCE4 Terminal...

Discussion



William C Grisaitis, 2011/11/13 01:00

Thanks! This was invaluable in customizing my PS1's:

if $[[${EUID}] == 0]]$; then

\e[1;38;5;28;48;5;234m\h PS1='\e[1;31;48;5;234m\u \e[38;5;240mon $e[38;5;54m\d]$ $\ensuremath{\mbox{0}}\ensure$

PS1='\e[1;38;5;56;48;5;234m\u \e[38;5;240mon \e[1;38;5;28;48;5;234m\h \e[38;5;54m\d $\ensuremath{\colored{0.38;5;56;48;5;234m[\w] \e[1m\s\e[0m] }}$

@caravaggisto

Barry Scott, 2012/06/14 19:41

Great work on terminal compatibility. I have been trying to get blinking text on a Linux tty(at the console). Do you have any idea if it's possible?



Anatoly, 2017/09/21 09:54

Not all terminal support blinking, and dim too. Before i think there are only 16 colors support. But now I see 256 are. It's very good. But for 16 only you may design

pseudo graphic interface, draw good windows and all graphical controls in text mode. Only you need(for russians) use DOS866 encodding set. It containe full set of pseudo graphic symbols, others no. There is set of libraries of pseudo graphic controls. And you may easily make TUI(text user interface) API like GUI. But library is Turbo Vision for DOS 16 only. But this libs in source code available. If you want you may rewrite them for Linux platform. And if use 256 colors you get more better design nearest to GUI. Many years I try to find redy solution but failed. So if you want to do that you need to all work by yourself. But result will best. This API take tens times less resources and quicker then qui. They don't require GUI regime at all... It will be best

But API of all. There is only 1 restriction. You don't must draw pictures, graphics, videos and so on where you need pixel draw indeed. But there are little API like that. Most API don't need pixel draw at all.



Fabien LOISON, 2012/06/14 19:54

I Think it is possible, but I haven't found how to do that



Barry Scott, 2012/06/14 20:11

I have looked at infocmp for linux the terminal(TERM=linux) I use and I see blink referenced in it but I'm having a hard time understanding the file format. The cursor blinks why disable blinking text.



Warron, 2013/04/04 17:09

Great page on bash coloring and attributes.

I was actually looking to find out if there is a way to combine attributes {BOLD, Blink, etc} around the same subset of text in doing a bash echo command with the -e option.

Can you help with this matter?



Fabien LOISON, 2013/04/04 19:54 Hello,

You can combine attributes with a semicolon:

echo -e "\e[1;5m Bold+Blink \e[0m"

echo -e "\e[1;4;31m Bold+Underline+Red \e[0m"

Note that the blink attribute is supported only by few terminals (XTerm, tty).

Regards,



Warron, <u>2013/04/11 19:49</u> Thank you Fabian.



That worked splendidly! You are the man! Konrad, 2015/07/25 19:51

Thank you!

 $PS1='[\e[0m]\[\e[38;5;105m]\] \[\e[38;5;105m]\] \[\e[38;5;105m]\] \[\e[38;5;221m]\] \[\e[38;5;221m]\] \[\e[38;5;236m]\] \] \[\e[38;5;236m]\] \]$

root:

 $PS1='[\e[0m\]\[\e[38;5;197m\]\u\[\e[38;5;197m\]\w\[\e[38;5;197m\]\] \e[38;5;197m\]\[\e[38;5;221m\]\[\e[38;5;221m\]\] \e[38;5;221m\]\[\e[38;5;221m\]\] \e[38;5;236m\]\] \e[38;5;236m\]\]$

Per Bothner, 2015/11/28 19:03

Note that the 256-colors.sh script uses a tab character, which has different behavior on different emulators.

On xterm and Konsole, TAB moves the cursor, without touching the skipped-over positions (so the background color is unchanged), while Gnome Terminal appears to effectively write spaces (so the background color is changed). Your images show the latter, but note that is incompatible with xterm.



egmontkob, 2017/10/10 10:01

Note that Gnome Terminal (actually VTE version 0.44.2) has also changed its behavior to be like xterm, making the patch from the next comment necessary.



Per Bothner, 2015/11/28 19:14

A fix for 256-colors.sh that uses printf instead of tabs:

#Display the color
echo -en "\e[\${fgbg};5;\${color}m"
printf "%4d " \${color}
echo -en "\e[0m"

Also, the upper cbound should be 255, not 256:



for color in {0..255}; do #Colors Nga Nguyen Duy, 2015/12/06 20:55

I don't know what is the difference between the <ESC> characters:

\e

\033

\x1B

Can somebody explain for me?

Thank in advance.



Fabien LOISON, <u>2015/12/07 08:29</u>, <u>2015/12/07 08:31</u> Hello,

This is only three ways to represent the same character. There will be no differences between using one representation or an other.

- * \e is a convenient way provided by Bash to insert the Escape character.
- \ast 33 is the position of the Escape character in the ASCII table expressed in octal (base 8, in decimal this is equal to 27)
- * 1B is the position of the Escape character in the ASCII table expressed in hexadecimal (base 16)

 \rightarrow So \0nn and \xNN are just a way to insert a character by providing its position in the ASCII table, in octal or hexadecimal format.



You can find an the ASCII table here → https://duckduckgo.com/?q=ascii+table&t=canonical g alexander, 2016/02/12 21:13

you are a bash scripting color, ascii man among boys



g alexander, <u>2016/02/12 21:20</u> good work.

with that gradient,i was trying to work how to put text inside of it to get a gradient of of text but the text just repeats with the loop. how can i put this into a function something like gradient "some text" blue white or gradient "more text" blue white yellow, function gradient(){}?



Mohsen Pahlevanzadeh, 2016/03/15 01:33 blink code doesn't work.

for example:

echo -e "Normal \033[5mHello"

Normal Hello

It's normal print Normal Hello, Not blink.




Can you write truly blink text? Fabien LOISON, 2016/03/15 08:13 Hello,

blink do not work on vte based terminals (most linux terminal, like gnome-terminal, tilda, guake, terminator, xfce4-terminal,...)

You can try with xterm, it should work on it.

See the compatibility table for more info: $http://misc.flogisoft.com/bash/tip_colors_and_formatting?\&\#terminals_compatibility$



Blinking is going to work in gnome-terminal and friends beginning with VTE 0.52 (to be released in March 2018).



Fabien LOISON, 2017/12/25 14:05 Thank you for the information:)

Gerry, 2016/04/12 18:26



Here's a little more on resetting:

\e[0m resets all colors and attributes.

\e[20m resets only attributes (underline, etc.), leaving colors unchanged.

\e[39m resets only foreground color, leaving attributes unchanged.

\e[49m resets only background color, leaving attributes unchanged.

Ron, 2016/05/13 13:17

(Taken from http://makandracards.com/makandra/1090-customize-your-bash-prompt:)

\u: current username

\h: hostname up to the first ., \H: full hostname

\w: current working directory, \W: same, but only the basename

\$(__git_ps1 "%s"): your current git branch if you're in a git directory, otherwise nothing

\\$: if the effective UID is 0: #, otherwise \$

\d: the date in "Weekday Month Date" format (e.g., "Tue May 26")

\t: the current time in 24-hour HH:MM:SS format, \T: same, but 12-hour format, \@: same, but in

12-hour am/pm format

\n: newline

\r: carriage return \\: backslash



Fabien LOISON, 2016/05/13 13:21

@Ron: \u, \h &co are available only in prompts:



http://misc.flogisoft.com/bash/tip_customize_the_shell_prompt

Toby, 2016/06/13 13:11

Please, please, please DON'T encourage people to put the raw terminal codes into their message strings! That way lies madness, because not all the world is a VT100/VT220/etc. Instead, use the 'tput' program to generate the correct code (if one exists) for the user's terminal. That is much more portable, and doesn't clutter the poor user's screen with lots of escape character clutter when they run your program from a non-terminal environment.



Fabien LOISON, 2016/06/13 13:21

Of course it is better to use libs or programs that abstract all the things and make it works with almost any terminals. But it still usefull to know how it works behind :)



fujisan, 2016/06/14 09:05

On a mate terminal with a white background, the bold (echo -e "Default e[1mDefault] is actually white so impossible to see the characters.



Fabien LOISON, 2016/06/14 12:05

In GNOME Terminal there is an option to set the color of the bold text (right click \rightarrow Profiles \rightarrow Profile Settings \rightarrow Colors \rightarrow Bold colors), there should be the same on mate-terminal.

PS: I translated the menu label from my french gnome-terminal. In yours, it can be slightly deferent.



Aakash Martand, <u>2016/09/23 08:30</u> Nice work.

would you please explain the control sequence of 8/16 Colors and 88/256 Colors



Fabien LOISON, <u>2016/09/26 10:47</u>

what do you want I explain ?



Aakash Martand, 2016/09/26 13:14

Like in your example, \e[30;48;5;82m World you've used 4 parameters. Is there any specific sequence for that?

As I understand,

30 is for black text.

48 is for what?

5 is for blink which is not happening, not even in Xterm.

82 is background color.



please help.
Fabien LOISON, <u>2016/09/26 13:24</u>, <u>2016/09/26 13:25</u>
Ah ok,

In 8/16 color mode:

"3x" is for foreground color "4x" is for background color

In 88/256 color mode:

"38;5" means "the next number is a foreground color in 88/256 color mode" "48;5" means "the next number is a background color in 88/256 color mode"

so "38;5;XXX" and "48;5;XXX" allow you to select colors in 88/256 color mode.

In your example ("\e[30;48;5;82m"),
"30" is for back foreground (text in black)
"48;5;82" is for green background (in 88/256 color mode)
Aakash Martand, 2016/09/26 14:01
Now I clearly understand.



Thanx buddy.



keep rocking.

Joe, 2016/10/11 17:13

This is an awesome document! It is well written! Thanks for making it clear.

Cheers,



+ Joe

Mark, 2016/10/20 09:02

Perfect tips! One more question - how make colored backgroud to whole line?

Fabien LOISON, <u>2016/10/20 11:48</u>

I do not know other solution than filling the line with spaces...

egmontkob, <u>2017/10/10 10:40</u>

In terminals that support "bce" (background color erase), the "el" (clear to end of line) sequence fills up the line with the current background color. This bce is supported by most graphical terminal emulators, while it's not supported by screen and tmux. An advantage of using this feature is that you don't end up with tons of space characters on copy-paste.

Example usage might so something like this:

if tput el; then tput bce else # fill up manually with spaces fi



Eddie, <u>2016/11/15 12:48</u> Hi all,

In my shell script formating text (bold/colors) all works and the results look correct

if the output is sent to standard output. (Just calling the script ./myscript.sh

But, if i redirect the output into a file i only see original text including

statements such as ESC[90G ESC[1;32 and so on.

Any ideas?

1. Content of myscript.sh:

echo -e "OKAY TO BE PRINTED IN COLUMN 50 OF THIS LINE \e[20G OKAY"

2. ./myscript.sh &> output.txt 2>&1

3. Use Notepad++ to open output.txt: I see

OKAY TO BE PRINTED ON COLUMN 50 OF THIS LINE ESC[20G OKAY

If i use cat to show the content i see the correct results.

However, i want to see the same result in the text file as it is shown on default output.

Eddy, 2016/11/15 12:57

Hi all,

do you know how can i make this formating to be kept in the file if i redirect the output of my shell script?

1. Content of my shell script "myscript.sh"

echo -e "PRINT RED HELLO AT COLUMN POSITION 80 \e[80G \e[91m HELLO"

- 2. ./myscript.sh &> output.txt
- 3. Content of output.txt:

PRINT RED HELLO AT COLUMN POSITION 80 ESC[80G ESC[91m HELLO

Many thanks for your support in advance.

Regards, Eddy



Fabien LOISON, <u>2016/11/17 19:23</u> Hello,

You cannot see the formating in your text editor, because it is your terminal emulator (XTerm, GNOME Terminal, Konsole,...) that generates colors when there is some special byte sequence in the output. Your text editor will just display the content of the file, it will not interpret it.

Regards,



babunp114525, 2019/05/29 14:40

нı,

Is there any way that I can display the color message on the terminal to the output file?



Fabien LOISON, 2019/05/29 14:49

Not, this is not possible



Emeric, 2016/11/24 17:59

Hey guys, here is another script to display 256 colors in a terminal.

To be honnest it's basically the same but the output is a bit more... readable.

for fgbg in 38 48; do

i=0

for color in $\{0..15\}$; do

if [\$i -lt 10]; then

echo "\x1B[\${fgbg};5;\${color}m"' '\${color}' '"\x1B[0m" | tr -d '\n'

else

echo "\x1B[\${fgbg};5;\${color}m"' '\${color}' '"\x1B[0m" | tr -d '\n'

.

```
fi
i=\$((\$i+1))
if [\$((i\% 8)) == 0]; then
echo
fi
done
i=0
for color in {16..255}; do
if [ $i -lt 84 ]; then
echo "\x1B[${fgbg};5;${color}m"' '${color}' '"\x1B[0m" | tr -d '\n'
else
echo "\x1B[${fgbg};5;${color}m"' '${color}' '"\x1B[0m" | tr -d '\n'
fi
i=\$((\$i+1))
if [\$((i\% 6)) == 0]; then
echo
fi
done
echo
echo
done
```



exit 0

(sorry for the horrible indentation, no way to fix this unfortunately)

ET, 2017/05/22 09:09

Just wanted to say thanks...

It is really informative and helpful, and a it's shame there is no formal document about this..

Also, just adding 22 as normal attribute code.

NeoBeum, 2017/05/23 11:35

Hi, thanks for that intro to unix terminal. This is for other people trying to memorise the colour sequences...

Last year I was bored in class learning the Windows terminal & Visual studio; I worked in hardware before I started studying, I made a chart for my classmates that translated what the code effectively was telling the 'pixels' what to do. So I made a wrapper that just turned 'bitswitches' on and off for each of the primary light colours and told them - 'Rather than trying to remember or have to look up what colour combinations output what, remember it as R.G.B. and a Power Intensity... if you want Bright Red, that's Full power, with Red Only... if you want a purple, it's Red and Blue for Magenta, and half power...If you know what the other two are, yellow and cyan, you

won't need to remember 255 colours any more.'

The K in the chart represents 'Key' and the others on the HSB are dependent on how the manufacturer programmed in the logic circuit for high+ or low- voltage and the main circuit flag#. http://i.imgur.com/YRNIKoZ.png

Soon after, the rest of the class were printing out rainbows for Hello World.

Text version of the chart: View it in monospace font, no tabs, just spaces. ## HARDWARE REFERENCE
DECIMAL 128 64 32 16 8 4 2 1
COLOR + BBF F- # K B G R
BINARY 0 0 1 1 0 1 0 1
HEX 3 5
FOREGROUND F F
BACKGROUND BB

HARDWARE REFERENCE
DECIMAL 128 64 32 16 8 4 2 1
COLOR + BBF F- # K B G R
BINARY 1 0 0 1 0 0 0 1
HEX 9 1
FOREGROUND F F
BACKGROUND BB
sumit , 2017/06/10 10:18
Hello,



My concern is , I have make 1 shell script which output come in colourful. So my requirement is I have save this output in .csv and i want when i fetch this .csv in local desktop output also come in colourful. Please help



Garry, 2017/09/15 22:01

So the 256 colors - is there anywhere where I can look up what RGB values these match to?

For example, let's say (background) color 121, it's a light green. It is pretty close to "Pale Green" i.e. Red=152 Green=251 Blue=152 (or if you prefer hex, 98FB98). Is there somewhere I can look up the RGB values for 121, etc.?

So I'm trying to setup something that will use my prompt to change the colors, like this (works in bash, but not ksh):

PS1="\033[48;5;121m\033[34m\033[7m\${LOGNAME}@\${HOSTNAME}#\033[27m "

In my .profile, it will look up some information and set PS1 accordingly. For example, production servers would get one color of background, development servers another color. Linux servers get one color of foreground, Solaris another, etc. So, if I'm logged into a development Linux box, and I login from there into a production Solaris box, my colors will change - giving me a visual cue that I'm on a production server now, etc.

I have some other things that I want to use matching colors for, and I can define the colors using RGB. If I use color 121 for development, I'd need to know what RGB value that equates to so that I can use that same color to represent development on other things where I would define the color with RGB.



So is there are chart that shows these 256 colors and their RGB equivalents? Fabien LOISON, 2017/09/17 18:24

Hello, I do not know where you can find the list of the default palette color. But there is a way to use RGB values in some terminals, I will update this article when I will have some time.

For the background color, the sequance is "\033[48;2;R;G;Bm" (e.g. "\033[48;2;255;64;0m Hello \033[0m")

For the foreground color, the sequance is "033[38;2;R;G;Bm" (e.g. "033[38;2;255;64;0m Hello 033[0m")



Donald, 2019/01/17 07:56



Jan Dolinár, 2017/09/27 12:58

Minor correction:

In xterm \e[21m does NOT perform reset of bold. According to docs (http://invisible-island.net/xterm/ctlseqs/ctlseqs.html#h2-Functions-using-CSI-_-ordered-by-the-final-character_s_) \e[21m is "doubly underlined". To correctly reset either bold or dim to normal on xterm, one must actually use \e[22m. Which makes it pretty un-intuitive and pretty much the only way to find out is the hard way :-(Other terminals (at least VTE based ones), work just as described on this page.



hello, 2017/09/27 14:31 i just called to say i love you



no but seriously this was an insanely useful guide

egmontkob, <u>2017/10/10 10:10</u>

Several terminal emulators now support 16 million colors, a.k.a. truecolors. See https://gist.github.com/XVilka/8346728 for details.



Matthias Delamare, 2017/11/05 12:16For a better presentation, change this line if [\$((\$color + 1) % 10)) == 0]; then

... to the following one:

if [\$(((\$color + 1) % 6)) == 4]; then

You'll have a better comprehension, and choosing the color will be easier for you.



Fabien LOISON, <u>2017/11/06 08:18</u>, <u>2017/11/08 08:30</u>

You are right, it is more readable like this, I will update later;)



Edit: updated! :) Steve, 2018/04/10 14:28

Awesome page, saved me a sh** ton of working finding this info, thanks again! :)



Jordan, 2018/04/12 12:58

256 colors with a blacklist of the hardest colors to see if your background is white or black



https://gist.github.com/hypergig/ea6a60469ab4075b2310b56fa27bae55

zpo, 2018/07/06 07:16

Thanks a lot for sharing, you have my best wishes. But now I am working on logs stuff. I tried to output shell scripts'printing to log files but it didn't work when I check the log. Colors and bold styles seem only work in Terms, does it?



Fabien LOISON, <u>2018/07/07 14:57</u> Hello,



yes, this works only when you print text in a terminal

me, <u>2018/07/26 19:07</u>

Here's a cool one:

 $PS1="\{[e[91m]\}u\\[e[38;5;208m]]@\\[e[92m]\}h:\\[e[96m]]$PWD\\[e[35m]]/$(date +"%D-%H:%M" | sed 's/\/-/g')n\\[e[38;5;21m]]$$]$$ $$ \[e[0m] "$



Boo, 2018/07/31 07:08

So... when are you going to finish this page:

https://misc.flogisoft.com/_detail/bash/ico/tip_cursor_movements.png?id=bash%3Ahome?

I need similar bash tips on cursor movement.

Thank you. :)

Fabien LOISON, 2018/07/31 07:16, 2018/07/31 07:17



Hello, I haven't touched to this wiki for a looong time, I will probably never do it...

anyway, the main codes for moving the cursor are:

* echo -e "\e[1;1H" \rightarrow moves the cursor to (1,1), that's the top left corner of the terminal (you can change the numbers to move somewhere else)

* echo -e "\e[2]" → Clear the terminal




(hide), 2018/08/09 09:04

Blink work in xfce4-terminal 0.8.7.4 (Xfce 4.12). Testined 'echo -e "\e[1;5m Bold+Blink \e[0m"'.

Fabien LOISON, <u>2018/08/09 09:09</u>



You are right, it seems it is now implemented in VTE, so it works in all VTE-based terminals (GNOME Terminal, Tilda, Terminator,...).



Thanks for the update :)
Shidong Wang, 2018/09/01 04:34

Hi, I have a question about this thread, when I start `ipython` in neovim's job API, I found there is a $^{[]0;}$ at the beginning of first line, anyone know what is it,

Steve Tarver, 2018/09/01 04:52

This is such an awesome article! Two small changes to 256_colors.sh allow it to run in the Bourne shell - tested in ash on Alpine Linux.

```
\{0..255\} => \$(seq \ 0 \ 255)
\$(((\$color + 1) \% \ 6)) => \$(( (\$color + 1) \% \ 6))
```

The "fixed" version is:

#!/bin/sh

This program is free software. It comes without any warranty, to

the extent permitted by applicable law. You can redistribute it

and/or modify it under the terms of the Do What The Fuck You Want

To Public License, Version 2, as published by Sam Hocevar. See

http://sam.zoy.org/wtfpl/COPYING for more details.

for fgbg in 38 48 ; do # Foreground / Background for color in (seq 0 255); do # Colors # Display the color printf "\e[fgbg;5;%sm %3s \e[0m" color \$color # Display 6 colors per lines if [f((scolor + 1) % 6)) == 4]; then echo # New line fi done echo # New line done



exit 0

Steve Tarver, 2018/09/01 05:05

Similarly, I changed the colors_and_formatting.sh to work in Alpine Linux Bourne shell (ash) and also now works on mac.

#!/bin/sh

This program is free software. It comes without any warranty, to

the extent permitted by applicable law. You can redistribute it

and/or modify it under the terms of the Do What The Fuck You Want

To Public License, Version 2, as published by Sam Hocevar. See

http://sam.zov.org/wtfpl/COPYING for more details.

#Background for clbg in \$(seq 40 47) \$(seq 100 107) 49; do #Foreground for clfg in \$(seq 30 37) \$(seq 90 97) 39; do #Formatting for attr in 0 1 2 4 5 7; do #Print the result printf "\e[\${attr};\${clbg};\${clfg}m ^[\${attr};\${clbg};\${clfg}m \e[0m" done echo #Newline done done done



exit 0

Ralf, 2018/10/22 13:41 Very nice article, thumbs up!

However, I have a question about the 256 color table. I can see that there are colors with numbers from 0 to 256 which means, there actually are 257 colors (more that 8-bit) which made me wonder.

Then, I read your note:

"The colors number 256 is only supported by vte (GNOME Terminal, XFCE4 Terminal, Nautilus Terminal, Terminator,...)."

Do you mean the color with the number 256 or the amount of colors?



Fabien LOISON, 2018/10/22 13:44

Hello, I mean the color number 256, and I do not know if it is a bug in VTE that allows us to use it or if it is a feature :)



Ralf, <u>2018/10/22 13:54</u> Haha, hilarious! :D

Thanks for the information and the quick reply!



asky, 2018/10/26 04:54

how to work this

for i in $\{16..21\}$ $\{21..16\}$; do echo -en "\e[38;5;\${i}m#\e[0m"; done; echo on fish shell?



Fabien LOISON, 2018/10/26 07:19

I have no idea, I never used Fish, sorry:(



Vivek, 2018/12/02 04:48

Nice article. Have been looking for a comprehensive document since a long time. ZaWertun, 2018/12/05 14:14



Konsole 18.08.3 supports strikeout with code 9, just checked it.



Rafael, <u>2019/01/06 22:38</u>

Hello all. Nice article. Just wanted to say thank you. Also i am just creating a basic PS1 generator using javascript. If anyone

wants to give me his opinion feel free ->https://github.com/alator21/z8 and demo here->http://alator21.github.io/z8



Fabien LOISON, <u>2019/01/07 07:57</u>

Thank you for the sharing, I also made one long time ago, but it is more roots :) \rightarrow https://misc.flogisoft.com/bash/tip_customize_the_shell_prompt



Eddy, 2019/03/21 04:29

Thank you for this! I put the following together to output a rainbooow full-saturation spectrum sweep. Posting it here after finding only 2 existing google results for this sequence. This could be enhanced with block shading to smear adjacent hues and/or cyclic movement.

for i in 21 27 33 39 45 51 50 49 48 47 46 82 118 154 190 226 220 214 208 202 196 197 198 199 200 201 165 129 93 57 21

do echo -en "\e[48;5;\${i}m \e[0m"; done



Result: https://i.imgur.com/XEfjQN8.png Alexander Supertramp, 2019/03/21 14:57

is there a way to echo text that is blinking while a script is running, then stop it once the script has finished? so the output screen is unblinking once the script has run?



Im Ducking Bill Collectors Alimony Prison And Ass Kicking, <u>2019/05/15 09:25</u> Mark asked: One more question - how make colored backgroud to whole line?

I use:

alias r='tput setab 1; tput el; tput cud1; tput sgr0; tput ed' # red line alias g='tput setab 2; tput el; tput cud1; tput sgr0; tput ed' # green line (I'm on Debian 9.9.0, gnome-terminal.)



Your web page is very nice! Excellent work! Thank you.

MyName, <u>2019/05/26 05:32</u>

Hello, i would like to join people that use out-of-Date Linux releases..., any websites or irc-channels?



cedric, 2019/05/27 07:12, 2019/05/27 07:28 use something like this is simple for the reader

bold="\e[1m" inv="\e[7" red="\e[31m" green="\e[32m" yellow="\e[33m" reset="\e[0m"

echo -ne "\${yellow}\${bold}Yellow Bold\${reset}"
echo Normal
echo -ne \${red}\${bold}Red Bold{reset}
echo -ne \${inv}\${bold}Inversed{reset}
Cedric , 2019/05/27 07:26
Error in my typing :

change echo by echo -ne



Fabien LOISON, 2019/05/27 07:29

Done:)



paul, 2019/08/18 10:20 Works in Python or other terminal output.

print("\033[032m grass is \033[0m



Also not limited to colors but works with mouse and keyboard interpretation (click move etc.).

Adam Danischewski, 2019/10/07 04:35

Great overview!! I recently became interested in terminal colors and

wrote a lookup from ANSI 256 to PGB (decimal/bex) you may find it

wrote a lookup from ANSI 256 to RGB (decimal/hex) you may find it interesting.

Feel free to hack it up and make use of it!

http://scriptsandoneliners.blogspot.com/2019/10/print-ansi-colors-in-rgb-hexdecimal.html
You could leave a comment if you were logged in.

bash/tip_colors_and_formatting.txt · Last modified: 2018/08/09 09:14 by flozz

© 2011 Fabien LOISON - www.flogisoft.com

Except where otherwise noted, content on this wiki is licensed under the following license: CC Attribution-Share Alike 4.0 International [http://creativecommons.org/licenses/by-sa/4.0/]