تسليم هاكاثون

المجلد الأول – دليل التشغيل

للمشغلين والمستخدمين النهائيين: الإعداد، التشغيل اليومي، وأفضل الممارسات

الفريق: TraversalAI

الأعضاء: Ahmad Alfaqeih, Mustafa Maisara

المدربة: Ms. Amal Qutairi

هوية المشروع ونطاقه 3
الإعداد والتشغيل الأولي 3
التشغيل اليومي 4
السلامة التشغيلية 4
خريطة المراجع التشغيلية 5

قسم

هوية المشروع ونطاقه

هذا الدليل يعرّف TraversalAI كمنصة تشغيل ذكية للهاكاثون، مع هوية الفريق TraversalAI وأعضاء الفريق Ahmad Alfaqeih, Mustafa Maisara وإشراف Ms. Amal Qutairi.

- الوكلاء المدمجون يتم تجهيزهم تلقائياً أثناء الإعداد الأولي.
- واجهة المحادثة الرسومية تعمل عبر البوابة فقط.
- التشغيل المستهدف محلياً على Raspberry Pi 5 أو بيئة Node متوافقة.

تنسيق الوكلاء المدمجين

الوكيل الرئيسي ينسق البريد الإلكتروني ووسائل التواصل



قسم

الإعداد والتشغيل الأولي

ابدأ بتثبيت التطبيق، ثم نفّذ أمر الإعداد لتجهيز الوكلاء، مساحة العمل، ملفات الجلسات، ومفاتيح الوصول إلى البوابة.

```
npm install -g traversalai@latest
traversalai onboard --install-daemon
traversalai chat --no-open
```

- الوكيل الرئيسي: التنسيق، التفويض، ومتابعة الجلسات.
- وكيل البريد: الرسائل، المسودات، التنظيم.
- وكيل التواصل الاجتماعي: النشر، المتابعة، والتفاعل.

قسم

التشغيل اليومي

في التشغيل اليومي، يستخدم المشغلون واجهة المحادثة أو أوامر الطرفية لإرسال المهام، تبديل النماذج، تبديل الوكلاء، ومراجعة السجل المحفوظ.

- استخدم السجل المحفوظ لاستكمال المحادثات السابقة.
- بدّل الوكيل وفق المهمة المطلوبة بدلاً من مزج المهام في جلسة واحدة.
- راجع أحداث الأدوات قبل اعتماد النتائج التنفيذية.

تدفق البيانات

من الرسالة إلى النتيجة عبر البوابة والوكيل والأدوات

قسم

السلامة التشغيلية

المنصة شخصية افتراضياً وليست بيئة متعددة المستأجرين بشكل عدائي. يجب تفعيل الضوابط عندما يشارك أكثر من مستخدم نفس القناة أو نفس الأدوات.

- استخدم allowlists وpairing قبل فتح الوصول البعيد.
- قلّل صلاحيات الأدوات للوكلاء المتخصصين.
- نفّذ فحوصات health وsecurity audit بشكل دوري.

قسم

خريطة المراجع التشغيلية

ملفات التوثيق ذات الصلة بالمشغل:

- docs/channels/bluebubbles.md
- docs/channels/broadcast-groups.md
- docs/channels/channel-routing.md
- docs/channels/discord.md
- docs/channels/feishu.md
- docs/channels/googlechat.md
- docs/channels/grammy.md
- docs/channels/group-messages.md
- docs/channels/groups.md
- docs/channels/imessage.md
- docs/channels/index.md
- docs/channels/irc.md
- docs/channels/line.md
- docs/channels/location.md
- docs/channels/matrix.md
- docs/channels/mattermost.md
- docs/channels/msteams.md
- docs/channels/nextcloud-talk.md
- docs/channels/nostr.md
- docs/channels/pairing.md
- docs/channels/signal.md
- docs/channels/slack.md
- docs/channels/synology-chat.md
- docs/channels/telegram.md
- docs/channels/tlon.md
- docs/channels/troubleshooting.md
- docs/channels/twitch.md
- docs/channels/whatsapp.md
- docs/channels/zalo.md
- docs/channels/zalouser.md
- docs/cli/acp.md
- docs/cli/agent.md
- docs/cli/agents.md
- docs/cli/approvals.md
- docs/cli/browser.md

ملفات التوثيق ذات الصلة بالمشغل:

- docs/cli/configure.md
- docs/cli/cron.md
- docs/cli/daemon.md
- docs/cli/dashboard.md
- docs/cli/devices.md
- docs/cli/directory.md
- docs/cli/dns.md
- docs/cli/docs.md
- docs/cli/doctor.md
- docs/cli/gateway.md
- docs/cli/health.md
- docs/cli/hooks.md
- docs/cli/index.md
- docs/cli/logs.md
- docs/cli/memory.md
- docs/cli/message.md
- docs/cli/models.md
- docs/cli/node.md
- docs/cli/nodes.md
- docs/cli/onboard.md
- docs/cli/pairing.md
- docs/cli/plugins.md
- docs/cli/qr.md
- docs/cli/reset.md
- docs/cli/sandbox.md
- docs/cli/secrets.md
- docs/cli/security.md
- docs/cli/sessions.md
- docs/cli/setup.md
- docs/cli/skills.md
- docs/cli/status.md
- docs/cli/system.md
- docs/cli/tui.md
- docs/cli/uninstall.md
- docs/cli/update.md
- docs/cli/voicecall.md
- docs/cli/webhooks.md
- docs/gateway/authentication.md
- docs/gateway/background-process.md
- docs/gateway/bonjour.md
- docs/gateway/bridge-protocol.md
- docs/gateway/cli-backends.md
- docs/gateway/configuration-examples.md
- docs/gateway/configuration-reference.md
- docs/gateway/configuration.md
- docs/gateway/discovery.md

ملفات التوثيق ذات الصلة بالمشغل:

- docs/gateway/index.md
- docs/gateway/local-models.md
- docs/gateway/logging.md
- docs/gateway/multiple-gateways.md
- docs/gateway/network-model.md
- docs/gateway/openai-http-api.md
- docs/gateway/openresponses-http-api.md
- docs/gateway/pairing.md
- docs/gateway/protocol.md
- docs/gateway/remote-gateway-readme.md
- docs/gateway/remote.md
- docs/gateway/sandbox-vs-tool-policy-vs-elevated.md
- docs/gateway/sandboxing.md
- docs/gateway/secrets-plan-contract.md
- docs/gateway/secrets.md
- docs/gateway/security/index.md
- docs/gateway/tailscale.md
- docs/gateway/tools-invoke-http-api.md
- docs/gateway/troubleshooting.md
- docs/gateway/trusted-proxy-auth.md
- docs/help/debugging.md
- docs/help/environment.md
- docs/help/faq.md
- docs/help/index.md
- docs/help/scripts.md
- docs/help/testing.md
- docs/help/troubleshooting.md
- docs/install/ansible.md
- docs/install/bun.md
- docs/install/development-channels.md
- docs/install/docker.md
- docs/install/exe-dev.md
- docs/install/fly.md
- docs/install/gcp.md
- docs/install/hetzner.md
- docs/install/index.md
- docs/install/installer.md
- docs/install/macos-vm.md
- docs/install/migrating.md
- docs/install/nix.md
- docs/install/node.md
- docs/install/northflank.mdx
- docs/install/podman.md
- docs/install/railway.mdx
- docs/install/render.mdx
- docs/install/uninstall.md
- docs/install/updating.md