

Test 1 (26th July 2024)

Olamide Adu

Instructions

Wait until WEBR status exactly under **TEST 1 (26th July, 2024)** is **Ready**. Ideally it takes less than a seconds. You have twenty minutes to answer the questions. Do not reload the page. If you, you lose your progress. **Good luck!!**

Questions

1. create a vector of even numbers from 200 to 400 and save it in a variable called `my_even_number`. Print your result

```
my_even_number <- seq(200, 400, 2)
my_even_number
```

```
[1] 200 202 204 206 208 210 212 214 216 218 220 222 224 226 228 230 232 234
[19] 236 238 240 242 244 246 248 250 252 254 256 258 260 262 264 266 268 270
[37] 272 274 276 278 280 282 284 286 288 290 292 294 296 298 300 302 304 306
[55] 308 310 312 314 316 318 320 322 324 326 328 330 332 334 336 338 340 342
[73] 344 346 348 350 352 354 356 358 360 362 364 366 368 370 372 374 376 378
[91] 380 382 384 386 388 390 392 394 396 398 400
```

2. How many even numbers do we have in `my_even_number`

```
length(my_even_number)
```

```
[1] 101
```

3. create a vector of odd numbers from 30 to 108 and save it in a variable called `my_odd_number`

```
my_odd_number <- seq(29, 108, 2)
```

4. what is the median of my_odd_number

```
median(my_odd_number)
```

```
[1] 68
```

5. what is the average of my_even_number

```
mean(my_even_number)
```

```
[1] 300
```

6. Using R, find the remainder of 498 divided by 5

```
498%%5
```

```
[1] 3
```

7. Change the word **greatest** from lower case to upper case

```
toupper("greatest")
```

```
[1] "GREATEST"
```

8. Get the total value if you add my_even_number and my_odd_number

```
sum(my_even_number, my_odd_number)
```

```
[1] 33020
```

9. create a sequence of number from -10 to 10. and save it in the variable name my_number.
Confirm if my_number data type is a character data type

```
my_number <- -10:10
```

```
is.character(my_number)
```

```
[1] FALSE
```

10. If your answer in the previous is **TRUE** find the sum, else convert it to a character type

```
sum(my_number)
```

```
[1] 0
```

```
as.character(my_number)
```

```
[1] "-10" "-9"  "-8"  "-7"  "-6"  "-5"  "-4"  "-3"  "-2"  "-1"  "0"   "1"  
[13] "2"   "3"   "4"   "5"   "6"   "7"   "8"   "9"   "10"
```