Journey Profile Documentation

This document outlines the high-level structure and details the core components of the “story3-initial-journeyprofile1.json” file,

High-Level Structure

A Journey Profile document is divided into 3 parts

Part	Description
`meta`	provides the administrative context for this data packet
`header info`	contains additional information regarding the location etc.
`segmentProfileReferences`	defines the complete physical and temporal path of the train journey + additional info

Core Component Details

meta

The `meta` section provides the administrative context for this data packet

Key	Type	Description
`eventId`	String (Format: "JP." + UUID)	Is the unique identifier for exactly this Journey Profile
`eventType`	String	Is always “Journey Profile”
`createdAt`	String (ISO 8601 Timestamp)	Is the point in time, (time and Date) when the Journey Profile was created
`createdBy`	String	Is the descriptor of the Software and Software Version

Key	Type	Description
		with which this document was created
`correlation`	array<String> (Format: “MI.“+ UUID or “IN.” + UUID)	Consists of two entries: To which Mission ID and which Infrastructure ID this Document correlates to.

```
"meta": {
  "eventId": "JP.2423ad71-2beb-4146-bf6f-8d3f6918f9fc",
  "eventType": "JourneyProfile",
  "createdAt": "2024-11-28T13:58:17.450Z",
  "createdBy": "CTMS-T[1.0.0-20241016.39019908-8b0c5d0f-product]",
  "correlation": [
    "MI.51371659-fba4-4539-af54-79a8ca9b3a8a",
    "IN.9a3aa51b-85dd-4f4e-bf66-6ae3d2f7512b"
  ]
},
```

Header Information

This Information consists of the following aspects:

Key	Type	Description
`tmsHeader`	Object	Contains metadata for the Traffic Management System (TMS). Includes tmsId, countryId (country identifier), and timezoneOffset (time zone, here UTC+0).
`atoTracksideDestination`	Object	Identifies the trackside ATO system (Automatic Train Operation) to which the data is sent (atoTsId).
`atoOnboardDestination`	Object	Identifies the train or onboard system for which the data is intended. Contains nidOperational (the train number/ID).

Key	Type	Description
`status`	String	Indicates the validity status of the profile (e.g., 'VALID').
`dataId`	String	A unique ID for this specific data record. Special feature: it is composed of the train ID and the date (nidOperational + '.' + operatingDay). train ID like "RB75"
`operatingDay`	Date (Date)	The operational date on which this timetable is valid (format: YYYY-MM-DD).


```
"tmsHeader": {
  "tmsId": 0,
  "countryId": 96,
  "timezoneOffset": "+00:00"
},
"atoTracksideDestination": {
  "atoTsId": 1
},
"atoOnboardDestination": {
  "nidOperational": "FFFFFFF1"
},
"status": "VALID",
"dataId": "FFFFFFF1.2024-10-14",
"operatingDay": "2024-10-14",
```


SegmentProfileReferences

Defines the operational path of the journey, organized into a sequence of specific route segments

segmentProfileReferences contains the following information:

Key	Type	Description
`countryId`	Int	numeric ID of the country

Key	Type	Description
segmentProfileId	Int	numeric ID of the segment profile
direction	{“NOMINAL” , ? }	Specifies direction of travel relative to segment's definition
timingPointConstraints	array<Object>	list of objects defining the operational requirements for each location in the segment

Each timingPointConstraints contains the following information:

Key	Type	Description
tpType	{“PASS” , “STOP” }	describes whether a train should pass through the TP or stop
timingPointId	Int	Numeric ID of the Timing Point
latestArrivalTimestamp	Timestamp	The specific date and time (ISO 8601 format) by which the train is scheduled to reach the timing point
arrivalWindow	Int	allowable tolerance associated with the arrival timestamp in seconds
alignment	{“FRONT” , ? }	part of the train used as the reference for the timing point
endOfJourney	Boolean	indicates if current timing point marks termination of trip
daylightSaving	Boolean	Indicates whether timestamps account for Daylight Saving Time rules

```
{
    "countryId": 0,
```

```
      "segmentProfileId": 48,
      "version": 0,
      "direction": "NOMINAL",
      "timingPointConstraints": [
        {
          "tpType": "PASS",
          "timingPointId": 612,
          "latestArrivalTimestamp": "2024-10-14T08:00:48.949Z",
          "arrivalWindow": 0,
          "alignment": "FRONT",
          "endOfJourney": false,
          "daylightSaving": true
        },
        {
          "tpType": "PASS",
          "timingPointId": 607,
          "latestArrivalTimestamp": "2024-10-14T08:00:51.323Z",
          "arrivalWindow": 0,
          "alignment": "FRONT",
          "endOfJourney": false,
          "daylightSaving": true
        }
      ]
    },
```