

Route B: exact angular-calendar re-binning


Every 6-hourly track point and storm mask time step is assigned to its angular month (30-degree arcs of solar longitude, April-1 anchored, calendar_user.py convention, integer month lengths, leap-aware). No mean-preserving smoothing involved.

storm_days = exact re-binned 6-h masks. Track fields = exact re-binned pkl points. pr/temp/slp composites and EGR/tgrad use monthly model output and stay route A. PI/MH/LIG maps stay route A (6-h masks were not archived for those runs).


Each page: TOP fixed-day calendar, MIDDLE route A, BOTTOM route B.

Fig. 1 orbital lever

fixed-day calendar (paper)



route A (matrix conversion)



route B (exact re-binning)






Fig. 3 annual overview

fixed-day calendar (paper)



route A (matrix conversion)



route B (exact re-binning)






Fig. 4 summer paradox

fixed-day calendar (paper)



route A (matrix conversion)



route B (exact re-binning)





Fig. 5 EGR mechanism (monthly atmos: route A only)

fixed-day calendar (paper)



route A (matrix conversion)




Fig. 6 spatial end-member maps






Fig. 7 synthesis

fixed-day calendar (paper)



route A (matrix conversion)



route B (exact re-binning)






Fig. 8 phase locking

fixed-day calendar (paper)



route A (matrix conversion)



route B (exact re-binning)








Fig. 9 storm rain (pr fields route A)

fixed-day calendar (paper)



route A (matrix conversion)



route B (exact re-binning)







Fig. 10 PI/MH/LIG bars

fixed-day calendar (paper)



route A (matrix conversion)



route B (exact re-binning)







Fig. 11 PI/MH/LIG maps (6-h masks not kept: route A only)




App. A1 temperature gradient (monthly atmos: route A only)

fixed-day calendar (paper)






route A (matrix conversion)






App. A2 track latitude

fixed-day calendar (paper)



route A (matrix conversion)



route B (exact re-binning)

