

ADVANCED COMPOUNDED Wellness Protocols

Personalized. Physician-Supervised.
Results-Driven.

146+	Compounded Formulations	503A & B	Rx Protocols	MD-Led	Clinical Oversight
WEIGHT & METABOLISM GLP-1 injectables, sublingual GLP-1, Retatrutide triple-agonist, AOD-9604, Tirzepatide dual-agonist, and metabolic support formulas.	LONGEVITY & ANTI-AGING NAD+ pens & vials, Epithalon, GHK-Cu, Thymosin A-1, SS-31 mitochondrial peptide, and telomere anti-aging protocols.	PERFORMANCE & RECOVERY BPC-157, TB-500, Wolverine & Recovery blends, MOTS-C, CJC-1295, Sermorelin, Tesamorelin, and GH optimization pens.	HORMONES, SKIN & NEURO PT-141, Gonadorelin, Kisspeptin, GHK-Cu Glow Blend, DSIP sleep peptide, Semax+Selank cognitive stack, and Pinealon neuroprotection.		
NATURAL Identical to or derived from naturally occurring compounds (e.g. NAD+, GHK-Cu, Gonadorelin, DSIP, MOTS-C). Bioidentical — not synthetically created.	SEMI-SYNTHETIC Structurally modified analogs of natural molecules for enhanced potency or half-life (e.g. BPC-157, Sermorelin, Tesamorelin, PT-141, IGF-LR3).	SYNTHETIC Fully laboratory-synthesized with no direct natural counterpart (e.g. Semaglutide, Tirzepatide, Epithalon, CJC-1295). Precision molecular design.			
Formulated for You, Not the Masses Every compound matches your exact dose, delivery format, and health goals — not a one-size-fits-all commercial product.	Pharmaceutical-Grade Quality Prepared in FDA-registered, CGMP-compliant facilities with verified potency and quality controls on every batch.	Broader Than Standard Pharmacy Access peptide blends, novel combinations, and delivery formats unavailable commercially — all within legal guidelines.	Physician-Supervised at Every Step Your protocol is designed, monitored, and adjusted by a licensed physician ensuring safety, efficacy, and real results.		
Ready to Start Your Protocol?	Ask your provider today about a personalized compounded wellness plan. New patients and patients looking to expand their program are both welcome.			SPEAK WITH YOUR PROVIDER	

NATURAL

Bioidentical / naturally derived

SEMI-SYN

Modified analog of natural molecule

SYNTHETIC

Fully lab-synthesized

■ GLP-1 & WEIGHT MANAGEMENT

SYNTHETIC

Semaglutide + Glycine

2.5|5|12.5mg vials · Weekly SC

→ *Starter through maintenance*■ **Contraindications:** Active/personal hx of MTC or MEN2, pancreatitis, severe renal impairment, pregnancy◆ **Side Effects:** Nausea, vomiting, diarrhea, constipation, injection-site reactions, tachycardia

SYNTHETIC

Semaglutide + B12

2.5|5|12.5mg vials · Weekly SC

→ *B12-enhanced; improved tolerability*■ **Contraindications:** Same as Semaglutide; caution with metformin (B12 absorption)◆ **Side Effects:** Same as Semaglutide; B12 may cause mild flushing or acne in high doses

SYNTHETIC

Tirzepatide Injectable

18|36|72mg vials · Weekly SC

→ *Dual GIP/GLP-1 — potent metabolic therapy*■ **Contraindications:** MTC/MEN2 history, pancreatitis, severe GI disease, pregnancy◆ **Side Effects:** Nausea, vomiting, diarrhea, reduced appetite, injection-site reactions, hypoglycemia (w/ insulin)

SYNTHETIC

Tirzepatide + B12

17|34|68mg vials · Weekly SC

→ *Energy-enhanced dual-agonist*■ **Contraindications:** Same as Tirzepatide◆ **Side Effects:** Same as Tirzepatide; B12 flushing

SYNTHETIC

Retatrutide (R3-40)

40mg pen | 10mg vial

→ *Triple agonist: GLP-1 + GIP + Glucagon*■ **Contraindications:** MTC/MEN2, pancreatitis, hepatic impairment; limited long-term data◆ **Side Effects:** Nausea, vomiting, diarrhea, reduced appetite, potential HR elevation; investigational profile

SYNTHETIC

Sublingual Semaglutide

2–10mg / 8mL · 5 strengths

→ *Needle-free GLP-1 option*■ **Contraindications:** Same as injectable Semaglutide; reduced bioavailability vs. SC◆ **Side Effects:** Oral mucosal irritation, GI effects, nausea

SYNTHETIC

Sublingual Tirzepatide

5–30mg / 8mL · 6 strengths

→ *Needle-free dual agonist*■ **Contraindications:** Same as injectable Tirzepatide◆ **Side Effects:** Oral mucosal irritation, GI effects

SYNTHETIC

Sublingual Tirz + NAD+

5–17.5mg + 100mg NAD+ / 8mL

→ *GLP-1 + cellular energy combined*■ **Contraindications:** Same as Tirzepatide; caution with active vasodilatory conditions (NAD+)◆ **Side Effects:** GI effects, flushing (NAD+), headache

■ NAD+ & LONGEVITY

NATURAL

NAD+ 600mg Pen

200mg/mL · 3mL pen · SC 2–3x/wk

→ *Energy & cognition*■ **Contraindications:** Active malignancy (theoretical; cell-growth pathway), pregnancy; caution with PARP inhibitors◆ **Side Effects:** Flushing, nausea, headache, injection-site discomfort, fatigue (transient)

NATURAL	NAD+ 1000mg Pen 333mg/mL · 3mL pen → <i>High-dose; advanced cellular repair</i>	Contraindications: Same as 600mg pen; higher dose — titrate slowly Side Effects: Stronger flushing, headache, GI discomfort at high doses
NATURAL	NAD+ 1000/1200mg Vial 100–200mg/mL · 6–10mL · IV/IM → <i>Longevity drip protocol</i>	Contraindications: Hypotension, active cardiac arrhythmia (rapid IV), pregnancy Side Effects: Chest tightness, flushing, nausea during infusion; slow IV rate
NATURAL	Glutathione 2000mg 200mg/mL · 10mL vial · IV push → <i>Brightening + antioxidant</i>	Contraindications: Asthma (inhaled form), chemotherapy patients (may reduce drug efficacy) Side Effects: Rare: bronchospasm; bloating; zinc depletion with prolonged use
NATURAL	Methylcobalamin B12 1mg/mL · 10mL vial → <i>Active B12; neuro + methylation</i>	Contraindications: Leber's disease (optic atrophy), cobalt hypersensitivity Side Effects: Rare: acne, itching, mild diarrhea
SYNTHETIC	Epithalon 2mg/mL · 5mL 10mg vial → <i>Telomerase activation; anti-aging</i>	Contraindications: Active malignancy (telomerase activation concern), pregnancy; limited clinical data Side Effects: Generally well tolerated; mild injection-site reactions; theoretical oncology concern
SEMI-SYN	Thymosin A-1 (TA-1) 1mg/mL · 5mL 10mg vial → <i>Immune modulation; anti-viral</i>	Contraindications: Autoimmune disease (may exacerbate), organ transplant recipients (immunosuppression conflict) Side Effects: Injection-site reactions, mild fatigue, rare flu-like symptoms
SYNTHETIC	SS-31 Lipo-B 10–50mg 50/50/25/1mg/mL → <i>Mitochondrial + lipotropic support</i>	Contraindications: Limited clinical data; caution in severe renal/hepatic disease Side Effects: Generally well tolerated; mild injection-site reactions; GI upset (Lipo-B)

■ GROWTH HORMONE & PERFORMANCE

SEMI-SYN	Sermorelin 3mg/mL · 5mL pens → <i>Nightly GH; lean mass & fat loss</i>	Contraindications: Active malignancy, hypothyroidism (treat first), pituitary disorders, pregnancy Side Effects: Injection-site reactions, flushing, headache, fluid retention, joint pain
SEMI-SYN	Tesamorelin 3mg/mL · 5mL pens → <i>Visceral fat reduction; IGF-1 stimulation</i>	Contraindications: Active malignancy, pregnancy, pituitary disease; caution in diabetes (insulin resistance) Side Effects: Peripheral edema, arthralgia, injection-site reactions, glucose elevation
SEMI-SYN	Tesamorelin + Ipamorelin 3mg/2mg per mL · 5mL → <i>GH secretagogue synergy stack</i>	Contraindications: Same as Tesamorelin; combined use amplifies GH — monitor IGF-1 Side Effects: Fluid retention, joint pain, injection-site reactions, headache
SEMI-SYN	CJC-1295 + Ipamorelin 1.2/2mg per mL · 5mL pen → <i>GH pulse optimization; body composition</i>	Contraindications: Active malignancy, uncontrolled diabetes, pregnancy; monitor IGF-1 regularly Side Effects: Water retention, tingling/numbness, headache, injection-site reactions
SEMI-SYN	Ipamorelin CJC-1295 10mg vials pens → <i>Individual GH secretagogues</i>	Contraindications: Active malignancy, pregnancy; caution in diabetics Side Effects: Mild fluid retention, injection-site reactions, headache, sleepiness

SEMI-SYN	AOD-9604 1.2mg/mL · 5mL vial → <i>GH fragment; fat lipolysis only</i>	Contraindications: Pregnancy; limited long-term human data Side Effects: Injection-site reactions, headache; generally well tolerated
SEMI-SYN	AOD-9604 + MOTS-C 1.2/2mg per mL · 5mL → <i>Fat oxidation + mitochondrial metabolism</i>	Contraindications: Pregnancy; limited combined data; caution in diabetes (MOTS-C affects insulin sensitivity) Side Effects: Injection-site reactions, fatigue, GI discomfort
SYNTHETIC	Ibutamoren MK-677 25mg oral capsule → <i>Oral GH secretagogue; deep sleep</i>	Contraindications: Active malignancy, pre-existing edema/CHF, uncontrolled diabetes, pediatric patients Side Effects: Water retention, increased appetite, joint pain, elevated blood glucose, fatigue

■ TISSUE REPAIR & RECOVERY

SEMI-SYN	Wolverine Blend Pen BPC-157+TB-500 · 10/10mg → <i>Soft tissue & mobility recovery</i>	Contraindications: Active malignancy (growth-promotion peptides), pregnancy; limited long-term data Side Effects: Injection-site reactions, nausea (BPC-157), mild fatigue
SEMI-SYN	Recovery Blend Pen BPC-157+TB-500+GHK-Cu+KPV → <i>Full-spectrum healing + collagen</i>	Contraindications: Active malignancy, pregnancy; combined peptide safety profile evolving Side Effects: Injection-site reactions, nausea, possible fatigue, skin flushing (GHK-Cu)
SEMI-SYN	Glow Blend Pen BPC-157+TB-500+GHK-Cu → <i>Skin, collagen & tissue repair</i>	Contraindications: Active malignancy, pregnancy Side Effects: Injection-site reactions, transient skin warmth/redness
SEMI-SYN	BPC-157 + TB-500 3/3mg per mL · 5mL vials → <i>Accelerated tissue & injury repair</i>	Contraindications: Active malignancy, pregnancy; caution post-surgery (may accelerate inappropriate healing) Side Effects: Nausea, dizziness (BPC-157), injection-site reactions
SEMI-SYN	BPC-157 + KPV + TB-500 3/3/3mg per mL · 5mL → <i>Repair + gut inflammation + healing</i>	Contraindications: Active malignancy, pregnancy; KPV limited human data Side Effects: GI discomfort, injection-site reactions
SEMI-SYN	KLOW (BPC+GHK+KPV+TB) 3/10/3/3mg per mL · 5mL → <i>Full-spectrum regenerative protocol</i>	Contraindications: Active malignancy, pregnancy; multi-peptide — limited combined safety data Side Effects: Injection-site reactions, fatigue, GI discomfort
NATURAL	GHK-Cu 10mg/mL · 5mL 50mg pen → <i>Copper peptide; collagen & skin healing</i>	Contraindications: Wilson's disease (copper metabolism disorder), copper allergy Side Effects: Skin irritation at application site, transient redness
SEMI-SYN	BPC-157 Capsule KPV 500mcg oral 10mg vial → <i>Oral gut healing; anti-inflammatory</i>	Contraindications: Active malignancy, pregnancy; oral BPC bioavailability variable Side Effects: Nausea, diarrhea, abdominal cramping

NATURAL

Bioidentical / naturally derived

SEMI-SYN

Modified analog of natural molecule

SYNTHETIC

Fully lab-synthesized

❖ HORMONAL HEALTH & SEXUAL WELLNESS

NATURAL

Gonadorelin | Kisspeptin

1mg/mL · 5mL vials

→ *GnRH + reproductive hormone support*■ **Contraindications:** Hormone-sensitive cancers, pregnancy, uncontrolled pituitary disorders◆ **Side Effects:** Headache, nausea, injection-site reactions, ovarian hyperstimulation (females)

SEMI-SYN

PT-141 (Bremelanotide)

2mg/mL · 5mL | 10–20mg pens

→ *CNS libido agonist; max 8x/month*■ **Contraindications:** CV disease, uncontrolled hypertension, pregnancy; do NOT use with nitrates◆ **Side Effects:** Nausea, flushing, headache, transient hypertension, hyperpigmentation with frequent use

SEMI-SYN

MT-1 | MT-2

10mg vials

→ *Melanocortin; tanning + libido*■ **Contraindications:** History of melanoma or dysplastic nevi, CV disease, pregnancy; monitor moles◆ **Side Effects:** Nausea, flushing, spontaneous erections (MT-2), fatigue, darkening of nevi

NATURAL

MOTS-C

2mg/mL · 5mL | 20–25mg pens

→ *AMPK activation; metabolic flexibility*■ **Contraindications:** Limited human data; caution in diabetes (potentiates insulin sensitivity)◆ **Side Effects:** Injection-site reactions, mild fatigue, hypoglycemia risk (with insulin/metformin)

SEMI-SYN

IGF-LR3

200mcg/mL · 5mL vial

→ *Muscle growth; anabolic signaling*■ **Contraindications:** Active malignancy, diabetic retinopathy, severe acromegaly, pregnancy◆ **Side Effects:** Hypoglycemia, headache, jaw/hand pain, water retention, injection-site reactions

SEMI-SYN

Semax | Selank

10mg vials | combo 1/1mg/mL

→ *Cognitive clarity + anxiolytic balance*■ **Contraindications:** Seizure disorder (Semax may lower threshold), pregnancy; limited Western data◆ **Side Effects:** Nasal irritation (intranasal), mild anxiety or sedation, headacheNATURAL
SYNTHETIC**GHK-Cu + Epithalon**

10/2mg per mL · 5mL

→ *Skin rejuvenation + telomere anti-aging*■ **Contraindications:** Wilson's disease (GHK-Cu), active malignancy (Epithalon); combined profile limited◆ **Side Effects:** Skin irritation, flushing, injection-site reactions; Epithalon — theoretical oncology concern

SYNTHETIC

Cagrilinitide

10mg | 25mg

→ *Amylin analog; appetite & metabolic*■ **Contraindications:** Active pancreatitis, severe GI disease, pregnancy; investigational compound◆ **Side Effects:** Nausea, vomiting, injection-site reactions; limited long-term safety data

■ COGNITIVE, SLEEP & ORAL PROTOCOLS

NATURAL

DSIP

1mg/mL · 5mL | 5mg pen

→ *Sleep neuropeptide; 30–60 min before bed*■ **Contraindications:** Pregnancy; sleep apnea (monitor); limited long-term data◆ **Side Effects:** Drowsiness, dizziness, headache; generally well tolerated

SEMI-SYN	DSIP + BPC-157 + CJC-1295 1/2/2mg per mL · 5mL → <i>Sleep + repair + GH recovery stack</i>	Contraindications: Active malignancy, pregnancy; multi-compound — monitor IGF-1 Side Effects: Drowsiness, injection-site reactions, fluid retention, headache
SEMI-SYN	Pinealon+PE22-28+Selank 2/2/2mg per mL · 5mL → <i>Neuroprotection + memory + calm focus</i>	Contraindications: Seizure disorder (Selank caution), pregnancy; very limited clinical data Side Effects: Headache, fatigue, mild sedation, nasal irritation
SYNTHETIC	Dihexa 5mg oral capsule → <i>Synaptic formation; memory & learning</i>	Contraindications: Hormone-sensitive cancers (HGF/Met pathway), pregnancy; very limited human safety data Side Effects: Headache, fatigue, GI upset; long-term profile unknown
SYNTHETIC	Dihexa + Tesofensine 5mg/500mcg oral capsule → <i>Cognitive + appetite control synergy</i>	Contraindications: CV disease, hypertension, anxiety disorders, stimulant sensitivity; Tesofensine increases HR/BP Side Effects: Tachycardia, hypertension, insomnia, dry mouth, nausea, reduced appetite
SYNTHETIC	SLU-PP 332 BAM15 250mcg 100mcg/15mg capsules → <i>Exercise mimetic; dual metabolic activator</i>	Contraindications: Extremely limited human data; caution in CV disease, arrhythmia; research-stage compounds Side Effects: Profile largely unknown; theoretical: metabolic dysregulation, cardiac effects
NATURAL	5-Amino (5-AMP) 50mg oral capsule → <i>AMPK activator; cellular energy</i>	Contraindications: Diabetes (potentiates glucose-lowering), pregnancy; caution with metformin Side Effects: GI discomfort, nausea, hypoglycemia risk (with antidiabetics)
SYNTHETIC	Ondansetron 4mg Oral tablet (Rx) → <i>Anti-nausea; GLP-1 tolerability support</i>	Contraindications: QT prolongation, hypokalemia/hypomagnesemia, serotonin syndrome risk (with SSRIs/MAOIs) Side Effects: Headache, constipation, QT prolongation, rare serotonin syndrome

YOUR WELLNESS JOURNEY — HOW TO GET STARTED

01 CONSULTATION Comprehensive health assessment. Discuss your goals, current health status, and lifestyle.	02 PROTOCOL DESIGN Your physician selects the right compounds, doses, and delivery formats tailored to your unique biology.	03 COMPOUNDING Your Rx is filled at an FDA-registered, CGMP-compliant pharmacy with verified potency and quality batch testing.	04 DELIVERY & SUPPORT Medications arrive at your door. Your care team provides ongoing check-ins, dose optimization, and adjustments.	05 RESULTS Track progress with your provider. Protocols are refined over time to maximize outcomes.
--	---	---	---	---