LINKARR

SETUP GUIDE

Paste a MEGA link or a Base64 code. Linkarr downloads it with your own MEGA account, names it the way Plex expects, and files it in the right library.

WHAT YOU NEED · ABOUT 15 MINUTES

A computer with Docker
A NAS, a Linux box, Unraid or Docker Desktop

A free TMDB key
For titles, years and posters

Telegram
Optional, for your phone

A MEGA account
Free works. Pro gives more transfer.

Plex, Jellyfin or Emby
Optional

Contents
1 Container · 2 Sign in · 3 Libraries · 4 MEGA & TMDB · 5 Plex · 6 Telegram · 7 Settings · 8 Using it

1 INSTALL THE CONTAINER

Linkarr is one Docker container. Any machine that runs Docker works: a NAS, a Linux box, Unraid, or a PC with Docker Desktop.

With Docker Compose

```
services:
  linkarr:
    image: ghcr.io/xsil0/linkarr-app:latest
    container_name: linkarr
    restart: unless-stopped
    ports: ["9040:9040"]
    environment:
      - TZ=Europe/London
      - PUID=1000
      - PGID=1000
    volumes:
      - ./linkarr-data:/data
      - /path/to/media:/media
```

Then run `docker compose up -d`.

What each option means

OPTION	EXAMPLE	WHAT IT'S FOR
Port 9040	`9040:9040`	The web page. Change the left number if 9040 is taken.
/data	`./linkarr-data`	Settings, keys, MEGA sign-in, backups. Keep it.
/media	`/path/to/media`	The **one** folder that holds Movies, TV Shows and so on. Must be writable.
TZ	`Europe/London`	Your time zone, for schedules and logs.
PUID / PGID	`1000` / `1000`	The user and group that own your media folders. Run `id` on the server to see yours.

> **WHY ONE MEDIA FOLDER**
> Linkarr downloads into a hidden `.linkarr` folder inside it, next to your libraries, so filing a finished download is an instant move, not a slow copy.

Using a NAS app or Unraid instead?

Make a new container from the image `ghcr.io/xsil0/linkarr-app:latest` and fill in the same five options from the table. On Unraid the usual PUID/PGID are `99` / `100`.

Optional variables

VARIABLE	WHAT IT DOES
LA_COOKIE_SECURE	Leave it out. Set `1` only if you always open Linkarr over HTTPS.
LA_SESSION_HOURS	How long you stay signed in. Default 336 (two weeks).

2 FIRST SIGN-IN


Open `http://your-server:9040`. The first time, Linkarr asks for a setup code so only you can make the account.

1. Open the container's log: `docker logs linkarr`, or the **Logs** button in your NAS or Docker app.
2. Find the line that ends in `use this setup code:` and copy the code after it. It looks like `3f9c1e7a`, but that's only an example: every install makes its own.
3. Enter it, pick a username and a password of 10+ characters.

```
docker logs linkarr

2026-11-12 19:41:47 WARNING linkarr: No account yet. Open Linkarr and use this setup code: 3f9c1e7a
2026-11-12 19:41:47 INFO linkarr: Linkarr 1.1.2 started
```


What the log looks like. Copy the code at the end of the highlighted line. Yours will be different.



> **FORGOT YOUR PASSWORD LATER?**
> Run `docker exec linkarr python -m linkarr reset-password`. You get a new setup code. Your settings and history stay.

3 LIBRARIES

Settings → Libraries. Add one row per library. The folder is inside your media share, so `Movies` means `/media/Movies`.




1. **Type:** Movies or Shows.
2. **Docs:** tick it on documentary libraries. Linkarr sends documentaries there by itself.
3. **Plex library:** after step 5, press **Load Plex libraries** and the section ids fill in.

4 MEGA AND TMDB

Settings → Accounts.


MEGA

Sign in with your email and password, plus the two-factor code if you use one. Your password goes straight to MEGA's own tool. Linkarr doesn't keep it, and you stay signed in after updates.




TMDB key (free, 2 minutes)

1. Make an account at `themoviedb.org`.
2. Click your avatar → **Settings** → **API** → **Create** → **Developer**.
3. Fill in the short form (personal use is fine), then copy the **API Key**.
4. Paste it in Linkarr and press **Save changes**.




Your download site (optional)

Give your download site a name and address and it shows as a button in the menu. Upload a small logo if you like.



5 PLEX

Settings → Media servers. When something lands, Plex scans the right library and Linkarr checks it showed up.



Plex address

Your Plex server's IP and port, like `http://192.168.0.2:32400`.

Your Plex token, the easy way

1. Open Plex in a browser and sign in.
2. Open any movie, click ··· → **Get Info**.
3. Click **View XML** at the bottom. A new tab opens.
4. In that tab's address bar, the end reads `X-Plex-Token=abc123xyz`. Copy everything after the `=`.
5. Paste it into **Plex token** and press **Save changes**.

> **KEEP IT PRIVATE**
> The token works like your Plex password. Don't post it or put it in a screenshot.

Scan only the folder that changed makes new things appear sooner. Jellyfin and Emby work the same way with an API key and a **Test** button.

6 TELEGRAM BOT


Send links from your phone, answer questions with buttons, and get told when things land.

Make the bot

1. In Telegram, open **@BotFather** (blue tick) and send `/newbot`.
2. Give it a name, then a username that ends in `bot`, like `robo_helper_bot`. Pick your own random name.
3. BotFather replies with a **token** like `7012345678:AAH...`. Copy it.
4. In Linkarr, **Settings** → **Telegram**, paste it into **Bot token** and press **Save changes**.

Connect your chat

1. Open your new bot in Telegram and send `/start`.
2. It answers with your **chat id**, a number like `123456789`.
3. Paste it into **Allowed chat ids**, press **Save changes**, then **Send a test message**.



Lock it down so no one else can use it


1. **Allowed chat ids does the locking.** The bot only listens to the ids in that box. Anyone else who finds it gets their own chat id back and nothing more.
2. **Stop it being added to groups:** in @BotFather send `/setjoingroups`, pick your bot, choose **Disable**.
3. **Keep the token secret.** Whoever has it controls the bot. If it ever leaks, send `/revoke` to @BotFather and paste the new token into Linkarr.
4. **Only add your own id.** Add a second id only for someone you'd hand your MEGA account to.

Then send the bot a MEGA link, or `/help` for everything it can do.

7 THE SETTINGS

Every page has one **Save changes** bar. **Setup check** shows anything that's still missing.


SETTING	WHAT IT DOES
DOWNLOADS	
Start new links by themselves	Starts without asking when Linkarr is sure of the title. Off by default.
Downloads at once	How many run together. 1 is kindest to your MEGA quota.
Archive passwords	Tried in order on locked zip and rar files. `{year}` and `{title}` fill in.
After download	Unpack, delete junk (samples, .nfo, .txt), check the video plays. Replaced files are kept 7 days.
Missing episode check	Says which episodes are missing between the ones you have.
Duplicate guard	Skips episodes and movies you already have, even from another link.
Quality upgrade	A higher resolution copy replaces yours without asking.
Captcha links	Held for you to solve. Add the protector site you use here. Linkarr never gets past a captcha itself.
Download window	Big downloads wait for the hours you pick, like overnight.
Monitored links	Checks a show's folder link for new episodes and grabs only the new ones.
Inbox folder	Anything dropped in `Linkarr Inbox` is named and filed too.
Subtitles	Fetches subtitles from OpenSubtitles (free key) in up to 3 languages.
TELEGRAM	
Messages	When something lands, show news, movie release dates, a morning summary and a weekly roundup.
Clear the chat	Empties the chat every night. Cards still waiting on you stay.
NAMING AND SYSTEM	
Patterns	How folders and files are named. The defaults are what Plex expects.
Remembered shows	Links you told Linkarr to always file under one show.
System	Theme, password, backup, Base64 decoder and logs.



8 USING IT

Paste a MEGA link

Copy the MEGA link you want and paste it in the bar on **Activity**. You can paste several at once.



Base64 codes


Got a link hidden as a Base64 code? Paste the code. Linkarr decodes it again and again until a MEGA link or a captcha link comes out.

A page with lots of links

Open the page in your browser and press the **Send to Linkarr** bookmark (Settings → Accounts). It picks up the MEGA links on the page you're looking at and sends them to your Linkarr. Linkarr itself never visits or signs in to any site.


Pick what to add

When there's more than one link, each is listed. What you already have is left unticked, so you only grab the new ones. Press **Add all new**.




Tracker

Episodes coming up, what's missing, and shows that ended. **Track all my series** adds every show you have.



Library

Type a name to see if you have it, with seasons on disk and what's missing.



Good to know

- Keep Linkarr on your home network or Tailscale. Don't open the port to the internet: it holds your MEGA sign-in.
- Updating: `docker compose pull && docker compose up -d`, or your NAS app's update button. Nothing is lost.
- The sidebar shows your MEGA storage and transfers. A download that wouldn't fit waits until there's room.
- On Android, open Linkarr in Chrome → **Add to Home screen**, then **Share** any MEGA link to it.

> **STUCK?**
> Settings → **Setup check** shows what's missing. Settings → System → **Logs** has the details.