

- Each File has a .css attached
- About.js is now Home.js
- Modal.js is now NewModal.js

React/JSX


- Keep in mind that in react we use **className** not **class** (**class** keyword is taken for JavaScript)
- Read the console

How to add a new collection

MAKE SURE TO BE ON MASTER BRANCH

CLICK “.” (period)

- 1) Insert Data into src → components → collections -> NEW_DATA_NAME.js
 - Look at NYPLData.js (located in components) to organize your data correctly



- 2) Open App.js

- Import your new data

```
12 // Importing Data under the name "BasicData"
13 import { data as BasicData } from "../components/Collections/BasicData";
14 import { data as FoodData } from "../components/Collections/FoodData";
15 import { data as CarData } from "../components/Collections/CarData";
16 import { data as NEW_DATA_NAME } from "../components/Collections/NEW_DATA_NAME";
```

- Update the variable `collections` and `listOfCollections`


```
const listOfCollections = [
  "Basic Collection",
  "Food Collection",
  "Car Collection",
  "New Collection Name",
];

const collection = {
  "Food Collection": { data: FoodData, quoteData: BasicQuote },
  "Basic Collection": { data: BasicData, quoteData: BasicQuote },
  "Car Collection": { data: CarData, quoteData: BasicQuote },
  "New Collection Name": { data: NEW_DATA_NAME, quoteData: NewQuote },
};
```

- `collections` and `listOfCollections` must match (red arrows)

- 3) How to use a new list of quotes

- Similar Process
- New Data File




- Import (App.js)

```
// Quote Data
import { quoteData as BasicQuote } from "../components/Quotes/BasicQuote";
import { quoteData as NewQuote } from "../components/Quotes/NewQuote";
```


- Match Quote List with Collection

```
const collection = {
  "Food Collection": { data: FoodData, quoteData: BasicQuote },
  "Basic Collection": { data: BasicData, quoteData: BasicQuote },
  "Car Collection": { data: CarData, quoteData: BasicQuote },
  "New Collection Name": { data: NEW_DATA_NAME, quoteData: NewQuote },
};
```

- 4) Images




- Create a new folder in public > CollectionImages
 - Image must be .png
 - Image name must match ID
- Folder name must match with the previous. (Image with the red arrows)
- 4) Look for **Source Control Button on the left** (contain blue dots with the number of pending changes)
 - Write commit message
 - Click the checkmark above (commit and push)
- 5) DONE!



Additional Information

- To change the favicon(tab icon)/page title



- Located in public → index.html

Git Commands

- `git add .`
- `git commit -m "your message here"`
- `git push`
- `git push -u origin master`
- PRESS

Error Message: "Updates were rejected because the remote contains work that you do not have locally."

- <https://stackoverflow.com/questions/18328800/github-updates-were-rejected-because-the-remote-contains-work-that-you-do-not-h>

Modal left is image

Modal right is picture