






BTCA_donor_A096	
Cancer type	Biliary-AdenoCA
Position	12:1297595-132243589
Type	With other complex events
Interleaved intrachr. SVs	26
Total SVs (intrachr. + transl.)	26
SV types	DEL: 8; DUP: 7; h2hINV: 6; t2tINV: 5; TRA: 0
SVs in sample	292
Oscillating CN (2 and 3 states)	6, 12
CN segments	47
FDR fragment joints	0.92
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.63, 2.77





BTCA_donor_A153	
Cancer type	Biliary-AdenoCA
Position	1:218376406-246159643
Type	Before polyploidization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 2; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	116
Oscillating CN (2 and 3 states)	5, 6
CN segments	8
FDR fragment joints	0.96
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.42, 3.59




BTCA_donor_A153	
Cancer type	Biliary-AdenoCA
Position	6:36165437-108436463
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	12
SV types	DEL: 3; DUP: 2; h2hINV: 2; t2tINV: 4; TRA: 1
SVs in sample	116
Oscillating CN (2 and 3 states)	5, 8
CN segments	28
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.42, 3.59




BTCA_donor_B070	
Cancer type	Biliary-AdenoCA
Position	1:152201706–162468614
Type	With other complex events
Interleaved intrachr. SVs	47
Total SVs (intrachr. + transl.)	48
SV types	DEL: 9; DUP: 14; h2hINV: 15; t2tINV: 9; TRA: 1
SVs in sample	166
Oscillating CN (2 and 3 states)	4, 3
CN segments	74
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.56, 2.93



BTCA_donor_B083	
Cancer type	Biliary-AdenoCA
Position	1:175210783–246161909
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	14
SV types	DEL: 3; DUP: 2; h2hINV: 7; t2tINV: 2; TRA: 0
SVs in sample	112
Oscillating CN (2 and 3 states)	5, 4
CN segments	16
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0.04
Linked to chrs	
Purity, ploidy	0.45, 1.9




BTCA_donor_B083	
Cancer type	Biliary-AdenoCA
Position	18:22541678–77433482
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	14
SV types	DEL: 2; DUP: 6; h2hINV: 3; t2tINV: 2; TRA: 1
SVs in sample	112
Oscillating CN (2 and 3 states)	5, 3
CN segments	16
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.45, 1.9




BTCA_donor_B083	
Cancer type	Biliary–AdenoCA
Position	22:32803334–45752862
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	9
SV types	DEL: 1; DUP: 2; h2hINV: 1; t2tINV: 2; TRA: 3
SVs in sample	112
Oscillating CN (2 and 3 states)	4, 4
CN segments	14
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	4:2189376–19547021;
Purity, ploidy	0.45, 1.9


BTCA_donor_C080	
Cancer type	Biliary–AdenoCA
Position	14:22429630–73744179
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	26
SV types	DEL: 3; DUP: 7; h2hINV: 3; t2tINV: 4; TRA: 9
SVs in sample	142
Oscillating CN (2 and 3 states)	4, 5
CN segments	40
FDR fragment joints	0.82
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.6, 2.79





BTCA_donor_R149	
Cancer type	Biliary–AdenoCA
Position	14:22402704–54099947
Type	With other complex events
Interleaved intrachr. SVs	29
Total SVs (intrachr. + transl.)	29
SV types	DEL: 5; DUP: 5; h2hINV: 10; t2tINV: 9; TRA: 0
SVs in sample	108
Oscillating CN (2 and 3 states)	4, 3
CN segments	47
FDR fragment joints	0.65
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.34, 3.04





BTCA_donor_Y008	
Cancer type	Biliary–AdenoCA
Position	22:21053371–41089205
Type	Canonical without polyploidization
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	9
SV types	DEL: 3; DUP: 1; h2hINV: 2; t2tINV: 3; TRA: 0
SVs in sample	48
Oscillating CN (2 and 3 states)	4, 9
CN segments	12
FDR fragment joints	0.85
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.48, 1.88






RK298	
Cancer type	Biliary-AdenoCA
Position	9:1239088-24282207
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	12
SV types	DEL: 2; DUP: 4; h2hINV: 3; t2tINV: 3; TRA: 0
SVs in sample	74
Oscillating CN (2 and 3 states)	4, 4
CN segments	24
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.28, 3.37


RK307	
Cancer type	Biliary-AdenoCA
Position	6:144819172-162778287
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 5; DUP: 1; h2hINV: 1; t2tINV: 1; TRA: 0
SVs in sample	89
Oscillating CN (2 and 3 states)	5, 7
CN segments	9
FDR fragment joints	0.54
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.37, 1.79






24f21425-b001-4986-aedf-5b4dd851c6ad	
Cancer type	Bladder-TCC
Position	5:5481718-45983726
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	10
SV types	DEL: 1; DUP: 1; h2hINV: 3; t2tINV: 3; TRA: 2
SVs in sample	271
Oscillating CN (2 and 3 states)	6, 7
CN segments	42
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.64, 3.43

24f21425-b001-4986-aedf-5b4dd851c6ad	
Cancer type	Bladder-TCC
Position	9:5086998-21286063
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	11
SV types	DEL: 1; DUP: 2; h2hINV: 2; t2tINV: 1; TRA: 5
SVs in sample	271
Oscillating CN (2 and 3 states)	6, 4
CN segments	26
FDR fragment joints	0.74
FDR chr. breakp. enrich.	0.29
Linked to chrs	
Purity, ploidy	0.64, 3.43












ca554128-da9d-4f37-9560-ca083509e01d	
Cancer type	Bladder-TCC
Position	7:7489162-138751893
Type	With other complex events
Interleaved intrachr. SVs	28
Total SVs (intrachr. + transl.)	31
SV types	DEL: 6; DUP: 6; h2hINV: 7; i2tINV: 9; TRA: 3
SVs in sample	231
Oscillating CN (2 and 3 states)	6, 6
CN segments	66
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.79, 3.15




cb664eef-be6f-44ef-aa90-6f6da0e6440a	
Cancer type	Bladder-TCC
Position	8:47026265-51150625
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	16
SV types	DEL: 3; DUP: 3; h2hINV: 4; i2tINV: 5; TRA: 1
SVs in sample	180
Oscillating CN (2 and 3 states)	4, 2
CN segments	12
FDR fragment joints	0.95
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.51, 3.57


CGP_donor_1437423	
Cancer type	Bone-Benign
Position	3:99097210-115323895
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	62
SV types	DEL: 7; DUP: 5; h2hINV: 5; i2tINV: 3; TRA: 42
SVs in sample	145
Oscillating CN (2 and 3 states)	5, 6
CN segments	19
FDR fragment joints	0.71
FDR chr. breakp. enrich.	0
Linked to chrs	6:41870611-56460500;
Purity, ploidy	0.33, 2.04




CGP_donor_1437423	
Cancer type	Bone-Benign
Position	6:41870611–56460501
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	70
SV types	DEL: 8; DUP: 3; h2hINV: 5; i2tINV: 4; TRA: 50
SVs in sample	145
Oscillating CN (2 and 3 states)	5, 4
CN segments	40
FDR fragment joints	0.86
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.33, 2.04




CGP_donor_1397077	
Cancer type	Bone-Osteosarc
Position	5:759551–44322947
Type	With other complex events
Interleaved intrachr. SVs	25
Total SVs (intrachr. + transl.)	90
SV types	DEL: 8; DUP: 6; h2hINV: 6; i2tINV: 5; TRA: 65
SVs in sample	379
Oscillating CN (2 and 3 states)	5, 6
CN segments	88
FDR fragment joints	0.94
FDR chr. breakp. enrich.	0
Linked to chrs	18:26924845–64011243; 6:88458092–155828130
Purity, ploidy	0.47, 2.53




CGP_donor_1397077	
Cancer type	Bone-Osteosarc
Position	18:26924845–64011244
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	22
SV types	DEL: 3; DUP: 2; h2hINV: 1; i2tINV: 0; TRA: 16
SVs in sample	379
Oscillating CN (2 and 3 states)	4, 5
CN segments	21
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	5:759551–44322946;
Purity, ploidy	0.47, 2.53




CGP_donor_1397077	
Cancer type	Bone-Osteosarc
Position	21:30627381–40515319
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	47
SV types	DEL: 2; DUP: 2; h2hINV: 4; i2tINV: 1; TRA: 38
SVs in sample	379
Oscillating CN (2 and 3 states)	4, 4
CN segments	21
FDR fragment joints	0.89
FDR chr. breakp. enrich.	0
Linked to chrs	5:759551–44322946; 6:88458092–155828130
Purity, ploidy	0.47, 2.53




CGP_donor_1397083	
Cancer type	Bone-Osteosarc
Position	8:95509557-130921648
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	29
SV types	DEL: 4; DUP: 3; h2hINV: 2; t2tINV: 0; TRA: 20
SVs in sample	142
Oscillating CN (2 and 3 states)	4, 3
CN segments	28
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	13:101502303-104764633;
Purity, ploidy	0.57, 3.02




CGP_donor_1437403	
Cancer type	Bone-Osteosarc
Position	1:149900456-232658583
Type	With other complex events
Interleaved intrachr. SVs	28
Total SVs (intrachr. + transl.)	29
SV types	DEL: 8; DUP: 6; h2hINV: 8; t2tINV: 6; TRA: 1
SVs in sample	445
Oscillating CN (2 and 3 states)	6, 9
CN segments	36
FDR fragment joints	0.88
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.8, 2.57









CGP_donor_1437406	
Cancer type	Bone-Osteosarc
Position	5:55072-32110730
Type	With other complex events
Interleaved intrachr. SVs	55
Total SVs (intrachr. + transl.)	130
SV types	DEL: 12; DUP: 17; h2hINV: 16; t2tINV: 10; TRA: 75
SVs in sample	871
Oscillating CN (2 and 3 states)	6, 4
CN segments	99
FDR fragment joints	1
FDR chr. breakp. enrich.	0
Linked to chrs	3:38793061-39393866;
Purity, ploidy	0.52, 4.48



CGP_donor_1437406	
Cancer type	Bone-Osteosarc
Position	12:4757456-129380238
Type	With other complex events
Interleaved intrachr. SVs	340
Total SVs (intrachr. + transl.)	560
SV types	DEL: 90; DUP: 99; h2hINV: 72; t2tINV: 79; TRA: 220
SVs in sample	871
Oscillating CN (2 and 3 states)	4, 3
CN segments	551
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	5:55072-32110729;
Purity, ploidy	0.52, 4.48










	CGP_donor_1528364
Cancer type	Bone-Osteosarc
Position	1:2249362–182869104
Type	With other complex events
Interleaved intrachr. SVs	29
Total SVs (intrachr. + transl.)	86
SV types	DEL: 10; DUP: 5; h2hINV: 7; i2tINV: 7; TRA: 57
SVs in sample	927
Oscillating CN (2 and 3 states)	6, 6
CN segments	64
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0.04
Linked to chrs	2:98265301–240710955; 3:39705096–116872806 9:1299761–9380244;
Purity, ploidy	0.79, 3.29


	CGP_donor_1528371
Cancer type	Bone-Osteosarc
Position	X:137305293–154877002
Type	With other complex events
Interleaved intrachr. SVs	23
Total SVs (intrachr. + transl.)	30
SV types	DEL: 5; DUP: 3; h2hINV: 6; i2tINV: 9; TRA: 7
SVs in sample	349
Oscillating CN (2 and 3 states)	6, 12
CN segments	34
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.33, 3.49




	CGP_donor_1528374
Cancer type	Bone-Osteosarc
Position	2:171676936–222890322
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	11
SV types	DEL: 2; DUP: 0; h2hINV: 2; i2tINV: 3; TRA: 4
SVs in sample	113
Oscillating CN (2 and 3 states)	5, 4
CN segments	11
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.69, 2.64

	CGP_donor_1691133
Cancer type	Bone-Osteosarc
Position	X:56780045–99873812
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	48
SV types	DEL: 6; DUP: 1; h2hINV: 3; i2tINV: 4; TRA: 34
SVs in sample	325
Oscillating CN (2 and 3 states)	6, 5
CN segments	38
FDR fragment joints	0.79
FDR chr. breakp. enrich.	0
Linked to chrs	19:1003699–31085706; 6:32255732–170226667 8:54201065–139568173;
Purity, ploidy	0.68, 2.87







	CGP_donor_1691208
<i>Cancer type</i>	Bone-Osteosarc
<i>Position</i>	11:59962284–134707313
<i>Type</i>	With other complex events
<i>Interleaved intrachr. SVs</i>	51
<i>Total SVs (intrachr. + transl.)</i>	61
<i>SV types</i>	DEL: 11; DUP: 12; h2hINV: 15; 12tINV: 13; TRA: 10
<i>SVs in sample</i>	124
<i>Oscillating CN (2 and 3 states)</i>	6, 5
<i>CN segments</i>	47
<i>FDR fragment joints</i>	0.96
<i>FDR chr. breakp. enrich.</i>	0
<i>Linked to chrs</i>	18:329522–9437571; 4:27990522–39404507
<i>Purity, ploidy</i>	0.94, 1.69




	CGP_donor_1691210
Cancer type	Bone–Osteosarc
Position	19:7542257–27863221
Type	With other complex events
<i>Interleaved intrachr. SVs</i>	11
<i>Total SVs (intrachr. + transl.)</i>	20
<i>SV types</i>	DEL: 1; DUP: 4; h2hINV: 3; t2tINV: 3; TRA: 9
<i>SVs in sample</i>	183
<i>Oscillating CN (2 and 3 states)</i>	5, 7
<i>CN segments</i>	32
<i>FDR fragment joints</i>	0.86
<i>FDR chr. breakp. enrich.</i>	0
<i>Linked to chrs</i>	17:25441812–34068071;
<i>Purity, ploidy</i>	0.85, 3.59





	CGP_donor_1691211
<i>Cancer type</i>	Bone-Osteosarc
<i>Position</i>	4:39643156-81985932
<i>Type</i>	With other complex events
<i>Interleaved intrachr. SVs</i>	8
<i>Total SVs (intrachr. + transl.)</i>	51
<i>SV types</i>	DEL: 1; DUP: 4; h2hINV: 1; t2tINV: 2; TRA: 43
<i>SVs in sample</i>	606
<i>Oscillating CN (2 and 3 states)</i>	4, 3
<i>CN segments</i>	43
<i>FDR fragment joints</i>	0.68
<i>FDR chr. breakp. enrich.</i>	0
	16:6326850-23636185;20:14482537-55742990
<i>Linked to chrs</i>	5:27518365-44838184;9:72321762-137935608
<i>Purity, ploidy</i>	0.62, 3.16





	CGP_donor_1691211
<i>Cancer type</i>	Bone–Osteosarc
<i>Position</i>	5:27518365–4483185
<i>Type</i>	With other complex events
<i>Interleaved intrachr. SVs</i>	15
<i>Total SVs (intrachr. + transl.)</i>	30
<i>SV types</i>	DEL: 4; DUP: 5; h2hINV: 4; t2tINV: 2; TRA: 15
<i>SVs in sample</i>	606
<i>Oscillating CN (2 and 3 states)</i>	5, 8
<i>CN segments</i>	43
<i>FDR fragment joints</i>	0.86
<i>FDR chr. breakp. enrich.</i>	0.01
<i>Linked to chrs</i>	9:72321762–137935608;
<i>Purity, ploidy</i>	0.62, 3.16













CGP_donor_1337214	
Cancer type	Breast-AdenoCA
Position	11:68314464–85167264
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	19
SV types	DEL: 4; DUP: 2; h2hINV: 5; i2tINV: 1; TRA: 7
SVs in sample	161
Oscillating CN (2 and 3 states)	4, 7
CN segments	36
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.63, 1.91


CGP_donor_1337217	
Cancer type	Breast-AdenoCA
Position	11:712704–77789504
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 2; DUP: 3; h2hINV: 1; i2tINV: 1; TRA: 0
SVs in sample	143
Oscillating CN (2 and 3 states)	5, 5
CN segments	16
FDR fragment joints	0.77
FDR chr. breakp. enrich.	0.02
Linked to chrs	
Purity, ploidy	0.29, 3.57




CGP_donor_1337217	
Cancer type	Breast-AdenoCA
Position	17:29313383–46309227
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	23
SV types	DEL: 3; DUP: 5; h2hINV: 3; i2tINV: 3; TRA: 9
SVs in sample	143
Oscillating CN (2 and 3 states)	4, 4
CN segments	29
FDR fragment joints	1
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.29, 3.57


CGP_donor_1337220	
Cancer type	Breast-AdenoCA
Position	11:60734477–70720476
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	29
SV types	DEL: 3; DUP: 5; h2hINV: 3; i2tINV: 2; TRA: 16
SVs in sample	46
Oscillating CN (2 and 3 states)	4, 4
CN segments	19
FDR fragment joints	0.74
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.51, 2.07









CGP_donor_1353434	
Cancer type	Breast-AdenoCA
Position	6:104620681-144195202
Type	After polyloidization
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 4; DUP: 4; h2hINV: 0; t2tINV: 2; TRA: 0
SVs in sample	291
Oscillating CN (2 and 3 states)	5, 3
CN segments	5
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0.01
Linked to chrs	
Purity, ploidy	0.5, 2.94





CGP_donor_1353434	
Cancer type	Breast-AdenoCA
Position	15:28941386-52345122
Type	Canonical without polyloidization
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	16
SV types	DEL: 5; DUP: 1; h2hINV: 4; t2tINV: 6; TRA: 0
SVs in sample	291
Oscillating CN (2 and 3 states)	5, 12
CN segments	14
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.5, 2.94








CGP_donor_1364028	
Cancer type	Breast-AdenoCA
Position	6:2192497-33282947
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	42
SV types	DEL: 3; DUP: 4; h2hINV: 4; t2tINV: 3; TRA: 28
SVs in sample	203
Oscillating CN (2 and 3 states)	4, 4
CN segments	33
FDR fragment joints	0.85
FDR chr. breakp. enrich.	0
Linked to chrs	14:84761805-88311295; 20:13487327-62399710 9:18053450-78248432;
Purity, ploidy	0.68, 2.2


CGP_donor_1364033	
Cancer type	Breast-AdenoCA
Position	7:94323289-1586701
Type	With other complex events
Interleaved intrachr. SVs	25
Total SVs (intrachr. + transl.)	29
SV types	DEL: 7; DUP: 6; h2hINV: 6; t2tINV: 6; TRA: 4
SVs in sample	529
Oscillating CN (2 and 3 states)	5, 7
CN segments	50
FDR fragment joints	1
FDR chr. breakp. enrich.	0.01
Linked to chrs	16:54538858-83487716; 20:23008810-61019045
Purity, ploidy	0.32, 3.04













CGP_donor_1475201	
Cancer type	Breast-AdenoCA
Position	13:81313916–114454357
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	17
SV types	DEL: 0; DUP: 1; h2hINV: 3; i2tINV: 2; TRA: 11
SVs in sample	45
Oscillating CN (2 and 3 states)	5, 3
CN segments	26
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.76, 2.06





CGP_donor_1475202	
Cancer type	Breast-AdenoCA
Position	4:44897680–94849273
Type	After polyploidization
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	28
SV types	DEL: 3; DUP: 2; h2hINV: 4; i2tINV: 3; TRA: 16
SVs in sample	217
Oscillating CN (2 and 3 states)	4, 3
CN segments	5
FDR fragment joints	0.9
FDR chr. breakp. enrich.	0
Linked to chrs	1:80341830–241765598;
Purity, ploidy	0.87, 3.64








CGP_donor_1475202	
Cancer type	Breast-AdenoCA
Position	12:89302895–108838113
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	17
SV types	DEL: 3; DUP: 5; h2hINV: 6; i2tINV: 3; TRA: 0
SVs in sample	217
Oscillating CN (2 and 3 states)	5, 4
CN segments	29
FDR fragment joints	0.77
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.87, 3.64




CGP_donor_1475202	
Cancer type	Breast-AdenoCA
Position	19:4796337–21735946
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	32
SV types	DEL: 3; DUP: 6; h2hINV: 3; i2tINV: 2; TRA: 18
SVs in sample	217
Oscillating CN (2 and 3 states)	6, 7
CN segments	16
FDR fragment joints	0.92
FDR chr. breakp. enrich.	0
Linked to chrs	3:4105086–194006756;
Purity, ploidy	0.87, 3.64









CGP_donor_1187030	
Cancer type	Breast-AdenoCA
Position	20:24116036–55592291
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	15
SV types	DEL: 2; DUP: 3; h2hINV: 3; t2tINV: 3; TRA: 4
SVs in sample	98
Oscillating CN (2 and 3 states)	4, 4
CN segments	26
FDR fragment joints	0.99
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.54, 6.22




CGP_donor_1187033	
Cancer type	Breast-AdenoCA
Position	12:14425084–25928588
Type	Canonical without polyloidization
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	10
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2tINV: 2; TRA: 2
SVs in sample	228
Oscillating CN (2 and 3 states)	6, 6
CN segments	8
FDR fragment joints	0.86
FDR chr. breakp. enrich.	0.1
Linked to chrs	
Purity, ploidy	0.59, 1.81






CGP_donor_1187033	
Cancer type	Breast-AdenoCA
Position	17:38442067–79276431
Type	With other complex events
Interleaved intrachr. SVs	84
Total SVs (intrachr. + transl.)	114
SV types	DEL: 20; DUP: 22; h2hINV: 23; t2tINV: 19; TRA: 30
SVs in sample	228
Oscillating CN (2 and 3 states)	5, 3
CN segments	116
FDR fragment joints	0.88
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.59, 1.81



CGP_donor_1199104	
Cancer type	Breast-AdenoCA
Position	2:122442175–191880486
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	17
SV types	DEL: 5; DUP: 2; h2hINV: 1; t2tINV: 2; TRA: 7
SVs in sample	803
Oscillating CN (2 and 3 states)	6, 6
CN segments	26
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	4:53118926–163564695; 8:13736456–132773371
Purity, ploidy	0.53, 3.83









CGP_donor_1199138

Cancer type	Breast-AdenoCA
Position	2:16077672-242757221
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	31
SV types	DEL: 4; DUP: 2; h2hINV: 4; t2tINV: 6; TRA: 15
SVs in sample	426
Oscillating CN (2 and 3 states)	5, 5
CN segments	30
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0.23
Linked to chrs	1:217357432-229030469;
Purity, ploidy	0.72, 3.18





CGP_donor_1199138

Cancer type	Breast-AdenoCA
Position	11:64326051-80060406
Type	With other complex events
Interleaved intrachr. SVs	23
Total SVs (intrachr. + transl.)	35
SV types	DEL: 6; DUP: 7; h2hINV: 3; t2tINV: 7; TRA: 12
SVs in sample	426
Oscillating CN (2 and 3 states)	5, 3
CN segments	56
FDR fragment joints	0.98
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.72, 3.18




CGP_donor_1199138


Cancer type	Breast-AdenoCA
Position	8:106917395-143420924
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	17
SV types	DEL: 4; DUP: 3; h2hINV: 4; t2tINV: 4; TRA: 2
SVs in sample	426
Oscillating CN (2 and 3 states)	4, 5
CN segments	24
FDR fragment joints	0.99
FDR chr. breakp. enrich.	0.01
Linked to chrs	
Purity, ploidy	0.72, 3.18




CGP_donor_1230722

Cancer type	Breast-AdenoCA
Position	3:3536437-158590135
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	13
SV types	DEL: 4; DUP: 0; h2hINV: 4; t2tINV: 2; TRA: 3
SVs in sample	192
Oscillating CN (2 and 3 states)	5, 4
CN segments	34
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0.15
Linked to chrs	
Purity, ploidy	0.27, 2.38







CGP_donor_1230728	
Cancer type	Breast-AdenoCA
Position	13:33627141–81483301
Type	Before polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	12
SV types	DEL: 0; DUP: 3; h2hINV: 1; t2tINV: 2; TRA: 6
SVs in sample	329
Oscillating CN (2 and 3 states)	4, 7
CN segments	13
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0.04
Linked to chrs	16:2388599–19726670;
Purity, ploidy	0.27, 3.5




CGP_donor_1230729	
Cancer type	Breast-AdenoCA
Position	1:52686225–58856084
Type	Canonical without polyploidization
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 3; DUP: 2; h2hINV: 2; t2tINV: 3; TRA: 0
SVs in sample	107
Oscillating CN (2 and 3 states)	4, 5
CN segments	10
FDR fragment joints	0.96
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.52, 1.7








CGP_donor_1230778	
Cancer type	Breast-AdenoCA
Position	1:30154115–107830373
Type	With other complex events
Interleaved intrachr. SVs	26
Total SVs (intrachr. + transl.)	31
SV types	DEL: 8; DUP: 9; h2hINV: 4; t2tINV: 5; TRA: 5
SVs in sample	182
Oscillating CN (2 and 3 states)	5, 8
CN segments	44
FDR fragment joints	0.7
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.24, 3.39








CGP_donor_1230785	
Cancer type	Breast-AdenoCA
Position	2:2703128–76418672
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	11
SV types	DEL: 2; DUP: 4; h2hINV: 2; t2tINV: 1; TRA: 2
SVs in sample	502
Oscillating CN (2 and 3 states)	6, 6
CN segments	25
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0.63
Linked to chrs	
Purity, ploidy	0.35, 2.71

















Cancer type	CGP_donor_1701345
Position	Breast-AdenoCA
Type	2:102310161–225180735
Interleaved intrachr. SVs	With other complex events
Total SVs (intrachr. + transl.)	37
SV types	55
SVs in sample	DEL: 11; DUP: 6; h2hINV: 9; t2tINV: 11; TRA: 18
Oscillating CN (2 and 3 states)	368
CN segments	6, 10
FDR fragment joints	78
FDR chr. breakp. enrich.	0.97
Linked to chrs	0
Purity, ploidy	1:35101528–48512692;10:290666–86528974




Cancer type	CGP_donor_1701345
Position	Breast-AdenoCA
Type	5:28386068–38607621
Interleaved intrachr. SVs	With other complex events
Total SVs (intrachr. + transl.)	11
SV types	16
SVs in sample	DEL: 2; DUP: 2; h2hINV: 4; t2tINV: 3; TRA: 5
Oscillating CN (2 and 3 states)	368
CN segments	6, 4
FDR fragment joints	17
FDR chr. breakp. enrich.	0.95
Linked to chrs	0
Purity, ploidy	1:43–2.84





Cancer type	CGP_donor_1701345
Position	Breast-AdenoCA
Type	10:290666–86528975
Interleaved intrachr. SVs	With other complex events
Total SVs (intrachr. + transl.)	18
SV types	34
SVs in sample	DEL: 4; DUP: 6; h2hINV: 3; t2tINV: 5; TRA: 16
Oscillating CN (2 and 3 states)	368
CN segments	5, 5
FDR fragment joints	52
FDR chr. breakp. enrich.	0.97
Linked to chrs	0
Purity, ploidy	2:102310161–225180734; 10:290666–86528974




Cancer type	CGP_donor_1701345
Position	Breast-AdenoCA
Type	X:47359209–62646302
Interleaved intrachr. SVs	With other complex events
Total SVs (intrachr. + transl.)	14
SV types	19
SVs in sample	DEL: 7; DUP: 5; h2hINV: 2; t2tINV: 0; TRA: 5
Oscillating CN (2 and 3 states)	368
CN segments	4, 6
FDR fragment joints	33
FDR chr. breakp. enrich.	0.62
Linked to chrs	0
Purity, ploidy	10:290666–86528974; 2:102310161–225180734













1557183c-aedd-4df6-b98a-3654667f7b69	
Cancer type	Breast-AdenoCA
Position	4:155589998-190789670
Type	After polyloidization
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	13
SV types	DEL: 1; DUP: 6; h2hINV: 2; t2tINV: 0; TRA: 4
SVs in sample	435
Oscillating CN (2 and 3 states)	5, 12
CN segments	14
FDR fragment joints	0.54
FDR chr. breakp. enrich.	0.44
Linked to chrs	17:29145267-69232448;
Purity, ploidy	0.6, 3.86





1557183c-aedd-4df6-b98a-3654667f7b69	
Cancer type	Breast-AdenoCA
Position	13:49252644-68873475
Type	After polyloidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	7
SV types	DEL: 2; DUP: 1; h2hINV: 2; t2tINV: 1; TRA: 1
SVs in sample	435
Oscillating CN (2 and 3 states)	6, 7
CN segments	9
FDR fragment joints	0.77
FDR chr. breakp. enrich.	0.61
Linked to chrs	0.6, 3.86
Purity, ploidy	0.6, 3.86








1557183c-aedd-4df6-b98a-3654667f7b69	
Cancer type	Breast-AdenoCA
Position	17:29145267-69232449
Type	With other complex events
Interleaved intrachr. SVs	255
Total SVs (intrachr. + transl.)	265
SV types	DEL: 71; DUP: 67; h2hINV: 59; t2tINV: 58; TRA: 10
SVs in sample	435
Oscillating CN (2 and 3 states)	5, 5
CN segments	324
FDR fragment joints	0.79
FDR chr. breakp. enrich.	0
Linked to chrs	0.6, 3.86
Purity, ploidy	0.6, 3.86













5ed024e8-d05e-4c65-9441-eda9930ccc82

Cancer type	Breast-AdenoCA
Position	11:34123374-49526843
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	8
SV types	DEL: 2; DUP: 5; h2hINV: 0; i2tINV: 0; TRA: 1
SVs in sample	475
Oscillating CN (2 and 3 states)	4, 3
CN segments	23
FDR fragment joints	0.21
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.38, 2.04




5ed024e8-d05e-4c65-9441-edaa9930ccc82	
Cancer type	Breast-AdenoCA
Position	13:27374782-90659951
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	15
SV types	DEL: 3; DUP: 3; h2hINV: 4; t2tINV: 5; TRA: 0
SVs in sample	475
Oscillating CN (2 and 3 states)	5, 3
CN segments	14
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0.04
Linked to chrs	
Purity, ploidy	0.38, 2.04


5ed024e8-d05e-4c65-9441-edaa9930ccc82	
Cancer type	Breast-AdenoCA
Position	15:43723632-62360621
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	11
SV types	DEL: 2; DUP: 7; h2hINV: 0; t2tINV: 2; TRA: 0
SVs in sample	475
Oscillating CN (2 and 3 states)	5, 3
CN segments	12
FDR fragment joints	0.41
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.38, 2.04





60df7543-6da5-4c75-943b-5800c1e08234	
Cancer type	Breast-AdenoCA
Position	8:38109487-141109862
Type	With other complex events
Interleaved intrachr. SVs	66
Total SVs (intrachr. + transl.)	77
SV types	DEL: 11; DUP: 15; h2hINV: 22; t2tINV: 18; TRA: 11
SVs in sample	156
Oscillating CN (2 and 3 states)	4, 3
CN segments	106
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.39, 3.73

60df7543-6da5-4c75-943b-5800c1e08234	
Cancer type	Breast-AdenoCA
Position	9:7101017-102960994
Type	With other complex events
Interleaved intrachr. SVs	18
Total SVs (intrachr. + transl.)	20
SV types	DEL: 4; DUP: 6; h2hINV: 3; t2tINV: 5; TRA: 2
SVs in sample	156
Oscillating CN (2 and 3 states)	4, 6
CN segments	10
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.39, 3.73












8cf54607-01ce-42b0-9bd9-8627edd9f3b7	
Cancer type	Breast-AdenoCA
Position	6:66019356-135278033
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	50
SV types	DEL: 5; DUP: 5; h2hINV: 1; i2tINV: 1; TRA: 38
SVs in sample	500
Oscillating CN (2 and 3 states)	6, 4
CN segments	57
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	12:2943203-96943877; 13:22850041-105164538 3:4979331-87053734;
Purity, ploidy	0.55, 3.76




8cf54607-01ce-42b0-9bd9-8627edd9f3b7	
Cancer type	Breast-AdenoCA
Position	8:61853482-136089944
Type	With other complex events
Interleaved intrachr. SVs	26
Total SVs (intrachr. + transl.)	63
SV types	DEL: 7; DUP: 7; h2hINV: 7; i2tINV: 5; TRA: 37
SVs in sample	500
Oscillating CN (2 and 3 states)	4, 5
CN segments	65
FDR fragment joints	0.77
FDR chr. breakp. enrich.	0
Linked to chrs	10:37398211-116249332; 15:32410181-71959925 3:4979331-87053734; 4:39957449-163913724
Purity, ploidy	0.55, 3.76






8cf54607-01ce-42b0-9bd9-8627edd9f3b7	
Cancer type	Breast-AdenoCA
Position	15:32410181-71959926
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	22
SV types	DEL: 2; DUP: 1; h2hINV: 5; i2tINV: 9; TRA: 5
SVs in sample	500
Oscillating CN (2 and 3 states)	5, 8
CN segments	34
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	20:11131846-59577546;
Purity, ploidy	0.55, 3.76





8cf54607-01ce-42b0-9bd9-8627edd9f3b7	
Cancer type	Breast-AdenoCA
Position	21:35999819-47786448
Type	With other complex events
Interleaved intrachr. SVs	29
Total SVs (intrachr. + transl.)	43
SV types	DEL: 11; DUP: 7; h2hINV: 3; i2tINV: 8; TRA: 14
SVs in sample	500
Oscillating CN (2 and 3 states)	5, 3
CN segments	54
FDR fragment joints	0.86
FDR chr. breakp. enrich.	0
Linked to chrs	20:11131846-59577546;
Purity, ploidy	0.55, 3.76








9fefbe7c-f66a-4940-843e-285cb7b392c1	
Cancer type	Breast-AdenoCA
Position	6:5413201–164420806
Type	With other complex events
Interleaved intrachr. SVs	102
Total SVs (intrachr. + transl.)	163
SV types	DEL: 23; DUP: 27; h2hINV: 23; t2tINV: 29; TRA: 61
SVs in sample	740
Oscillating CN (2 and 3 states)	6, 14
CN segments	129
FDR fragment joints	0.85
FDR chr. breakp. enrich.	0
Linked to chrs	1:31254630–243789936; 11:77294848–126487191 7:63694811–105774033;
Purity, ploidy	0.83, 3.26







9fefbe7c-f66a-4940-843e-285cb7b392c1	
Cancer type	Breast-AdenoCA
Position	9:21844042–112515969
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	9
SV types	DEL: 0; DUP: 2; h2hINV: 2; t2tINV: 4; TRA: 1
SVs in sample	740
Oscillating CN (2 and 3 states)	5, 8
CN segments	16
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.83, 3.26




9fefbe7c-f66a-4940-843e-285cb7b392c1	
Cancer type	Breast-AdenoCA
Position	18:3037071–12644210
Type	After polyloidization
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	11
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2tINV: 3; TRA: 2
SVs in sample	740
Oscillating CN (2 and 3 states)	6, 4
CN segments	6
FDR fragment joints	0.98
FDR chr. breakp. enrich.	0.33
Linked to chrs	
Purity, ploidy	0.83, 3.26




9fefbe7c-f66a-4940-843e-285cb7b392c1	
Cancer type	Breast-AdenoCA
Position	19:12822132–24591286
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	31
SV types	DEL: 2; DUP: 4; h2hINV: 0; t2tINV: 2; TRA: 23
SVs in sample	740
Oscillating CN (2 and 3 states)	4, 4
CN segments	27
FDR fragment joints	0.53
FDR chr. breakp. enrich.	0
Linked to chrs	1:31254630–243789936;
Purity, ploidy	0.83, 3.26






a9b7d7fe-be31-4f71-afee-c1bfdf511888	
Cancer type	Breast-AdenoCA
Position	8:63227110-131599267
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	14
SV types	DEL: 3; DUP: 2; h2hINV: 3; t2tINV: 2; TRA: 4
SVs in sample	460
Oscillating CN (2 and 3 states)	6, 6
CN segments	173
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.47, 2.76


b094e8b2-8ece-4b36-8025-18073a8b873c	
Cancer type	Breast-AdenoCA
Position	6:107054725-113512450
Type	With other complex events
Interleaved intrachr. SVs	22
Total SVs (intrachr. + transl.)	24
SV types	DEL: 5; DUP: 6; h2hINV: 3; t2tINV: 8; TRA: 2
SVs in sample	763
Oscillating CN (2 and 3 states)	4, 2
CN segments	32
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.82, 2.81





b094e8b2-8ece-4b36-8025-18073a8b873c	
Cancer type	Breast-AdenoCA
Position	9:71374858-72890109
Type	After polyploidization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	12
SV types	DEL: 3; DUP: 1; h2hINV: 2; t2tINV: 1; TRA: 5
SVs in sample	763
Oscillating CN (2 and 3 states)	4, 3
CN segments	6
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0.08
Linked to chrs	
Purity, ploidy	0.82, 2.81



b43e41af-1d82-4b5f-b8f1-add0510e6b86	
Cancer type	Breast-AdenoCA
Position	11:55581976-79948001
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	31
SV types	DEL: 3; DUP: 4; h2hINV: 4; t2tINV: 4; TRA: 16
SVs in sample	296
Oscillating CN (2 and 3 states)	4, 4
CN segments	37
FDR fragment joints	0.76
FDR chr. breakp. enrich.	0
Linked to chrs	22:24093006-30283045;
Purity, ploidy	0.72, 4.04









d3d545b3-457f-4389-821f-704cb24aff7f	
Cancer type	Breast-AdenoCA
Position	8:67453419-86357134
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	15
SV types	DEL: 3; DUP: 5; h2hINV: 3; t2tINV: 3; TRA: 1
SVs in sample	709
Oscillating CN (2 and 3 states)	5, 4
CN segments	20
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.76, 3.03


d3d545b3-457f-4389-821f-704cb24aff7f	
Cancer type	Breast-AdenoCA
Position	11:47447817-102287472
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	15
SV types	DEL: 1; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 9
SVs in sample	709
Oscillating CN (2 and 3 states)	4, 4
CN segments	18
FDR fragment joints	0.99
FDR chr. breakp. enrich.	0.44
Linked to chrs	
Purity, ploidy	0.76, 3.03





d3d545b3-457f-4389-821f-704cb24aff7f	
Cancer type	Breast-AdenoCA
Position	X:30768634-150086913
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	8
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2tINV: 0; TRA: 2
SVs in sample	709
Oscillating CN (2 and 3 states)	5, 4
CN segments	11
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.76, 3.03




d67cd793-2931-429a-9084-2f3c4c8be7ad	
Cancer type	Breast-AdenoCA
Position	6:57423175-76896760
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	35
SV types	DEL: 2; DUP: 4; h2hINV: 3; t2tINV: 4; TRA: 22
SVs in sample	427
Oscillating CN (2 and 3 states)	6, 10
CN segments	21
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	14:20136324-55556439;
Purity, ploidy	0.54, 3.31




d67cd793-2931-429a-9084-2f3c4c8be7ad	
Cancer type	Breast-AdenoCA
Position	9:17497087-129076121
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	12
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2tINV: 4; TRA: 2
SVs in sample	427
Oscillating CN (2 and 3 states)	4, 3
CN segments	32
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0.76
Linked to chrs	12:33908610-132258020;
Purity, ploidy	0.54, 3.31





d67cd793-2931-429a-9084-2f3c4c8be7ad	
Cancer type	Breast-AdenoCA
Position	14:20136324-55556440
Type	With other complex events
Interleaved intrachr. SVs	34
Total SVs (intrachr. + transl.)	55
SV types	DEL: 9; DUP: 7; h2hINV: 9; t2tINV: 9; TRA: 21
SVs in sample	427
Oscillating CN (2 and 3 states)	6, 6
CN segments	76
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0
Linked to chrs	6:57423175-76896759;
Purity, ploidy	0.54, 3.31





d6f7afc0-1558-43ad-acb1-2b5311ed2264	
Cancer type	Breast-AdenoCA
Position	6:105302877-111874190
Type	With other complex events
Interleaved intrachr. SVs	27
Total SVs (intrachr. + transl.)	29
SV types	DEL: 9; DUP: 8; h2hINV: 6; t2tINV: 4; TRA: 2
SVs in sample	304
Oscillating CN (2 and 3 states)	4, 7
CN segments	35
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.27, 2.34








d9dc3b59-613d-469e-8b4f-6c5a557eb26a	
Cancer type	Breast-AdenoCA
Position	1:1898876-77522550
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	13
SV types	DEL: 3; DUP: 3; h2hINV: 1; t2tINV: 3; TRA: 3
SVs in sample	1222
Oscillating CN (2 and 3 states)	5, 10
CN segments	28
FDR fragment joints	0.9
FDR chr. breakp. enrich.	1
Linked to chrs	
Purity, ploidy	0.41, 2.07


d9dc3b59-613d-469e-8b4f-6c5a557eb26a	
Cancer type	Breast-AdenoCA
Position	6:15838701-146459167
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	28
SV types	DEL: 2; DUP: 0; h2hINV: 4; t2tINV: 2; TRA: 20
SVs in sample	1222
Oscillating CN (2 and 3 states)	4, 7
CN segments	70
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0.01
Linked to chrs	17:2481365-78698345;
Purity, ploidy	0.41, 2.07







e4fc0909-f284-4471-866d-d8967b6adcbc	
Cancer type	Breast-AdenoCA
Position	8:138302264-144043894
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	8
SV types	DEL: 1; DUP: 2; h2hINV: 1; t2tINV: 2; TRA: 2
SVs in sample	630
Oscillating CN (2 and 3 states)	4, 8
CN segments	10
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0.9
Linked to chrs	
Purity, ploidy	0.49, 2.63

e4fc0909-f284-4471-866d-d8967b6adcbc	
Cancer type	Breast-AdenoCA
Position	10:8113663-12635794
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	8
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2tINV: 1; TRA: 1
SVs in sample	630
Oscillating CN (2 and 3 states)	4, 4
CN segments	12
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0.75
Linked to chrs	
Purity, ploidy	0.49, 2.63











CGP_donor_1234120	
Cancer type	Breast-LobularCA
Position	5:27117220–142566044
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	23
SV types	DEL: 7; DUP: 4; h2hINV: 2; t2tINV: 2; TRA: 8
SVs in sample	344
Oscillating CN (2 and 3 states)	4, 5
CN segments	32
FDR fragment joints	0.79
FDR chr. breakp. enrich.	0
Linked to chrs	11:62942614–98446661;
Purity, ploidy	0.39, 2.94


CGP_donor_1234120	
Cancer type	Breast-LobularCA
Position	7:108549083–153423652
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	24
SV types	DEL: 3; DUP: 8; h2hINV: 6; t2tINV: 3; TRA: 4
SVs in sample	344
Oscillating CN (2 and 3 states)	5, 5
CN segments	22
FDR fragment joints	0.83
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.39, 2.94





CGP_donor_1234120	
Cancer type	Breast-LobularCA
Position	15:59922904–101226389
Type	With other complex events
Interleaved intrachr. SVs	18
Total SVs (intrachr. + transl.)	20
SV types	DEL: 4; DUP: 7; h2hINV: 4; t2tINV: 3; TRA: 2
SVs in sample	344
Oscillating CN (2 and 3 states)	4, 4
CN segments	18
FDR fragment joints	0.66
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.39, 2.94




CGP_donor_1353429	
Cancer type	Breast-LobularCA
Position	8:22728682–56379069
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	31
SV types	DEL: 3; DUP: 3; h2hINV: 4; t2tINV: 6; TRA: 15
SVs in sample	83
Oscillating CN (2 and 3 states)	4, 3
CN segments	45
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.27, 4.13












	521ea765-1bd1-423d-a75d-091243df37a9
Cancer type	CNS-GBM
Position	12:57657463-59700261
Type	With other complex events
Interleaved intrachr. SVs	36
Total SVs (intrachr. + transl.)	52
SV types	DEL: 8; DUP: 10; h2hINV: 7; t2tINV: 11; TRA: 16
SVs in sample	90
Oscillating CN (2 and 3 states)	4, 4
CN segments	30
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.84, 4




	5c984433-33cf-42fc-b3ba-511efcdcab19
Cancer type	CNS-GBM
Position	4:54735188-55541337
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	17
SV types	DEL: 7; DUP: 3; h2hINV: 3; t2tINV: 4; TRA: 0
SVs in sample	107
Oscillating CN (2 and 3 states)	4, 5
CN segments	25
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.73, 2





	5c984433-33cf-42fc-b3ba-511efcdcab19
Cancer type	CNS-GBM
Position	4:54735188-55541337
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	17
SV types	DEL: 7; DUP: 3; h2hINV: 3; t2tINV: 4; TRA: 0
SVs in sample	107
Oscillating CN (2 and 3 states)	4, 5
CN segments	25
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.73, 2




	737b35e1-d668-4fce-9b6e-76946c7952b6
Cancer type	CNS-GBM
Position	12:8669087-9519921
Type	Canonical without polyploidization
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	9
SV types	DEL: 2; DUP: 1; h2hINV: 4; t2tINV: 2; TRA: 0
SVs in sample	173
Oscillating CN (2 and 3 states)	5, 3
CN segments	5
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0.9
Linked to chrs	
Purity, ploidy	0.93, 1.97









	c184c3ca-7ad3-4202-b108-cb9fd5f5d947
Cancer type	CNS-GBM
Position	16:11082483–11804564
Type	Canonical without polypliodization
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	9
SV types	DEL: 2; DUP: 3; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	263
Oscillating CN (2 and 3 states)	5, 3
CN segments	5
FDR fragment joints	0.97
FDR chr. breakp. enrich.	0.49
Linked to chrs	
Purity, ploidy	0.91, 2.1




	c931f3bd-74c5-4ebd-bc0f-c7c6becd25ab
Cancer type	CNS-GBM
Position	6:43602359–48828217
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	106
SV types	DEL: 5; DUP: 6; h2hINV: 2; t2tINV: 3; TRA: 90
SVs in sample	241
Oscillating CN (2 and 3 states)	4, 2
CN segments	26
FDR fragment joints	0.75
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.7, 4.05






	c931f3bd-74c5-4ebd-bc0f-c7c6becd25ab
Cancer type	CNS-GBM
Position	12:57367262–69519356
Type	With other complex events
Interleaved intrachr. SVs	79
Total SVs (intrachr. + transl.)	181
SV types	DEL: 16; DUP: 20; h2hINV: 24; t2tINV: 19; TRA: 102
SVs in sample	241
Oscillating CN (2 and 3 states)	4, 3
CN segments	46
FDR fragment joints	1
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.7, 4.05





	de7b7cac-f094-4d59-8651-e991e34ea093
Cancer type	CNS-GBM
Position	2:4931914–5944046
Type	After polypliodization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	8
SV types	DEL: 2; DUP: 1; h2hINV: 1; t2tINV: 2; TRA: 2
SVs in sample	105
Oscillating CN (2 and 3 states)	6, 4
CN segments	6
FDR fragment joints	1
FDR chr. breakp. enrich.	0.36
Linked to chrs	
Purity, ploidy	0.56, 3.59













335d0351-3740-4847-9ff4-be2f078c70f7	
Cancer type	ColoRect–AdenoCA
Position	17:28133401–66354370
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	17
SV types	DEL: 2; DUP: 4; h2hINV: 3; t2tINV: 2; TRA: 6
SVs in sample	72
Oscillating CN (2 and 3 states)	4, 5
CN segments	22
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.62, 3.26


8e00e7e7-ffaf-44f0-91a7-172671f18e08	
Cancer type	ColoRect–AdenoCA
Position	17:26926287–80606072
Type	After polyploidization
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	13
SV types	DEL: 1; DUP: 4; h2hINV: 3; t2tINV: 3; TRA: 2
SVs in sample	126
Oscillating CN (2 and 3 states)	4, 5
CN segments	7
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	18:20312665–35616751; 0.69, 3.49




9af35239-ffb9-4d4f-889e-f743da271eef	
Cancer type	ColoRect–AdenoCA
Position	20:14694871–15096752
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 4; DUP: 0; h2hINV: 1; t2tINV: 1; TRA: 0
SVs in sample	89
Oscillating CN (2 and 3 states)	4, 2
CN segments	4
FDR fragment joints	0.54
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.64, 2.52




e2d395f8-bf13-4fe4-8031-683b0eedd875	
Cancer type	ColoRect–AdenoCA
Position	5:52372824–60181728
Type	Canonical without polyploidization
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 1; DUP: 2; h2hINV: 2; t2tINV: 3; TRA: 0
SVs in sample	160
Oscillating CN (2 and 3 states)	4, 2
CN segments	6
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.54, 3.12







OCCAMS-AH-042	
Cancer type	Eso-AdenoCA
Position	18:827310-25488324
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	12
SV types	DEL: 3; DUP: 4; h2hINV: 2; t2tINV: 3; TRA: 0
SVs in sample	85
Oscillating CN (2 and 3 states)	6, 16
CN segments	27
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.48, 3.19




OCCAMS-AH-064	
Cancer type	Eso-AdenoCA
Position	7:64763385-155596659
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	49
SV types	DEL: 2; DUP: 4; h2hINV: 3; t2tINV: 1; TRA: 38
SVs in sample	448
Oscillating CN (2 and 3 states)	6, 7
CN segments	48
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0
Linked to chrs	3:1926043-196423190;
Purity, ploidy	0.65, 2.65



OCCAMS-AH-047	
Cancer type	Eso-AdenoCA
Position	22:46434583-50985112
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	11
SV types	DEL: 1; DUP: 5; h2hINV: 2; t2tINV: 2; TRA: 1
SVs in sample	211
Oscillating CN (2 and 3 states)	6, 11
CN segments	13
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.31, 4.28




OCCAMS-AH-064	
Cancer type	Eso-AdenoCA
Position	16:8170195-8979892
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	29
SV types	DEL: 2; DUP: 1; h2hINV: 1; t2tINV: 3; TRA: 22
SVs in sample	448
Oscillating CN (2 and 3 states)	5, 6
CN segments	35
FDR fragment joints	0.57
FDR chr. breakp. enrich.	0
Linked to chrs	3:1926043-196423190; 7:64763385-155596658
Purity, ploidy	0.65, 2.65





OCCAMS-AH-071

Cancer type	Eso-AdenoCA
Position	8:26605057–141712244
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	9
SV types	DEL: 2; DUP: 0; h2hINV: 3; i2tINV: 3; TRA: 1
SVs in sample	134
Oscillating CN (2 and 3 states)	5, 8
CN segments	19
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.39, 2.25





OCCAMS-AH-096

Cancer type	Eso-AdenoCA
Position	11:63032046–128045151
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	24
SV types	DEL: 2; DUP: 2; h2hINV: 4; i2tINV: 4; TRA: 12
SVs in sample	326
Oscillating CN (2 and 3 states)	4, 4
CN segments	39
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.26, 2.74




OCCAMS-AH-077


Cancer type	Eso-AdenoCA
Position	13:69907738–73751361
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 1; DUP: 1; h2hINV: 3; i2tINV: 2; TRA: 0
SVs in sample	68
Oscillating CN (2 and 3 states)	4, 3
CN segments	9
FDR fragment joints	0.77
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.54, 4.09








OCCAMS-AH-096


Cancer type	Eso-AdenoCA
Position	19:27855418–58222100
Type	With other complex events
Interleaved intrachr. SVs	70
Total SVs (intrachr. + transl.)	75
SV types	DEL: 16; DUP: 18; h2hINV: 18; i2tINV: 18; TRA: 5
SVs in sample	326
Oscillating CN (2 and 3 states)	6, 5
CN segments	98
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0
Linked to chrs	22:16884779–49630407;
Purity, ploidy	0.26, 2.74

























OCCAMS-SH-038	
Cancer type	Eso-AdenoCA
Position	17:26663234–66204181
Type	With other complex events
Interleaved intrachr. SVs	24
Total SVs (intrachr. + transl.)	28
SV types	DEL: 7; DUP: 4; h2hINV: 5; t2tINV: 8; TRA: 4
SVs in sample	146
Oscillating CN (2 and 3 states)	4, 2
CN segments	38
FDR fragment joints	0.98
FDR chr. breakp. enrich.	0
Linked to chrs	4:13404057–187928989;
Purity, ploidy	0.25, 2.35


OCCAMS-SH-051	
Cancer type	Eso-AdenoCA
Position	1:160780664–178102081
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 3; DUP: 3; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	450
Oscillating CN (2 and 3 states)	4, 4
CN segments	13
FDR fragment joints	0.96
FDR chr. breakp. enrich.	0.17
Linked to chrs	
Purity, ploidy	0.69, 2.44




OCCAMS-SH-051	
Cancer type	Eso-AdenoCA
Position	11:83876112–130719233
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 4; DUP: 2; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	450
Oscillating CN (2 and 3 states)	6, 10
CN segments	23
FDR fragment joints	0.86
FDR chr. breakp. enrich.	0.3
Linked to chrs	
Purity, ploidy	0.69, 2.44




OCCAMS-SH-071	
Cancer type	Eso-AdenoCA
Position	15:42066409–91876190
Type	With other complex events
Interleaved intrachr. SVs	29
Total SVs (intrachr. + transl.)	32
SV types	DEL: 4; DUP: 10; h2hINV: 8; t2tINV: 7; TRA: 3
SVs in sample	284
Oscillating CN (2 and 3 states)	5, 3
CN segments	35
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.42, 3.56







OCCAMS-ST-037	
Cancer type	Eso-AdenoCA
Position	17:29160620-67758256
Type	With other complex events
Interleaved intrachr. SVs	186
Total SVs (intrachr. + transl.)	215
SV types	DEL: 39; DUP: 51; h2hINV: 48; t2tINV: 48; TRA: 29
SVs in sample	438
Oscillating CN (2 and 3 states)	5, 3
CN segments	36
FDR fragment joints	0.72
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.35, 3.47





OCCAMS-ST-041	
Cancer type	Eso-AdenoCA
Position	5:15221088-46212518
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	15
SV types	DEL: 1; DUP: 4; h2hINV: 5; t2tINV: 5; TRA: 0
SVs in sample	163
Oscillating CN (2 and 3 states)	5, 6
CN segments	27
FDR fragment joints	0.65
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.52, 2.4



OCCAMS-WG-001	
Cancer type	Eso-AdenoCA
Position	3:269704-5196742
Type	Canonical without polypliodization
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	9
SV types	DEL: 0; DUP: 4; h2hINV: 1; t2tINV: 3; TRA: 1
SVs in sample	151
Oscillating CN (2 and 3 states)	5, 3
CN segments	5
FDR fragment joints	0.54
FDR chr. breakp. enrich.	0.17
Linked to chrs	
Purity, ploidy	0.53, 1.91






OCCAMS-WG-001	
Cancer type	Eso-AdenoCA
Position	17:20549700-75923156
Type	Canonical without polypliodization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 2; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	151
Oscillating CN (2 and 3 states)	6, 4
CN segments	10
FDR fragment joints	0.96
FDR chr. breakp. enrich.	0.02
Linked to chrs	
Purity, ploidy	0.53, 1.91



OCCAMS-WG-008	
Cancer type	Eso-AdenoCA
Position	6:24415766-65407598
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	12
SV types	DEL: 1; DUP: 4; h2hINV: 3; t2tINV: 2; TRA: 2
SVs in sample	357
Oscillating CN (2 and 3 states)	4, 4
CN segments	23
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0.21
Linked to chrs	
Purity, ploidy	0.4, 2.6



OCCAMS-WG-019	
Cancer type	Eso-AdenoCA
Position	6:18740622-21421268
Type	After polypliodization
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	263
Oscillating CN (2 and 3 states)	5, 3
CN segments	5
FDR fragment joints	1
FDR chr. breakp. enrich.	0.13
Linked to chrs	
Purity, ploidy	0.25, 3.97






OCCAMS-ZZ-016	
Cancer type	Eso-AdenoCA
Position	17:2088600-25571414
Type	Canonical without polypliodization
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	14
SV types	DEL: 3; DUP: 4; h2hINV: 3; t2tINV: 4; TRA: 0
SVs in sample	286
Oscillating CN (2 and 3 states)	6, 6
CN segments	13
FDR fragment joints	0.98
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.5, 2.45


3e5f451a-5882-4914-ae1a-95c898c2bcc4	
Cancer type	Head-SCC
Position	2:164623105-179954501
Type	With other complex events
Interleaved intrachr. SVs	30
Total SVs (intrachr. + transl.)	52
SV types	DEL: 6; DUP: 10; h2hINV: 6; t2tINV: 8; TRA: 22
SVs in sample	362
Oscillating CN (2 and 3 states)	5, 13
CN segments	56
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	17:37011270-62375855;
Purity, ploidy	0.58, 3.09






64bb5550-2735-4401-a0db-58ec1020a32d	
Cancer type	Head-SCC
Position	17:35502073-70069761
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	17
SV types	DEL: 2; DUP: 3; h2hINV: 1; t2tINV: 0; TRA: 11
SVs in sample	179
Oscillating CN (2 and 3 states)	4, 2
CN segments	26
FDR fragment joints	0.77
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.36, 3.11

7de19081-d5fd-468c-ad0d-f6e3e8b2ad70	
Cancer type	Head-SCC
Position	6:132384731-147888916
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	18
SV types	DEL: 1; DUP: 1; h2hINV: 2; t2tINV: 4; TRA: 10
SVs in sample	140
Oscillating CN (2 and 3 states)	4, 3
CN segments	36
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.83, 1.95













06ac44e9-1226-4202-828b-6f224766d7ac

Cancer type	Liver-HCC
Position	1:8058341–244930271
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	10
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2tINV: 1; TRA: 3
SVs in sample	53
Oscillating CN (2 and 3 states)	5, 5
CN segments	13
FDR fragment joints	0.96
FDR chr. breakp. enrich.	0.01
Linked to chrs	
Purity, ploidy	0.4, 2.3






1987b453-f97d-45c7-9c89-b9a33313d645

Cancer type	Liver-HCC
Position	20:20959449–62129528
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	25
SV types	DEL: 1; DUP: 2; h2hINV: 1; t2tINV: 4; TRA: 17
SVs in sample	524
Oscillating CN (2 and 3 states)	6, 6
CN segments	28
FDR fragment joints	0.96
FDR chr. breakp. enrich.	0
Linked to chrs	1:9273332–226103049; 16:25250822–30860383
Purity, ploidy	0.74, 1.99




2854ffe8-1f77-497a-bf49-11e0189fee35


Cancer type	Liver-HCC
Position	2:184611141–197996965
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 3; DUP: 2; h2hINV: 1; t2tINV: 2; TRA: 0
SVs in sample	43
Oscillating CN (2 and 3 states)	4, 6
CN segments	17
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.69, 3.74





3acf7438-fd65-442c-8a30-68b6714537f3

Cancer type	Liver-HCC
Position	14:34361058–105047156
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	31
SV types	DEL: 4; DUP: 0; h2hINV: 2; t2tINV: 4; TRA: 21
SVs in sample	222
Oscillating CN (2 and 3 states)	4, 3
CN segments	21
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	5:141997–63388992;
Purity, ploidy	0.36, 3.55













	670c1cbc-4494-45f1-bb8b-18db82d4f7e0
Cancer type	Liver-HCC
Position	5:40899212-124664734
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	10
SV types	DEL: 3; DUP: 4; h2hINV: 0; t2tINV: 1; TRA: 2
SVs in sample	89
Oscillating CN (2 and 3 states)	4, 6
CN segments	21
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.22, 3.51


Cancer type	Liver-HCC
Position	4:13197519-166464059
Type	After polyploidization
<i>Interleaved intrachr. SVs</i>	7
<i>Total SVs (intrachr. + transl.)</i>	20
SV types	DEL: 3; DUP: 3; h2hINV: 0; t2tINV: 1; TRA: 13
<i>SVs in sample</i>	125
<i>Oscillating CN (2 and 3 states)</i>	4, 2
<i>CN segments</i>	4
<i>FDR fragment joints</i>	1
<i>FDR chr. breakp. enrich.</i>	0
<i>Linked to chrs</i>	1:16944681-155955763;
<i>Purity, ploidy</i>	0.48, 3.89






6dcfc418-ab28-4365-95ea-c1ae254f2341	
Cancer type	Liver-HCC
Position	9:71361828-139860149
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	20
SV types	DEL: 2; DUP: 3; h2hINV: 0; t2tINV: 1; TRA: 14
SVs in sample	572
Oscillating CN (2 and 3 states)	6, 4
CN segments	36
FDR fragment joints	0.86
FDR chr. breakp. enrich.	0.11
Linked to chrs	14:70988852-75703456;19:1843528-50016660
Purity, ploidy	0.85, 3.57




	8afa3140-dcbd-44c0-ab13-4ada6a0444d4
<i>Cancer type</i>	Liver-HCC
<i>Position</i>	19:38719064–58932021
<i>Type</i>	With other complex events
<i>Interleaved intrachr. SVs</i>	14
<i>Total SVs (intrachr. + transl.)</i>	16
<i>SV types</i>	DEL: 4; DUP: 4; h2hINV: 3; t2tINV: 3; TRA: 2
<i>SVs in sample</i>	301
<i>Oscillating CN (2 and 3 states)</i>	5, 12
<i>CN segments</i>	27
<i>FDR fragment joints</i>	0.95
<i>FDR chr. breakp. enrich.</i>	0
<i>Linked to chrs</i>	
<i>Purity, ploidy</i>	0.84, 3.54










































RK166	
Cancer type	Liver-HCC
Position	13:96936658–104475344
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	17
SV types	DEL: 4; DUP: 1; h2hINV: 3; t2tINV: 7; TRA: 2
SVs in sample	74
Oscillating CN (2 and 3 states)	5, 5
CN segments	18
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.48, 1.74



RK169	
Cancer type	Liver-HCC
Position	14:73252280–85449372
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	15
SV types	DEL: 1; DUP: 4; h2hINV: 2; t2tINV: 2; TRA: 6
SVs in sample	75
Oscillating CN (2 and 3 states)	6, 4
CN segments	22
FDR fragment joints	0.73
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.24, 3.37





RK171	
Cancer type	Liver-HCC
Position	8:33403096–52649600
Type	Canonical without polypliodization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 1; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	11
Oscillating CN (2 and 3 states)	5, 4
CN segments	8
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.39, 2.23

RK176	
Cancer type	Liver-HCC
Position	5:99356960–113044705
Type	Canonical without polypliodization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	8
SV types	DEL: 2; DUP: 0; h2hINV: 1; t2tINV: 3; TRA: 2
SVs in sample	94
Oscillating CN (2 and 3 states)	5, 3
CN segments	5
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0.16
Linked to chrs	
Purity, ploidy	0.62, 2.03












RK256	
Cancer type	Position
Liver-HCC	19:28565715–32327841
Type	With other complex events
<i>Interleaved intrachr. SVs</i>	8
<i>Total SVs (intrachr. + transl.)</i>	8
<i>SV types</i>	DEL: 2; DUP: 4; h2hINV: 1; t2tINV: 1; TRA: 0
<i>SVs in sample</i>	91
<i>Oscillating CN (2 and 3 states)</i>	5, 3
<i>CN segments</i>	12
<i>FDR fragment joints</i>	0.62
<i>FDR chr. breakp. enrich.</i>	0
<i>Linked to chrs</i>	
<i>Purity, ploidy</i>	0.89, 1.86






RK280	
Cancer type	Position
Liver-HCC	12:69541748–115904220
Type	With other complex events
<i>Interleaved intrachr. SVs</i>	8
<i>Total SVs (intrachr. + transl.)</i>	8
<i>SV types</i>	DEL: 1; DUP: 3; h2hINV: 2; t2tINV: 2; TRA: 0
<i>SVs in sample</i>	111
<i>Oscillating CN (2 and 3 states)</i>	5, 6
<i>CN segments</i>	14
<i>FDR fragment joints</i>	0.87
<i>FDR chr. breakp. enrich.</i>	0.03
<i>Linked to chrs</i>	
<i>Purity, ploidy</i>	0.87, 3.75





RK282	
Cancer type	Liver-HCC
Position	12:1853016-122894996
Type	Canonical without polypliodization
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	10
SV types	DEL: 1; DUP: 2; h2hINV: 3; t2tINV: 3; TRA: 1
SVs in sample	40
Oscillating CN (2 and 3 states)	4, 2
CN segments	4
FDR fragment joints	0.86
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.93, 2.24

RK297	
Cancer type	Liver-HCC
Position	9:9687693-31438879
Type	Canonical without polypliodization
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	11
SV types	DEL: 4; DUP: 5; h2hINV: 1; t2tINV: 1; TRA: 0
SVs in sample	34
Oscillating CN (2 and 3 states)	6, 7
CN segments	9
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.33, 1.95













762dea8a-5b41-4058-979a-b7876ed13d7e	
Cancer type	Lung-AdenoCA
Position	15:60153021-74051084
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	10
SV types	DEL: 2; DUP: 3; h2hINV: 1; t2tINV: 2; TRA: 2
SVs in sample	74
Oscillating CN (2 and 3 states)	5, 4
CN segments	14
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.62, 2.94





97831d28-ab41-4c18-bfc2-c4c6bc757d13	
Cancer type	Lung-AdenoCA
Position	8:19746812-144761257
Type	With other complex events
Interleaved intrachr. SVs	34
Total SVs (intrachr. + transl.)	68
SV types	DEL: 12; DUP: 6; h2hINV: 5; t2tINV: 11; TRA: 34
SVs in sample	229
Oscillating CN (2 and 3 states)	5, 6
CN segments	79
FDR fragment joints	1
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.82, 3.49





9b132e4f-7e35-4cc5-8711-43ad62b906d0	
Cancer type	Lung-AdenoCA
Position	1:194754133-247990684
Type	With other complex events
Interleaved intrachr. SVs	73
Total SVs (intrachr. + transl.)	73
SV types	DEL: 21; DUP: 18; h2hINV: 18; t2tINV: 16; TRA: 0
SVs in sample	209
Oscillating CN (2 and 3 states)	5, 7
CN segments	79
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.9, 4.33

















0398eae1-7216-4595-80a5-6b117d96e070

Cancer type	Lung-SCC
Position	18:1190790-67995083
Type	With other complex events
Interleaved intrachr. SVs	25
Total SVs (intrachr. + transl.)	41
SV types	DEL: 8; DUP: 8; h2hINV: 3; i2tINV: 6; TRA: 16
SVs in sample	209
Oscillating CN (2 and 3 states)	6, 5
CN segments	46
FDR fragment joints	0.81
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.57, 3.08

0398eae1-7216-4595-80a5-6b117d96e070

Cancer type	Lung-SCC
Position	21:14366223-44334417
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	18
SV types	DEL: 2; DUP: 2; h2hINV: 2; i2tINV: 1; TRA: 11
SVs in sample	209
Oscillating CN (2 and 3 states)	6, 8
CN segments	20
FDR fragment joints	0.64
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.57, 3.08




1ee543d5-b8c0-4f79-8373-6bb6319f2ee2


Cancer type	Lung-SCC
Position	8:127118996-135131269
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	30
SV types	DEL: 4; DUP: 0; h2hINV: 1; i2tINV: 1; TRA: 24
SVs in sample	287
Oscillating CN (2 and 3 states)	4, 3
CN segments	23
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	5:8531769-45801498;
Purity, ploidy	0.4, 2.43

1f11de87-a5fe-49fd-80c1-e279b2bc69de


Cancer type	Lung-SCC
Position	3:143326907-193269619
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	28
SV types	DEL: 4; DUP: 5; h2hINV: 5; i2tINV: 3; TRA: 11
SVs in sample	165
Oscillating CN (2 and 3 states)	5, 3
CN segments	53
FDR fragment joints	0.98
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.63, 3.26




	1f6b2aca-7357-40d1-ba7a-99227d9900a2
Cancer type	Lung-SCC
Position	3:77709025-174601176
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	26
SV types	DEL: 2; DUP: 5; h2hINV: 5; i2tINV: 4; TRA: 10
SVs in sample	602
Oscillating CN (2 and 3 states)	5, 7
CN segments	49
FDR fragment joints	0.82
FDR chr. breakp. enrich.	0.1
Linked to chrs	21:14740825-17506647;4:2720902-165169008
Purity, ploidy	0.86, 2.97




	1f6b2aca-7357-40d1-ba7a-99227d9900a2
Cancer type	Lung-SCC
Position	12:4696888-43872965
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	20
SV types	DEL: 3; DUP: 1; h2hINV: 0; i2tINV: 3; TRA: 13
SVs in sample	602
Oscillating CN (2 and 3 states)	4, 3
CN segments	14
FDR fragment joints	0.86
FDR chr. breakp. enrich.	0.35
Linked to chrs	11:46508302-111537991;18:21140095-63388412
Purity, ploidy	0.86, 2.97




	1f6b2aca-7357-40d1-ba7a-99227d9900a2
Cancer type	Lung-SCC
Position	11:46508302-111537992
Type	With other complex events
Interleaved intrachr. SVs	112
Total SVs (intrachr. + transl.)	195
SV types	DEL: 27; DUP: 31; h2hINV: 26; i2tINV: 28; TRA: 83
SVs in sample	602
Oscillating CN (2 and 3 states)	5, 6
CN segments	129
FDR fragment joints	0.97
FDR chr. breakp. enrich.	0
Linked to chrs	12:4696888-43872964;18:21140095-63388412
Purity, ploidy	0.86, 2.97





	1f6b2aca-7357-40d1-ba7a-99227d9900a2
Cancer type	Lung-SCC
Position	21:14740825-17506648
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	13
SV types	DEL: 2; DUP: 1; h2hINV: 3; i2tINV: 4; TRA: 3
SVs in sample	602
Oscillating CN (2 and 3 states)	5, 4
CN segments	12
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.86, 2.97







	376dfd27-68e8-4a1a-9c4f-5064279b2a9e
Cancer type	Lung-SCC
Position	X:714035-155073186
Type	Canonical without polypliodization
Interleaved intrachr. SVs	55
Total SVs (intrachr. + transl.)	55
SV types	DEL: 13; DUP: 16; h2hINV: 14; t2tINV: 12; TRA: 0
SVs in sample	234
Oscillating CN (2 and 3 states)	4, 4
CN segments	6
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.44, 3.03



	43abe847-4ba7-466e-8283-5d7b80b999a7
Cancer type	Lung-SCC
Position	7:114953114-146032540
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 0; DUP: 3; h2hINV: 3; t2tINV: 4; TRA: 0
SVs in sample	500
Oscillating CN (2 and 3 states)	4, 4
CN segments	26
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0.93
Linked to chrs	
Purity, ploidy	0.69, 3.74




	43abe847-4ba7-466e-8283-5d7b80b999a7
Cancer type	Lung-SCC
Position	8:30016639-108126673
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	31
SV types	DEL: 8; DUP: 9; h2hINV: 4; t2tINV: 5; TRA: 5
SVs in sample	500
Oscillating CN (2 and 3 states)	5, 5
CN segments	82
FDR fragment joints	0.7
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.69, 3.74




43abe847-4ba7-466e-8283-5d7b80b999a7	
Cancer type	Lung-SCC
Position	10:44557512-95329436
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	31
SV types	DEL: 4; DUP: 6; h2hINV: 3; t2tINV: 4; TRA: 14
SVs in sample	500
Oscillating CN (2 and 3 states)	4, 6
CN segments	34
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0.01
Linked to chrs	
Purity, ploidy	0.69, 3.74


4ca13c92-84b4-4edf-842a-b20b7e713415	
Cancer type	Lung-SCC
Position	2:54467990-78652935
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	19
SV types	DEL: 5; DUP: 5; h2hINV: 4; t2tINV: 3; TRA: 2
SVs in sample	103
Oscillating CN (2 and 3 states)	5, 4
CN segments	16
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.4, 1.72





585e6487-b0a3-4828-8a06-46bee01dff74	
Cancer type	Lung-SCC
Position	X:1585455-33684999
Type	With other complex events
Interleaved intrachr. SVs	45
Total SVs (intrachr. + transl.)	45
SV types	DEL: 9; DUP: 13; h2hINV: 11; t2tINV: 12; TRA: 0
SVs in sample	129
Oscillating CN (2 and 3 states)	4, 3
CN segments	41
FDR fragment joints	0.92
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.64, 3.46



6fd72426-f6c8-47ca-a500-d5d3600b9b15	
Cancer type	Lung-SCC
Position	3:181546045-189173080
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	13
SV types	DEL: 1; DUP: 5; h2hINV: 5; t2tINV: 2; TRA: 0
SVs in sample	130
Oscillating CN (2 and 3 states)	4, 6
CN segments	18
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.8, 3.37









c2598334-f866-4cc3-93ec-2d2e8b85d319	
Cancer type	Lung-SCC
Position	3:141119758-191946026
Type	With other complex events
Interleaved intrachr. SVs	43
Total SVs (intrachr. + transl.)	44
SV types	DEL: 3; DUP: 14; h2hINV: 14; t2tINV: 12; TRA: 1
SVs in sample	165
Oscillating CN (2 and 3 states)	5, 19
CN segments	61
FDR fragment joints	0.51
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.72, 1.86


c2598334-f866-4cc3-93ec-2d2e8b85d319	
Cancer type	Lung-SCC
Position	16:81457961-89793192
Type	Canonical without polyploidization
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	13
SV types	DEL: 3; DUP: 4; h2hINV: 0; t2tINV: 2; TRA: 4
SVs in sample	165
Oscillating CN (2 and 3 states)	5, 5
CN segments	8
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.72, 1.86




ce8612ab-3149-4a6a-b424-29c0c21c9b8b	
Cancer type	Lung-SCC
Position	3:145882159-191906843
Type	With other complex events
Interleaved intrachr. SVs	65
Total SVs (intrachr. + transl.)	73
SV types	DEL: 16; DUP: 10; h2hINV: 23; t2tINV: 16; TRA: 8
SVs in sample	213
Oscillating CN (2 and 3 states)	5, 12
CN segments	88
FDR fragment joints	0.54
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.59, 3.12



e6b72c24-1607-43b9-8b8a-7bf83eea5895	
Cancer type	Lung-SCC
Position	6:62569792-169514744
Type	With other complex events
Interleaved intrachr. SVs	48
Total SVs (intrachr. + transl.)	52
SV types	DEL: 12; DUP: 17; h2hINV: 10; t2tINV: 9; TRA: 4
SVs in sample	265
Oscillating CN (2 and 3 states)	4, 6
CN segments	78
FDR fragment joints	0.63
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.53, 3.12




	a8e2df1e-4042-42af-9231-3a00e83489f0
Cancer type	Lymph-BNHL
Position	1:52105012-170864080
Type	Canonical without polypliodization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 1; DUP: 1; h2hINV: 2; t2tINV: 3; TRA: 0
SVs in sample	112
Oscillating CN (2 and 3 states)	5, 3
CN segments	5
FDR fragment joints	0.77
FDR chr. breakp. enrich.	1
Linked to chrs	
Purity, ploidy	0.88, 1.98








	f0a326d2-1f3e-4a5d-bca8-32aaccc52338
Cancer type	Lymph-BNHL
Position	9:8189397-96357054
Type	With other complex events
Interleaved intrachr. SVs	30
Total SVs (intrachr. + transl.)	89
SV types	DEL: 10; DUP: 4; h2hINV: 9; t2tINV: 7; TRA: 59
SVs in sample	194
Oscillating CN (2 and 3 states)	6, 10
CN segments	49
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	18:24492930-66759171;
Purity, ploidy	0.8, 2.27








	4101316
Cancer type	Lymph-BNHL
Position	3:81591651-155801731
Type	With other complex events
Interleaved intrachr. SVs	32
Total SVs (intrachr. + transl.)	33
SV types	DEL: 4; DUP: 6; h2hINV: 13; t2tINV: 9; TRA: 1
SVs in sample	69
Oscillating CN (2 and 3 states)	5, 9
CN segments	64
FDR fragment joints	0.57
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.18, 2.41







































AOCS-128	
Cancer type	Ovary-AdenoCA
Position	1:3190607–179536707
Type	With other complex events
Interleaved intrachr. SVs	37
Total SVs (intrachr. + transl.)	47
SV types	DEL: 9; DUP: 9; h2hINV: 10; t2tINV: 9; TRA: 10
SVs in sample	496
Oscillating CN (2 and 3 states)	6, 11
CN segments	64
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	2:19515679–227555411;
Purity, ploidy	0.37, 3.11


AOCS-142	
Cancer type	Ovary-AdenoCA
Position	6:73883485–159307243
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	26
SV types	DEL: 1; DUP: 2; h2hINV: 2; t2tINV: 8; TRA: 13
SVs in sample	587
Oscillating CN (2 and 3 states)	4, 4
CN segments	30
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	1:10000000–100000000; 2:10000000–100000000; 3:10000000–100000000; 4:10000000–100000000; 5:10000000–100000000; 6:10000000–100000000; 7:10000000–100000000; 8:10000000–100000000; 9:10000000–100000000; X:10000000–100000000
Purity, ploidy	0.4, 3.64






AOCS-159	
Cancer type	Ovary–AdenoCA
Position	18:132344–49228552
Type	With other complex events
Interleaved intrachr. SVs	30
Total SVs (intrachr. + transl.)	43
SV types	DEL: 7; DUP: 5; h2hINV: 8; t2tINV: 10; TRA: 13
SVs in sample	259
Oscillating CN (2 and 3 states)	5, 12
CN segments	69
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.65, 2.93





AOCS-162	
Cancer type	Ovary–AdenoCA
Position	8:84960470–142202378
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	21
SV types	DEL: 5; DUP: 7; h2hINV: 3; t2tINV: 5; TRA: 1
SVs in sample	172
Oscillating CN (2 and 3 states)	4, 4
CN segments	45
FDR fragment joints	0.89
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.79, 3.31





AOCS-163	
Cancer type	Ovary–AdenoCA
Position	13:55650980–65277402
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	11
SV types	DEL: 2; DUP: 2; h2hINV: 1; t2tINV: 2; TRA: 4
SVs in sample	152
Oscillating CN (2 and 3 states)	4, 7
CN segments	13
FDR fragment joints	0.98
FDR chr. breakp. enrich.	0
Linked to chrs	18:11220437–65546089;
Purity, ploidy	0.81, 3.24





AOCS-165	
Cancer type	Ovary–AdenoCA
Position	5:56289678–56503515
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 2; DUP: 1; h2hINV: 2; t2tINV: 1; TRA: 0
SVs in sample	139
Oscillating CN (2 and 3 states)	4, 2
CN segments	4
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0.99
Linked to chrs	
Purity, ploidy	0.79, 2.71






15556b28-c6bd-455a-87b6-4b7b3e33d0e4	
Cancer type	Ovary - AdenoCA
Position	12:280423-20208244
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	20
SV types	DEL: 6; DUP: 5; h2hINV: 4; t2tINV: 5; TRA: 0
SVs in sample	154
Oscillating CN (2 and 3 states)	4, 2
CN segments	29
FDR fragment joints	0.96
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.84, 3.91


21f6bf91-dfc6-4a59-8b76-88a0f95c7b47	
Cancer type	Ovary - AdenoCA
Position	5:12399998-45103030
Type	With other complex events
Interleaved intrachr. SVs	18
Total SVs (intrachr. + transl.)	46
SV types	DEL: 4; DUP: 6; h2hINV: 1; t2tINV: 7; TRA: 28
SVs in sample	204
Oscillating CN (2 and 3 states)	6, 4
CN segments	64
FDR fragment joints	0.72
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.9, 2.96






21f6bf91-dfc6-4a59-8b76-88a0f95c7b47	
Cancer type	Ovary - AdenoCA
Position	19:30340862-58891648
Type	With other complex events
Interleaved intrachr. SVs	24
Total SVs (intrachr. + transl.)	47
SV types	DEL: 10; DUP: 4; h2hINV: 5; t2tINV: 5; TRA: 23
SVs in sample	204
Oscillating CN (2 and 3 states)	5, 4
CN segments	68
FDR fragment joints	0.69
FDR chr. breakp. enrich.	0
Linked to chrs	1:8799389-247051700; 4:42264826-44424729;
Purity, ploidy	0.9, 2.96

4c18d9cf-4af4-4a86-8b1c-f78795fbdbd7e	
Cancer type	Ovary - AdenoCA
Position	12:4470991-70144374
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	14
SV types	DEL: 3; DUP: 1; h2hINV: 4; t2tINV: 5; TRA: 1
SVs in sample	96
Oscillating CN (2 and 3 states)	6, 8
CN segments	29
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.83, 1.77















ICGC_0006	
Cancer type	Pano-AdenoCA
Position	11:3857736-45323041
Type	With other complex events
Interleaved intrachr. SVs	46
Total SVs (intrachr. + transl.)	47
SV types	DEL: 10; DUP: 17; h2hINV: 9; t2tINV: 10; TRA: 1
SVs in sample	258
Oscillating CN (2 and 3 states)	4, 3
CN segments	49
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.41, 3.23


ICGC_0009	
Cancer type	Panc-AdenoCA
Position	10:80347920-132334500
Type	With other complex events
Interleaved intrachr. SVs	31
Total SVs (intrachr. + transl.)	31
SV types	DEL: 5; DUP: 14; h2hINV: 7; t2tINV: 5; TRA: 0
SVs in sample	41
Oscillating CN (2 and 3 states)	5, 4
CN segments	31
FDR fragment joints	0.54
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.7, 1.86



ICGC_0021	
Cancer type	Panc-AdenoCA
Position	18:394262-19382550
Type	With other complex events
Interleaved intrachr. SVs	33
Total SVs (intrachr. + transl.)	33
SV types	DEL: 11; DUP: 2; h2hINV: 11; t2tINV: 9; TRA: 0
SVs in sample	162
Oscillating CN (2 and 3 states)	5, 6
CN segments	42
FDR fragment joints	0.54
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.43, 2.88


ICGC_0025	
Cancer type	Panc-AdenoCA
Position	1:152793278-227429822
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 1; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	118
Oscillating CN (2 and 3 states)	5, 6
CN segments	8
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0.46
Linked to chrs	
Purity, ploidy	0.51, 1.65






ICGC_0066	
Cancer type	Panc-AdenoCA
Position	15:23941952–39581480
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	17
SV types	DEL: 5; DUP: 4; h2hINV: 4; t2tINV: 3; TRA: 1
SVs in sample	66
Oscillating CN (2 and 3 states)	4, 5
CN segments	17
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.42, 3.85





ICGC_0069	
Cancer type	Panc-AdenoCA
Position	15:62553528–9629031
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	17
SV types	DEL: 1; DUP: 5; h2hINV: 4; t2tINV: 7; TRA: 0
SVs in sample	73
Oscillating CN (2 and 3 states)	6, 6
CN segments	26
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.58, 1.81





ICGC_0087	
Cancer type	Panc-AdenoCA
Position	7:17124522–62387137
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	14
SV types	DEL: 2; DUP: 4; h2hINV: 3; t2tINV: 2; TRA: 3
SVs in sample	79
Oscillating CN (2 and 3 states)	5, 10
CN segments	15
FDR fragment joints	0.9
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.29, 2.33





ICGC_0087	
Cancer type	Panc-AdenoCA
Position	18:18629528–22549984
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 4; DUP: 2; h2hINV: 1; t2tINV: 1; TRA: 0
SVs in sample	79
Oscillating CN (2 and 3 states)	5, 3
CN segments	12
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.29, 2.33






ICGC_0149	
Cancer type	Pano-AdenoCA
Position	8:39662139-131797224
Type	With other complex events
Interleaved intrachr. SVs	63
Total SVs (intrachr. + transl.)	63
SV types	DEL: 16; DUP: 18; h2hINV: 11; t2tINV: 18; TRA: 0
SVs in sample	238
Oscillating CN (2 and 3 states)	6, 5
CN segments	59
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.56, 1.87

ICGC_0150	
Cancer type	Panc-AdenoCA
Position	19:14991068-24021988
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	12
SV types	DEL: 3; DUP: 1; h2hINV: 3; t2tINV: 1; TRA: 4
SVs in sample	115
Oscillating CN (2 and 3 states)	5, 8
CN segments	17
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.65, 3.71




ICGC_0207	
Cancer type	Panc-AdenoCA
Position	7:121034912-151110416
Type	Canonical without polyploidization
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	12
SV types	DEL: 5; DUP: 2; h2hINV: 3; t2tINV: 2; TRA: 0
SVs in sample	27
Oscillating CN (2 and 3 states)	6, 4
CN segments	6
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.61, 1.91


ICGC_0224	
Cancer type	Panc-AdenoCA
Position	14:61112011-65419128
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	9
SV types	DEL: 4; DUP: 1; h2hINV: 3; t2tINV: 1; TRA: 0
SVs in sample	76
Oscillating CN (2 and 3 states)	5, 7
CN segments	9
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.77, 1.96



ICGC_0296		ICGC_0300	
Cancer type	Pano-AdenoCA	Cancer type	Pano-AdenoCA
Position	18:350045-21877313	Position	13:27875998-52774140
Type	With other complex events	Type	With other complex events
Interleaved intrachr. SVs	9	Total SVs (intrachr. + transl.)	7
Total SVs (intrachr. + transl.)	13	SV types	DEL: 1; DUP: 2; h2hINV: 2; t2tINV: 2; TRA: 3
SV types	DEL: 2; DUP: 1; h2hINV: 3; t2tINV: 3; TRA: 4	SVs in sample	68
SVs in sample	115	Oscillating CN (2 and 3 states)	5, 3
Oscillating CN (2 and 3 states)	5, 9	CN segments	12
CN segments	15	FDR fragment joints	0.68
FDR fragment joints	0.68	FDR chr. breakp. enrich.	0
FDR chr. breakp. enrich.	0	Linked to chrs	9:20973200-32637210;
Linked to chrs	0.54, 1.83	Purity, ploidy	0.56, 2.02
Purity, ploidy	0.54, 1.83		




ICGC_0301		ICGC_0303	
Cancer type	Panc-AdenoCA	Cancer type	Panc-AdenoCA
Position	18:25572442-75675714	Position	2:10700671-144337304
Type	With other complex events	Type	With other complex events
Interleaved intrachr. SVs	15	Total SVs (intrachr. + transl.)	7
Total SVs (intrachr. + transl.)	16	SV types	DEL: 3; DUP: 3; h2hINV: 1; t2tINV: 0; TRA: 7
SV types	DEL: 4; DUP: 4; h2hINV: 4; t2tINV: 3; TRA: 1	SVs in sample	132
SVs in sample	27	Oscillating CN (2 and 3 states)	4, 4
Oscillating CN (2 and 3 states)	4, 2	CN segments	18
CN segments	18	FDR fragment joints	0.62
FDR fragment joints	0.95	FDR chr. breakp. enrich.	0
FDR chr. breakp. enrich.	0	Linked to chrs	1:109159140-230863765;
Linked to chrs	0.61, 1.78	Purity, ploidy	0.58, 1.9
Purity, ploidy	0.61, 1.78		




ICGC_0304	
Cancer type	Panc-AdenoCA
Position	18:1490133-31586695
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	12
SV types	DEL: 2; DUP: 3; h2hINV: 3; t2tINV: 4; TRA: 0
SVs in sample	55
Oscillating CN (2 and 3 states)	5, 3
CN segments	17
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.67, 1.96





ICGC_0393	
Cancer type	Panc-AdenoCA
Position	22:18789020-50349275
Type	With other complex events
Interleaved intrachr. SVs	22
Total SVs (intrachr. + transl.)	62
SV types	DEL: 6; DUP: 5; h2hINV: 6; t2tINV: 5; TRA: 40
SVs in sample	158
Oscillating CN (2 and 3 states)	5, 5
CN segments	51
FDR fragment joints	0.82
FDR chr. breakp. enrich.	0
Linked to chrs	13:24905703-113852940;
Purity, ploidy	0.44, 2.08




ICGC_0395	
Cancer type	Panc-AdenoCA
Position	7:86041901-153362571
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	16
SV types	DEL: 2; DUP: 6; h2hINV: 2; t2tINV: 1; TRA: 5
SVs in sample	87
Oscillating CN (2 and 3 states)	5, 3
CN segments	24
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.43, 3.29





ICGC_0417	
Cancer type	Panc-AdenoCA
Position	17:34974437-49255446
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 2; DUP: 3; h2hINV: 1; t2tINV: 0; TRA: 0
SVs in sample	47
Oscillating CN (2 and 3 states)	5, 4
CN segments	6
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.46, 1.99






ICGC_0526	
Cancer type	Pano-AdenoCA
Position	6:11005830-53074096
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	16
SV types	DEL: 3; DUP: 3; h2hINV: 5; t2tINV: 5; TRA: 0
SVs in sample	127
Oscillating CN (2 and 3 states)	4, 4
CN segments	28
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0.01
Linked to chrs	0.54, 1.78
Purity, ploidy	0.54, 1.78




ICGC_0535	
Cancer type	Panc-AdenoCA
Position	10:89522467-110477428
Type	Canonical without polyloidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	7
SV types	DEL: 2; DUP: 2; h2hINV: 1; t2tINV: 1; TRA: 1
SVs in sample	102
Oscillating CN (2 and 3 states)	5, 6
CN segments	8
FDR fragment joints	0.96
FDR chr. breakp. enrich.	0.1
Linked to chrs	0.46, 1.85
Purity, ploidy	0.46, 1.85



ICGC_0535	
Cancer type	Panc-AdenoCA
Position	X:141345603-144825631
Type	Canonical without polyloidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.):	6
SV types	DEL: 1; DUP: 2; h2hINV: 1; t2tINV: 2; TRA: 0
SVs in sample	102
Oscillating CN (2 and 3 states)	5, 5
CN segments	7
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0
Linked to chrs	0.46, 1.85
Purity, ploidy	0.46, 1.85





ICGC_0543	
Cancer type	Pano-AdenoCA
Position	9:187480–137300565
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	16
SV types	DEL: 2; DUP: 2; h2hINV: 5; t2tINV: 5; TRA: 2
SVs in sample	161
Oscillating CN (2 and 3 states)	6, 8
CN segments	32
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	7:28956141–31357723;
Purity, ploidy	0.53, 1.89





PCSI_0001	
Cancer type	Panc-AdenoCA
Position	18:18631561–76740272
Type	With other complex events
Interleaved intrachr. SVs	22
Total SVs (intrachr. + transl.)	22
SV types	DEL: 4; DUP: 3; h2hINV: 6; t2tINV: 9; TRA: 0
SVs in sample	37
Oscillating CN (2 and 3 states)	4, 3
CN segments	32
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.15, 1.99

PCSI_0015	
Cancer type	Panc-AdenoCA
Position	4:10893126–5842207
Type	With other complex events
Interleaved intrachr. SVs	26
Total SVs (intrachr. + transl.)	35
SV types	DEL: 9; DUP: 5; h2hINV: 6; t2tINV: 6; TRA: 9
SVs in sample	541
Oscillating CN (2 and 3 states)	5, 5
CN segments	29
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	8:100785898–143451879;
Purity, ploidy	0.94, 2.58




PCSI_0044	
Cancer type	Panc-AdenoCA
Position	6:2763282-35849850
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 1; DUP: 4; h2hINV: 2; i2tINV: 3; TRA: 0
SVs in sample	98
Oscillating CN (2 and 3 states)	5, 6
CN segments	18
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.68, 1.87





PCSI_0044	
Cancer type	Panc-AdenoCA
Position	12:46852610-65968411
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	28
SV types	DEL: 3; DUP: 2; h2hINV: 4; i2tINV: 0; TRA: 19
SVs in sample	98
Oscillating CN (2 and 3 states)	5, 6
CN segments	22
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	18:42542834-54212828;
Purity, ploidy	0.68, 1.87




PCSI_0044	
Cancer type	Panc-AdenoCA
Position	18:42542834-54212829
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	28
SV types	DEL: 1; DUP: 5; h2hINV: 5; i2tINV: 4; TRA: 13
SVs in sample	98
Oscillating CN (2 and 3 states)	6, 8
CN segments	30
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	12:46852610-65968410;
Purity, ploidy	0.68, 1.87


PCSI_0077	
Cancer type	Panc-AdenoCA
Position	9:32610603-37173324
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	10
SV types	DEL: 2; DUP: 1; h2hINV: 3; i2tINV: 2; TRA: 2
SVs in sample	74
Oscillating CN (2 and 3 states)	5, 4
CN segments	19
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.56, 1.81













	PCSI_0105	PCSI_0105
Cancer type:	Pano-AdenoCA	Pano-AdenoCA
Position:	3:33556195-40791777	13:34326449-109417492
Type:	After polypliodization	With other complex events
Interleaved intrachr. SVs:	11, 12	12
Total SVs (intrachr. + transl.):	91	5, 3
SV types:	DEL: 2; DUP: 1; h2hINV: 3; t2tINV: 5; TRA: 0	DEL: 3; DUP: 3; h2hINV: 2; t2tINV: 4; TRA: 0
SVs in sample:	4, 14	34
Oscillating CN (2 and 3 states):	18	0.93
CN segments:	0.68	0
FDR fragment joints:	0	0.56, 3.69
FDR chr. breakp. enrich.:	0	0
Linked to chrs:		
Purity, ploidy:		



	PCSI_0111	PCSI_0145
Cancer type:	Panc-AdenoCA	Panc-AdenoCA
Position:	6:104571922-165438064	3:76628774-82950282
Type:	With other complex events	With other complex events
Interleaved intrachr. SVs:	42, 46	11, 24
Total SVs (intrachr. + transl.):	260	550
SV types:	DEL: 10; DUP: 10; h2hINV: 11; t2tINV: 11; TRA: 4	DEL: 5; DUP: 2; h2hINV: 0; t2tINV: 4; TRA: 13
SVs in sample:	6, 9	5, 6
Oscillating CN (2 and 3 states):	37	23
CN segments:	0.96	0.54
FDR fragment joints:	0	0
FDR chr. breakp. enrich.:	3:35128015-182834758; 0.81, 3.09	15:29942435-85558504; 0.87, 2.72
Linked to chrs:		
Purity, ploidy:		










PCSI_0210	
Cancer type	Panc-AdenoCA
Position	3:161515687–194895663
Type	With other complex events
Interleaved intrachr. SVs	45
Total SVs (intrachr. + transl.)	47
SV types	DEL: 12; DUP: 12; h2hINV: 9; t2tINV: 12; TRA: 2
SVs in sample	194
Oscillating CN (2 and 3 states)	4, 6
CN segments	35
FDR fragment joints	0.96
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.86, 2


PCSI_0210	
Cancer type	Panc-AdenoCA
Position	8:33791127–43503910
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	21
SV types	DEL: 4; DUP: 4; h2hINV: 3; t2tINV: 4; TRA: 6
SVs in sample	194
Oscillating CN (2 and 3 states)	4, 4
CN segments	30
FDR fragment joints	0.76
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.86, 2



PCSI_0230	
Cancer type	Panc-AdenoCA
Position	18:29885709–75219927
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	10
SV types	DEL: 2; DUP: 0; h2hINV: 4; t2tINV: 2; TRA: 2
SVs in sample	235
Oscillating CN (2 and 3 states)	5, 11
CN segments	20
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.92, 1.83


PCSI_0233	
Cancer type	Panc-AdenoCA
Position	8:32367518–100716200
Type	After polypliodization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	15
SV types	DEL: 1; DUP: 2; h2hINV: 2; t2tINV: 1; TRA: 9
SVs in sample	71
Oscillating CN (2 and 3 states)	6, 13
CN segments	19
FDR fragment joints	0.65
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.26, 2.92






PCSI_0261	
Cancer type	Panc-AdenoCA
Position	8:47403900-133181064
Type	Canonical without polypliodization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	11
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2tINV: 1; TRA: 4
SVs in sample	382
Oscillating CN (2 and 3 states)	4, 9
CN segments	18
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0.66
Linked to chrs	12:34059230-90708383;
Purity, ploidy	0.55, 2.88





PCSI_0268	
Cancer type	Panc-AdenoCA
Position	1:1109651-22405832
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	14
SV types	DEL: 0; DUP: 2; h2hINV: 3; t2tINV: 2; TRA: 7
SVs in sample	104
Oscillating CN (2 and 3 states)	4, 3
CN segments	34
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.67, 2.21



PCSI_0268	
Cancer type	Panc-AdenoCA
Position	10:126851447-127077192
Type	Canonical without polypliodization
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	14
SV types	DEL: 3; DUP: 3; h2hINV: 4; t2tINV: 4; TRA: 0
SVs in sample	104
Oscillating CN (2 and 3 states)	5, 5
CN segments	8
FDR fragment joints	0.98
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.67, 2.21





PCSI_0279	
Cancer type	Panc-AdenoCA
Position	22:18521810-51136116
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 2; DUP: 2; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	57
Oscillating CN (2 and 3 states)	6, 6
CN segments	16
FDR fragment joints	1
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.6, 2.03






Cancer type	Panc-AdenoCA
Position	18:1700778–25341902
Type	With other complex events
Interleaved intrachr. SVs	32
Total SVs (intrachr. + transl.)	39
SV types	DEL: 9; DUP: 8; h2hINV: 8; t2tINV: 7; TRA: 7
SVs in sample	137
Oscillating CN (2 and 3 states)	5, 8
CN segments	56
FDR fragment joints	0.95
FDR chr. breakp. enrich.	0
Linked to chrs	0.72, 3.1
Purity, ploidy	0.72, 3.1


Cancer type	Panc-AdenoCA
Position	7:139885932–159081404
Type	With other complex events
Interleaved intrachr. SVs	35
Total SVs (intrachr. + transl.)	36
SV types	DEL: 9; DUP: 9; h2hINV: 9; t2tINV: 8; TRA: 1
SVs in sample	208
Oscillating CN (2 and 3 states)	6, 11
CN segments	46
FDR fragment joints	0.99
FDR chr. breakp. enrich.	0
Linked to chrs	0.58, 2.82
Purity, ploidy	0.58, 2.82




PCSI_0325	
Cancer type	Panc-AdenoCA
Position	3:85734262–174611972
Type	With other complex events
Interleaved intrachr. SVs	56
Total SVs (intrachr. + transl.)	59
SV types	DEL: 15; DUP: 13; h2hINV: 16; t2tINV: 12; TRA: 3
SVs in sample	207
Oscillating CN (2 and 3 states)	6, 4
CN segments	85
FDR fragment joints	0.96
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.67, 2.85

PCSI_0337	
Cancer type	Panc-AdenoCA
Position	9:16003998–24326188
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	13
SV types	DEL: 4; DUP: 2; h2hINV: 4; t2tINV: 3; TRA: 0
SVs in sample	54
Oscillating CN (2 and 3 states)	6, 5
CN segments	20
FDR fragment joints	0.9
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.63, 2.05






PCSI_0352	
Cancer type	Pano-AdenoCA
Position	6:40037807–56846580
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	14
SV types	DEL: 2; DUP: 0; h2hINV: 1; t2tINV: 3; TRA: 8
SVs in sample	72
Oscillating CN (2 and 3 states)	6, 10
CN segments	29
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	14:20953269–101623828;
Purity, ploidy	NA, NA





PCSI_0353	
Cancer type	Panc-AdenoCA
Position	6:31811163–53484589
Type	With other complex events
Interleaved intrachr. SVs	17
Total SVs (intrachr. + transl.)	17
SV types	DEL: 3; DUP: 2; h2hINV: 6; t2tINV: 6; TRA: 0
SVs in sample	105
Oscillating CN (2 and 3 states)	5, 15
CN segments	17
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.95, 3.75





PCSI_0353	
Cancer type	Panc-AdenoCA
Position	14:20259866–102375473
Type	With other complex events
Interleaved intrachr. SVs	38
Total SVs (intrachr. + transl.)	40
SV types	DEL: 8; DUP: 9; h2hINV: 12; t2tINV: 9; TRA: 2
SVs in sample	105
Oscillating CN (2 and 3 states)	5, 7
CN segments	58
FDR fragment joints	0.91
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.95, 3.75

PCSI_0356	
Cancer type	Panc-AdenoCA
Position	12:31165322–84134078
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	12
SV types	DEL: 1; DUP: 4; h2hINV: 2; t2tINV: 3; TRA: 2
SVs in sample	228
Oscillating CN (2 and 3 states)	5, 7
CN segments	22
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0.07
Linked to chrs	
Purity, ploidy	0.77, 3.33






PCSI_0356	
Cancer type	Panc-AdenoCA
Position	18:1947225-25427315
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	13
SV types	DEL: 5; DUP: 2; h2hINV: 4; t2tINV: 2; TRA: 0
SVs in sample	228
Oscillating CN (2 and 3 states)	6, 4
CN segments	26
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.77, 3.33



PCSI_0392	
Cancer type	Panc-AdenoCA
Position	6:8838119-69082829
Type	With other complex events
Interleaved intrachr. SVs	34
Total SVs (intrachr. + transl.)	36
SV types	DEL: 5; DUP: 9; h2hINV: 13; t2tINV: 7; TRA: 2
SVs in sample	160
Oscillating CN (2 and 3 states)	5, 4
CN segments	57
FDR fragment joints	0.64
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.99, 3.89




PCSI_0392	
Cancer type	Panc-AdenoCA
Position	8:95993359-135574872
Type	With other complex events
Interleaved intrachr. SVs	27
Total SVs (intrachr. + transl.)	28
SV types	DEL: 5; DUP: 11; h2hINV: 5; t2tINV: 6; TRA: 1
SVs in sample	160
Oscillating CN (2 and 3 states)	6, 15
CN segments	37
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.99, 3.89

PCSI_0392	
Cancer type	Panc-AdenoCA
Position	18:20260488-25314382
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	13
SV types	DEL: 1; DUP: 3; h2hINV: 5; t2tINV: 4; TRA: 0
SVs in sample	160
Oscillating CN (2 and 3 states)	4, 5
CN segments	15
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.99, 3.89










PCSI_0531	
Cancer type	Panc-AdenoCA
Position	18:9032446-50330464
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	11
SV types	DEL: 3; DUP: 3; h2hINV: 1; t2tINV: 1; TRA: 3
SVs in sample	96
Oscillating CN (2 and 3 states)	6, 6
CN segments	17
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.31, 1.86



PCSI_0572	
Cancer type	Panc-AdenoCA
Position	1:107128798-114787742
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	10
SV types	DEL: 2; DUP: 3; h2hINV: 0; t2tINV: 1; TRA: 4
SVs in sample	86
Oscillating CN (2 and 3 states)	5, 3
CN segments	5
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	2:21945480-110876000;
Purity, ploidy	0.49, 2.71



ITNET-0134	
Cancer type	Panc-Endocrine
Position	8:80326174-145581514
Type	Canonical without polyploidization
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	14
SV types	DEL: 1; DUP: 3; h2hINV: 3; t2tINV: 3; TRA: 4
SVs in sample	55
Oscillating CN (2 and 3 states)	4, 2
CN segments	4
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.61, 2.02


ITNET-1047	
Cancer type	Panc-Endocrine
Position	9:29933578-36500038
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	9
SV types	DEL: 2; DUP: 3; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	245
Oscillating CN (2 and 3 states)	4, 5
CN segments	18
FDR fragment joints	0.97
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.9, 1.64






EOPC-041	
Cancer type	Prost-AdenoCA
Position	2:20591505-103430435
Type	With other complex events
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	36
SV types	DEL: 4; DUP: 4; h2hINV: 4; t2tINV: 4; TRA: 20
SVs in sample	131
Oscillating CN (2 and 3 states)	5, 7
CN segments	25
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0
Linked to chrs	19:42614927-44488344;
Purity, ploidy	0.44, 3.28


EOPC-041	
Cancer type	Prost-AdenoCA
Position	8:14804569-76501181
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	15
SV types	DEL: 5; DUP: 2; h2hINV: 3; t2tINV: 4; TRA: 1
SVs in sample	131
Oscillating CN (2 and 3 states)	4, 7
CN segments	33
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.44, 3.28




EOPC-041	
Cancer type	Prost-AdenoCA
Position	19:42614927-44488345
Type	Canonical without polypliodization
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	30
SV types	DEL: 2; DUP: 1; h2hINV: 2; t2tINV: 3; TRA: 22
SVs in sample	131
Oscillating CN (2 and 3 states)	6, 7
CN segments	15
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0
Linked to chrs	2:20591505-103430434;
Purity, ploidy	0.44, 3.28




EOPC-049	
Cancer type	Prost-AdenoCA
Position	10:129911442-133833453
Type	Canonical without polypliodization
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	19
SV types	DEL: 4; DUP: 1; h2hINV: 1; t2tINV: 2; TRA: 11
SVs in sample	50
Oscillating CN (2 and 3 states)	4, 2
CN segments	4
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.68, 1.9







CPCG0123	
Cancer type	Prost-AdenoCA
Position	4:40113263-89954086
Type	Canonical without polypliodization
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	18
SV types	DEL: 2; DUP: 4; h2hINV: 2; t2tINV: 1; TRA: 9
SVs in sample	144
Oscillating CN (2 and 3 states)	5, 3
CN segments	5
FDR fragment joints	0.99
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.44, 1.9





CPCG0124	
Cancer type	Prost-AdenoCA
Position	8:5872316-42557666
Type	With other complex events
Interleaved intrachr. SVs	15
Total SVs (intrachr. + transl.)	46
SV types	DEL: 4; DUP: 4; h2hINV: 3; t2tINV: 4; TRA: 31
SVs in sample	121
Oscillating CN (2 and 3 states)	4, 5
CN segments	14
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.47, 1.87



CPCG0166	
Cancer type	Prost-AdenoCA
Position	10:89626569-95441303
Type	Canonical without polypliodization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 3; DUP: 1; h2hINV: 1; t2tINV: 1; TRA: 0
SVs in sample	126
Oscillating CN (2 and 3 states)	5, 3
CN segments	5
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0.63
Linked to chrs	
Purity, ploidy	0.18, 1.86



CPCG0189	
Cancer type	Prost-AdenoCA
Position	11:78278095-82964421
Type	Canonical without polypliodization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	8
SV types	DEL: 1; DUP: 0; h2hINV: 3; t2tINV: 2; TRA: 2
SVs in sample	92
Oscillating CN (2 and 3 states)	5, 3
CN segments	5
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.61, 1.89



CPCG0191

Cancer type: Prost-AdenoCA

Position: 10:6994207-108361744

Type: Canonical without polypliodization

Interleaved intrachr. SVs: 23

Total SVs (intrachr. + transl.): 25

SV types: DEL: 3; DUP: 5; h2hINV: 7; t2tINV: 8; TRA: 2

SVs in sample: 121

Oscillating CN (2 and 3 states): 4, 7

CN segments: 14

FDR fragment joints: 0.68

FDR chr. breakp. enrich.: 0

Linked to chrs:

Purity, ploidy: 0.55, 1.84

CPCG0196

Cancer type: Prost-AdenoCA

Position: 2:71553010-204756130

Type: Canonical without polypliodization

Interleaved intrachr. SVs: 15

Total SVs (intrachr. + transl.): 15

SV types: DEL: 5; DUP: 2; h2hINV: 4; t2tINV: 4; TRA: 0

SVs in sample: 116

Oscillating CN (2 and 3 states): 5, 3



CN segments: 5

FDR fragment joints: 0.85

FDR chr. breakp. enrich.: 0.1

Linked to chrs:

Purity, ploidy: 0.7, 1.91



CPCG0199

Cancer type: Prost-AdenoCA

Position: 6:64700080-152466236

Type: Canonical without polypliodization

Interleaved intrachr. SVs: 6

Total SVs (intrachr. + transl.): 6

SV types: DEL: 1; DUP: 0; h2hINV: 2; t2tINV: 3; TRA: 0

SVs in sample: 109

Oscillating CN (2 and 3 states): 6, 4

CN segments: 6

FDR fragment joints: 0.62

FDR chr. breakp. enrich.: 0.36

Linked to chrs:

Purity, ploidy: 0.28, 1.88

CPCG0206

Cancer type: Prost-AdenoCA

Position: 11:45858528-97193270

Type: With other complex events

Interleaved intrachr. SVs: 6

Total SVs (intrachr. + transl.): 9

SV types: DEL: 1; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 3

SVs in sample: 173

Oscillating CN (2 and 3 states): 4, 5


CN segments: 12



FDR fragment joints: 0.97

FDR chr. breakp. enrich.: 0.26

Linked to chrs:


Purity, ploidy: 0.3, 1.94










Cancer type	Prost-AdenoCA
Position	3:51760828–135855244
Type	With other complex events
Interleaved intrachr. SVs	21
Total SVs (intrachr. + transl.)	21
SV types	DEL: 6; DUP: 5; h2hINV: 6; i2tINV: 4; TRA: 0
SVs in sample	67
Oscillating CN (2 and 3 states)	5, 5
CN segments	17
FDR fragment joints	0.95
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.39, 1.97

Cancer type	Prost-AdenoCA
Position	4:134635808–137495825
Type	Canonical without polypliodization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 2; DUP: 1; h2hINV: 2; i2tINV: 2; TRA: 0
SVs in sample	135
Oscillating CN (2 and 3 states)	6, 4
CN segments	6
FDR fragment joints	0.96
FDR chr. breakp. enrich.	0.01
Linked to chrs	
Purity, ploidy	0.34, 1.89










CPCG0379	
Cancer type	Prost-AdenoCA
Position	17:45491837–70847983
Type	After polyloidization
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	20
SV types	DEL: 4; DUP: 3; h2hINV: 3; t2tINV: 3; TRA: 7
SVs in sample	107
Oscillating CN (2 and 3 states)	6, 7
CN segments	9
FDR fragment joints	0.86
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.71, 1.98


0089_CRUK_PC_0089	
Cancer type	Prost-AdenoCA
Position	11:103634542–133363653
Type	Canonical without polyloidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 1; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 0
SVs in sample	52
Oscillating CN (2 and 3 states)	6, 8
CN segments	10
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.74, 1.92





0090_CRUK_PC_0090	
Cancer type	Prost-AdenoCA
Position	11:90271061–99662500
Type	Canonical without polyloidization
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	12
SV types	DEL: 2; DUP: 3; h2hINV: 3; t2tINV: 2; TRA: 2
SVs in sample	194
Oscillating CN (2 and 3 states)	5, 3
CN segments	5
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0.18
Linked to chrs	4:67524856–158414912;
Purity, ploidy	0.21, 1.92

0091_CRUK_PC_0091	
Cancer type	Prost-AdenoCA
Position	18:8673012–67370977
Type	Canonical without polyloidization
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	13
SV types	DEL: 5; DUP: 1; h2hINV: 3; t2tINV: 2; TRA: 2
SVs in sample	308
Oscillating CN (2 and 3 states)	5, 5
CN segments	8
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	3:69780654–86522448;
Purity, ploidy	0.86, 3.7







A29-0017_CRUK_PC_0017	
Cancer type	Prost-AdenoCA
Position	8:55705727-120347671
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	33
SV types	DEL: 1; DUP: 3; h2hINV: 3; t2tINV: 3; TRA: 23
SVs in sample	322
Oscillating CN (2 and 3 states)	4, 3
CN segments	17
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	5:13735145-179718725;
Purity, ploidy	NA, NA





A32-0019_CRUK_PC_0019	
Cancer type	Prost-AdenoCA
Position	2:171308068-191866282
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	12
SV types	DEL: 4; DUP: 0; h2hINV: 1; t2tINV: 1; TRA: 6
SVs in sample	192
Oscillating CN (2 and 3 states)	5, 5
CN segments	14
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	3:32985863-156750376;
Purity, ploidy	NA, NA




A32-0019_CRUK_PC_0019	
Cancer type	Prost-AdenoCA
Position	3:32985863-156750377
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	12
SV types	DEL: 3; DUP: 0; h2hINV: 4; t2tINV: 3; TRA: 2
SVs in sample	192
Oscillating CN (2 and 3 states)	5, 10
CN segments	12
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0.03
Linked to chrs	2:171308068-191866281;
Purity, ploidy	NA, NA




A34-0022_CRUK_PC_0022	
Cancer type	Prost-AdenoCA
Position	13:75922651–79259286
Type	Canonical without polypliodization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 2; DUP: 2; h2hINV: 1; t2tINV: 1; TRA: 0
SVs in sample	461
Oscillating CN (2 and 3 states)	6, 4
CN segments	6
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0.17
Linked to chrs	
Purity, ploidy	NA, NA




c039014f-821c-43d6-9d3c-914f9c8d98fa	
Cancer type	Prost-AdenoCA
Position	11:29320290–106781287
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 1; DUP: 1; h2hINV: 2; t2tINV: 3; TRA: 0
SVs in sample	222
Oscillating CN (2 and 3 states)	6, 7
CN segments	20
FDR fragment joints	0.77
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.85, 1.96





c039014f-821c-43d6-9d3c-914f9c8d98fa	
Cancer type	Prost-AdenoCA
Position	6:57910476–98537020
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 1; DUP: 1; h2hINV: 3; t2tINV: 5; TRA: 0
SVs in sample	222
Oscillating CN (2 and 3 states)	5, 7
CN segments	9
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0.93
Linked to chrs	
Purity, ploidy	0.85, 1.96




f6381367-142c-45d0-92b3-c1727d1813ce	
Cancer type	Prost-AdenoCA
Position	10:59938517–98135181
Type	Canonical without polypliodization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	8
SV types	DEL: 1; DUP: 2; h2hINV: 2; t2tINV: 2; TRA: 1
SVs in sample	133
Oscillating CN (2 and 3 states)	5, 3
CN segments	5
FDR fragment joints	1
FDR chr. breakp. enrich.	0.03
Linked to chrs	
Purity, ploidy	0.92, 1.9













	MELA-0009	MELA-0012
Cancer type	Skin-Melanoma	Skin-Melanoma
Position	11:41485920–112489309	3:131435629–180741702
Type	With other complex events	Before polyploidization
Interleaved intrachr. SVs	40	7
Total SVs (intrachr. + transl.)	94	11
SV types	DEL: 10; DUP: 11; h2hINV: 10; t2tINV: 9; TRA: 54	DEL: 0; DUP: 1; h2hINV: 3; t2tINV: 3; TRA: 4
SVs in sample	351	508
Oscillating CN (2 and 3 states)	5, 6	5, 13
CN segments	69	24
FDR fragment joints	0.74	0.74
FDR chr. breakp. enrich.	0	0.99
Linked to chrs	20:50318897–61655151;	20:50318897–61655151;
Purity, ploidy	0.49, 3.33	0.79, 2.87





	MELA-0012
Cancer type	Skin-Melanoma
Position	10:34937946–111551297
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	11
SV types	DEL: 3; DUP: 3; h2hINV: 1; t2tINV: 1; TRA: 3
SVs in sample	508
Oscillating CN (2 and 3 states)	5, 9
CN segments	21
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0.53
Linked to chrs	7:32236661–117391258;
Purity, ploidy	0.79, 2.87









MELA-0048	
Cancer type	Skin-Melanoma
Position	5:1054293–127185143
Type	With other complex events
Interleaved intrachr. SVs	32
Total SVs (intrachr. + transl.)	163
SV types	DEL: 11; DUP: 6; h2hINV: 7; t2tINV: 8; TRA: 131
SVs in sample	444
Oscillating CN (2 and 3 states)	6, 5
CN segments	161
FDR fragment joints	0.69
FDR chr. breakp. enrich.	0
Linked to chrs	2:35447197–238700316; 7:858862–151538982
Purity, ploidy	0.9, 2.98



MELA-0050	
Cancer type	Skin-Melanoma
Position	11:51487991–83958719
Type	With other complex events
Interleaved intrachr. SVs	26
Total SVs (intrachr. + transl.)	28
SV types	DEL: 11; DUP: 9; h2hINV: 4; t2tINV: 2; TRA: 2
SVs in sample	94
Oscillating CN (2 and 3 states)	6, 4
CN segments	52
FDR fragment joints	0.33
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.82, 2.77



MELA-0060	
Cancer type	Skin-Melanoma
Position	11:2569509–63788627
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	22
SV types	DEL: 4; DUP: 5; h2hINV: 5; t2tINV: 6; TRA: 2
SVs in sample	213
Oscillating CN (2 and 3 states)	5, 9
CN segments	31
FDR fragment joints	0.94
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.46, 3.71



MELA-0061	
Cancer type	Skin-Melanoma
Position	2:96865382–106123131
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	8
SV types	DEL: 0; DUP: 1; h2hINV: 4; t2tINV: 3; TRA: 0
SVs in sample	101
Oscillating CN (2 and 3 states)	4, 6
CN segments	11
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0.03
Linked to chrs	
Purity, ploidy	0.91, 3.42






MELA-0066	
Cancer type	Skin-Melanoma
Position	1:160797429-216909159
Type	Before polyploidization
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	11
SV types	DEL: 1; DUP: 2; h2hINV: 4; i2tINV: 2; TRA: 2
SVs in sample	355
Oscillating CN (2 and 3 states)	5, 9
CN segments	17
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0.03
Linked to chrs	
Purity, ploidy	0.42, 3.25

MELA-0066	
Cancer type	Skin-Melanoma
Position	3:77541575-89022462
Type	Before polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	7
SV types	DEL: 2; DUP: 2; h2hINV: 1; i2tINV: 1; TRA: 1
SVs in sample	355
Oscillating CN (2 and 3 states)	4, 5
CN segments	7
FDR fragment joints	0.96
FDR chr. breakp. enrich.	0.6
Linked to chrs	
Purity, ploidy	0.42, 3.25




MELA-0066	
Cancer type	Skin-Melanoma
Position	14:71471614-102112284
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	24
SV types	DEL: 1; DUP: 2; h2hINV: 5; i2tINV: 3; TRA: 13
SVs in sample	355
Oscillating CN (2 and 3 states)	4, 4
CN segments	12
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.42, 3.25


MELA-0069	
Cancer type	Skin-Melanoma
Position	2:13198317-216809264
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	26
SV types	DEL: 3; DUP: 2; h2hINV: 4; i2tINV: 2; TRA: 15
SVs in sample	401
Oscillating CN (2 and 3 states)	5, 6
CN segments	51
FDR fragment joints	0.75
FDR chr. breakp. enrich.	0.27
Linked to chrs	
Purity, ploidy	0.97, 3.9




MELA-0069	
Cancer type	Skin–Melanoma
Position	6:3865883–64390630
Type	With other complex events
Interleaved intrachr. SVs	49
Total SVs (intrachr. + transl.)	129
SV types	DEL: 11; DUP: 9; h2hINV: 15; t2tINV: 14; TRA: 80
SVs in sample	401
Oscillating CN (2 and 3 states)	6, 5
CN segments	106
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	14:77426835–91651121;2:13198317–216809263
Purity, ploidy	0.97, 3.9




MELA-0069	
Cancer type	Skin–Melanoma
Position	11:66817953–80753867
Type	With other complex events
Interleaved intrachr. SVs	64
Total SVs (intrachr. + transl.)	134
SV types	DEL: 20; DUP: 14; h2hINV: 16; t2tINV: 14; TRA: 70
SVs in sample	401
Oscillating CN (2 and 3 states)	4, 5
CN segments	122
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0
Linked to chrs	6:3865883–64390629;9:1637851–118991851
Purity, ploidy	0.97, 3.9




MELA-0070	
Cancer type	Skin–Melanoma
Position	3:107828103–110133076
Type	With other complex events
Interleaved intrachr. SVs	20
Total SVs (intrachr. + transl.)	65
SV types	DEL: 5; DUP: 7; h2hINV: 3; t2tINV: 5; TRA: 45
SVs in sample	450
Oscillating CN (2 and 3 states)	5, 5
CN segments	13
FDR fragment joints	0.73
FDR chr. breakp. enrich.	0
Linked to chrs	12:55086091–64480689;
Purity, ploidy	0.75, 2.64




MELA-0070	
Cancer type	Skin–Melanoma
Position	11:69251922–83096232
Type	With other complex events
Interleaved intrachr. SVs	33
Total SVs (intrachr. + transl.)	107
SV types	DEL: 10; DUP: 7; h2hINV: 9; t2tINV: 7; TRA: 74
SVs in sample	450
Oscillating CN (2 and 3 states)	4, 5
CN segments	92
FDR fragment joints	0.76
FDR chr. breakp. enrich.	0
Linked to chrs	13:26276510–102632900;16:69653875–83050345
Purity, ploidy	0.75, 2.64






MELA-0168	
Cancer type	Skin-Melanoma
Position	22:17962914–29759005
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	14
SV types	DEL: 3; DUP: 3; h2hINV: 1; t2tINV: 3; TRA: 4
SVs in sample	57
Oscillating CN (2 and 3 states)	6, 9
CN segments	15
FDR fragment joints	0.9
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.72, 3.64


MELA-0173	
Cancer type	Skin-Melanoma
Position	15:49713725–96355825
Type	With other complex events
Interleaved intrachr. SVs	18
Total SVs (intrachr. + transl.)	21
SV types	DEL: 5; DUP: 3; h2hINV: 5; t2tINV: 5; TRA: 3
SVs in sample	90
Oscillating CN (2 and 3 states)	6, 6
CN segments	31
FDR fragment joints	0.76
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.25, 3.01




MELA-0174	
Cancer type	Skin-Melanoma
Position	2:36739938–238611839
Type	After polyploidization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	47
SV types	DEL: 1; DUP: 4; h2hINV: 1; t2tINV: 1; TRA: 40
SVs in sample	249
Oscillating CN (2 and 3 states)	6, 6
CN segments	8
FDR fragment joints	0.67
FDR chr. breakp. enrich.	0
Linked to chrs	3:8169851–171292231; 9:2192834–27453600
Purity, ploidy	0.94, 2.15




MELA-0187	
Cancer type	Skin-Melanoma
Position	6:64985024–128497164
Type	With other complex events
Interleaved intrachr. SVs	12
Total SVs (intrachr. + transl.)	20
SV types	DEL: 3; DUP: 3; h2hINV: 2; t2tINV: 4; TRA: 8
SVs in sample	313
Oscillating CN (2 and 3 states)	6, 12
CN segments	24
FDR fragment joints	0.86
FDR chr. breakp. enrich.	0
Linked to chrs	11:54893769–126272082;
Purity, ploidy	0.75, 3.27







MELA-0202	
Cancer type	Skin-Melanoma
Position	7:6051022-155559216
Type	With other complex events
Interleaved intrachr. SVs	42
Total SVs (intrachr. + transl.)	42
SV types	DEL: 10; DUP: 12; h2hINV: 11; t2tINV: 9; TRA: 0
SVs in sample	103
Oscillating CN (2 and 3 states)	5, 7
CN segments	44
FDR fragment joints	0.96
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.73, 1.84





MELA-0213	
Cancer type	Skin-Melanoma
Position	22:19600873-50879547
Type	After polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 1; DUP: 2; h2hINV: 0; t2tINV: 3; TRA: 0
SVs in sample	34
Oscillating CN (2 and 3 states)	5, 4
CN segments	10
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.15, 3.66


MELA-0223	
Cancer type	Skin-Melanoma
Position	6:53940949-143661562
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	10
SV types	DEL: 3; DUP: 1; h2hINV: 2; t2tINV: 2; TRA: 2
SVs in sample	104
Oscillating CN (2 and 3 states)	4, 3
CN segments	14
FDR fragment joints	0.86
FDR chr. breakp. enrich.	0.03
Linked to chrs	
Purity, ploidy	0.87, 4.03


















8c54fcfd-999f-43c5-b31f-26d006f5fff3



Cancer type	Skin-Melanoma
Position	8:27003357-144300868
Type	With other complex events
Interleaved intrachr. SVs	70
Total SVs (intrachr. + transl.)	84
SV types	DEL: 23; DUP: 15; h2hINV: 18; t2tINV: 14; TRA: 14
SVs in sample	351
Oscillating CN (2 and 3 states)	6, 9
CN segments	41
FDR fragment joints	0.63
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.9, 3.17

b85b14d7-3b5a-4800-af12-622ec03b9fe5

Cancer type	Skin-Melanoma
Position	8:50126618-55588669
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	82
SV types	DEL: 1; DUP: 1; h2hINV: 5; t2tINV: 1; TRA: 74
SVs in sample	633
Oscillating CN (2 and 3 states)	4, 3
CN segments	23
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	11:68369991-101011601;
Purity, ploidy	0.72, 3.36

q13.4

q14.3





b85b14d7-3b5a-4800-af12-622ec03b9fe5


Cancer type	Skin-Melanoma
Position	11:68369991-101011602
Type	With other complex events
Interleaved intrachr. SVs	67
Total SVs (intrachr. + transl.)	198
SV types	DEL: 15; DUP: 18; h2hINV: 20; t2tINV: 14; TRA: 131
SVs in sample	633
Oscillating CN (2 and 3 states)	6, 4
CN segments	63
FDR fragment joints	0.75
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.72, 3.36


b85b14d7-3b5a-4800-af12-622ec03b9fe5


Cancer type	Skin-Melanoma
Position	15:47687942-55499374
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	70
SV types	DEL: 2; DUP: 2; h2hINV: 1; t2tINV: 3; TRA: 62
SVs in sample	633
Oscillating CN (2 and 3 states)	4, 3
CN segments	28
FDR fragment joints	0.95
FDR chr. breakp. enrich.	0
Linked to chrs	11:68369991-101011601;
Purity, ploidy	0.72, 3.36

































9517413b-b5b8-4130-8ba1-d86d44abe2ec	
Cancer type	SoftTissue-Liposarc
Position	5:274679-32089188
Type	With other complex events
Interleaved intrachr. SVs	19
Total SVs (intrachr. + transl.)	73
SV types	DEL: 4; DUP: 3; h2hINV: 7; t2tINV: 5; TRA: 54
SVs in sample	498
Oscillating CN (2 and 3 states)	5, 3
CN segments	50
FDR fragment joints	0.98
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.6, 2.24


9517413b-b5b8-4130-8ba1-d86d44abe2ec	
Cancer type	SoftTissue-Liposarc
Position	12:18468583-117642876
Type	With other complex events
Interleaved intrachr. SVs	167
Total SVs (intrachr. + transl.)	330
SV types	DEL: 39; DUP: 45; h2hINV: 36; t2tINV: 47; TRA: 163
SVs in sample	498
Oscillating CN (2 and 3 states)	4, 2
CN segments	101
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.6, 2.24




9517413b-b5b8-4130-8ba1-d86d44abe2ec	
Cancer type	SoftTissue-Liposarc
Position	18:20983183-30290774
Type	With other complex events
Interleaved intrachr. SVs	9
Total SVs (intrachr. + transl.)	55
SV types	DEL: 2; DUP: 2; h2hINV: 3; t2tINV: 2; TRA: 46
SVs in sample	498
Oscillating CN (2 and 3 states)	4, 4
CN segments	30
FDR fragment joints	0.73
FDR chr. breakp. enrich.	0
Linked to chrs	5:274679-32089187;
Purity, ploidy	0.6, 2.24




b5f27002-4277-418d-90b0-cc5a2742692e	
Cancer type	SoftTissue-Liposarc
Position	3:16208743-73683673
Type	After polyploidization
Interleaved intrachr. SVs	16
Total SVs (intrachr. + transl.)	24
SV types	DEL: 2; DUP: 4; h2hINV: 6; t2tINV: 4; TRA: 8
SVs in sample	895
Oscillating CN (2 and 3 states)	6, 9
CN segments	13
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0.22
Linked to chrs	9:1073973-27003043;
Purity, ploidy	0.87, 6.21







e7a72f7e-77b1-4d95-8f37-39a6cffc35dc	
Cancer type	SoftTissue-Liposarc
Position	12:8061289-120789609
Type	With other complex events
Interleaved intrachr. SVs	195
Total SVs (intrachr. + transl.)	354
SV types	DEL: 46; DUP: 42; h2hINV: 49; t2tINV: 58; TRA: 159
SVs in sample	696
Oscillating CN (2 and 3 states)	4, 6
CN segments	174
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	11:993833-37433475; 21:35308379-35766982
Purity, ploidy	0.62, 3.8




e7a72f7e-77b1-4d95-8f37-39a6cffc35dc	
Cancer type	SoftTissue-Liposarc
Position	19:29150130-38233328
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	79
SV types	DEL: 1; DUP: 2; h2hINV: 0; t2tINV: 3; TRA: 73
SVs in sample	696
Oscillating CN (2 and 3 states)	4, 5
CN segments	35
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0
Linked to chrs	11:993833-37433475;
Purity, ploidy	0.62, 3.8




e7a72f7e-77b1-4d95-8f37-39a6cffc35dc	
Cancer type	SoftTissue-Liposarc
Position	22:16915315-49000417
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	44
SV types	DEL: 2; DUP: 2; h2hINV: 1; t2tINV: 1; TRA: 38
SVs in sample	696
Oscillating CN (2 and 3 states)	4, 3
CN segments	35
FDR fragment joints	0.89
FDR chr. breakp. enrich.	0
Linked to chrs	11:993833-37433475; 5:1295334-20553338
Purity, ploidy	0.62, 3.8




ea0e5ae7-1f15-4504-aea3-efd1f6733304	
Cancer type	SoftTissue-Liposarc
Position	1:145025792-241989428
Type	With other complex events
Interleaved intrachr. SVs	66
Total SVs (intrachr. + transl.)	182
SV types	DEL: 14; DUP: 16; h2hINV: 16; t2tINV: 20; TRA: 116
SVs in sample	595
Oscillating CN (2 and 3 states)	5, 4
CN segments	228
FDR fragment joints	1
FDR chr. breakp. enrich.	0
Linked to chrs	12:8047626-76351791;
Purity, ploidy	0.44, 3.26







	CGP_donor_GC00008
Cancer type	Stomach-AdenoCA
Position	5:35107612-41952066
Type	With other complex events
Interleaved intrachr. SVs	43
Total SVs (intrachr. + transl.)	46
SV types	DEL: 9; DUP: 13; h2hINV: 10; t2tINV: 11; TRA: 3
SVs in sample	307
Oscillating CN (2 and 3 states)	5, 7
CN segments	48
FDR fragment joints	0.8
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.93, 2.06




	CGP_donor_GC00008
Cancer type	Stomach-AdenoCA
Position	10:2847784-76828663
Type	With other complex events
Interleaved intrachr. SVs	40
Total SVs (intrachr. + transl.)	41
SV types	DEL: 9; DUP: 11; h2hINV: 11; t2tINV: 9; TRA: 1
SVs in sample	307
Oscillating CN (2 and 3 states)	6, 7
CN segments	23
FDR fragment joints	0.98
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.93, 2.06



	CGP_donor_GC00008
Cancer type	Stomach-AdenoCA
Position	19:13824051-29025405
Type	Canonical without polyploidization
Interleaved intrachr. SVs	19
Total SVs (intrachr. + transl.)	20
SV types	DEL: 1; DUP: 5; h2hINV: 7; t2tINV: 6; TRA: 1
SVs in sample	307
Oscillating CN (2 and 3 states)	5, 10
CN segments	12
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.93, 2.06




	CGP_donor_GC00013
Cancer type	Stomach-AdenoCA
Position	2:223705573-228623701
Type	With other complex events
Interleaved intrachr. SVs	40
Total SVs (intrachr. + transl.)	40
SV types	DEL: 11; DUP: 12; h2hINV: 7; t2tINV: 10; TRA: 0
SVs in sample	95
Oscillating CN (2 and 3 states)	4, 4
CN segments	52
FDR fragment joints	0.81
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.92, 1.97





CGP_donor_GC00018	
Cancer type	Stomach-AdenoCA
Position	11:104455729-127800985
Type	Canonical without polypliodization
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	14
SV types	DEL: 2; DUP: 3; h2hINV: 2; t2tINV: 1; TRA: 6
SVs in sample	85
Oscillating CN (2 and 3 states)	5, 8
CN segments	16
FDR fragment joints	0.81
FDR chr. breakp. enrich.	0
Linked to chrs	20:35666161-59823117;
Purity, ploidy	0.25, 1.85

CGP_donor_GC00019	
Cancer type	Stomach-AdenoCA
Position	17:34964923-7365519
Type	With other complex events
Interleaved intrachr. SVs	13
Total SVs (intrachr. + transl.)	18
SV types	DEL: 3; DUP: 4; h2hINV: 2; t2tINV: 4; TRA: 5
SVs in sample	101
Oscillating CN (2 and 3 states)	4, 5
CN segments	22
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.13, 3.34




CGP_donor_GC00020	
Cancer type	Stomach-AdenoCA
Position	8:99969120-137759332
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	23
SV types	DEL: 1; DUP: 2; h2hINV: 2; t2tINV: 1; TRA: 17
SVs in sample	403
Oscillating CN (2 and 3 states)	4, 5
CN segments	41
FDR fragment joints	0.79
FDR chr. breakp. enrich.	0
Linked to chrs	1:22345572-221724578;
Purity, ploidy	0.44, 3.17



CGP_donor_GC00020	
Cancer type	Stomach-AdenoCA
Position	11:69004148-111983118
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	24
SV types	DEL: 0; DUP: 4; h2hINV: 3; t2tINV: 4; TRA: 13
SVs in sample	403
Oscillating CN (2 and 3 states)	4, 3
CN segments	40
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.44, 3.17



CGP_donor_GC00022	
Cancer type	Stomach-AdenoCA
Position	2:8672161–139745881
Type	Canonical without polypliodization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	7
SV types	DEL: 2; DUP: 2; h2hINV: 1; t2tINV: 2; TRA: 0
SVs in sample	149
Oscillating CN (2 and 3 states)	4, 5
CN segments	8
FDR fragment joints	0.96
FDR chr. breakp. enrich.	0.55
Linked to chrs	
Purity, ploidy	0.45, 1.66



CGP_donor_GC00033	
Cancer type	Stomach-AdenoCA
Position	8:80936461–141686980
Type	With other complex events
Interleaved intrachr. SVs	8
Total SVs (intrachr. + transl.)	11
SV types	DEL: 2; DUP: 5; h2hINV: 0; t2tINV: 1; TRA: 3
SVs in sample	925
Oscillating CN (2 and 3 states)	6, 5
CN segments	51
FDR fragment joints	0.54
FDR chr. breakp. enrich.	0
Linked to chrs	10:6484853–104269464;
Purity, ploidy	0.49, 2.4



CGP_donor_GC00033

Stomach-AdenoCA

3:98369145–186328430

With other complex events

Interleaved intrachr. SVs

Total SVs (intrachr. + transl.)

SV types

SVs in sample

Oscillating CN (2 and 3 states)



CN segments

FDR fragment joints

FDR chr. breakp. enrich.

Linked to chrs

Purity, ploidy



CGP_donor_GC00037

Stomach-AdenoCA

12:20006408–108461993

With other complex events

Interleaved intrachr. SVs

Total SVs (intrachr. + transl.)

SV types

SVs in sample

Oscillating CN (2 and 3 states)


CN segments


FDR fragment joints

FDR chr. breakp. enrich.


Linked to chrs

Purity, ploidy








CGP_donor_GC00052	
Cancer type	Stomach-AdenoCA
Position	21:15959382–46300731
Type	Canonical without polypliodization
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	11
SV types	DEL: 2; DUP: 3; h2hINV: 0; t2tINV: 2; TRA: 4
SVs in sample	309
Oscillating CN (2 and 3 states)	5, 5
CN segments	7
FDR fragment joints	0.74
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.44, 2.18




CGP_donor_GC00053	
Cancer type	Stomach-AdenoCA
Position	18:1608546–71962999
Type	With other complex events
Interleaved intrachr. SVs	33
Total SVs (intrachr. + transl.)	36
SV types	DEL: 9; DUP: 9; h2hINV: 6; t2tINV: 9; TRA: 3
SVs in sample	317
Oscillating CN (2 and 3 states)	6, 8
CN segments	66
FDR fragment joints	0.99
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.35, 4.48





CGP_donor_GC00053	
Cancer type	Stomach-AdenoCA
Position	13:39597021–104940825
Type	With other complex events
Interleaved intrachr. SVs	11
Total SVs (intrachr. + transl.)	12
SV types	DEL: 5; DUP: 4; h2hINV: 0; t2tINV: 2; TRA: 1
SVs in sample	317
Oscillating CN (2 and 3 states)	5, 8
CN segments	23
FDR fragment joints	0.54
FDR chr. breakp. enrich.	0.2
Linked to chrs	
Purity, ploidy	0.35, 4.48





CGP_donor_GC00054	
Cancer type	Stomach-AdenoCA
Position	1:20036804–231461837
Type	With other complex events
Interleaved intrachr. SVs	14
Total SVs (intrachr. + transl.)	28
SV types	DEL: 1; DUP: 6; h2hINV: 3; t2tINV: 4; TRA: 14
SVs in sample	550
Oscillating CN (2 and 3 states)	5, 9
CN segments	67
FDR fragment joints	0.62
FDR chr. breakp. enrich.	0.07
Linked to chrs	12:18101997–94069585; 19:28404001–30805307
Purity, ploidy	0.34, 4.27














8b5746f9-dbee-40bd-9141-1081960cf286	
Cancer type	Stomach-AdenoCA
Position	1:17246972-229690987
Type	With other complex events
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	27
SV types	DEL: 2; DUP: 2; h2hINV: 3; i2tINV: 3; TRA: 17
SVs in sample	363
Oscillating CN (2 and 3 states)	6, 9
CN segments	48
FDR fragment joints	0.87
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.27, 2.91







8b5746f9-dbee-40bd-9141-1081960cf286	
Cancer type	Stomach-AdenoCA
Position	16:693417-62053802
Type	Canonical without polyploidization
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	6
SV types	DEL: 2; DUP: 1; h2hINV: 1; i2tINV: 2; TRA: 0
SVs in sample	363
Oscillating CN (2 and 3 states)	5, 6
CN segments	8
FDR fragment joints	0.93
FDR chr. breakp. enrich.	0.02
Linked to chrs	
Purity, ploidy	0.27, 2.91





8b5746f9-dbee-40bd-9141-1081960cf286	
Cancer type	Stomach-AdenoCA
Position	19:3088176-57557538
Type	With other complex events
Interleaved intrachr. SVs	58
Total SVs (intrachr. + transl.)	63
SV types	DEL: 14; DUP: 17; h2hINV: 12; i2tINV: 15; TRA: 5
SVs in sample	363
Oscillating CN (2 and 3 states)	6, 7
CN segments	90
FDR fragment joints	0.91
FDR chr. breakp. enrich.	0
Linked to chrs	17:1358751-56764163;
Purity, ploidy	0.27, 2.91




















bad34c92-1e64-4187-a0b4-061105fd13ba

Cancer type	Uterus-AdenoCA
Position	1:1127335–152612348
Type	With other complex events
Interleaved intrachr. SVs	6
Total SVs (intrachr. + transl.)	20
SV types	DEL: 1; DUP: 4; h2hINV: 1; t2tINV: 0; TRA: 14
SVs in sample	315
Oscillating CN (2 and 3 states)	6, 5
CN segments	32
FDR fragment joints	0.96
FDR chr. breakp. enrich.	0
Linked to chrs	12:50347854–124093362;
Purity, ploidy	0.78, 2.01

bad34c92-1e64-4187-a0b4-061105fd13ba

Cancer type	Uterus-AdenoCA
Position	17:36816085–74685847
Type	With other complex events
Interleaved intrachr. SVs	7
Total SVs (intrachr. + transl.)	13
SV types	DEL: 3; DUP: 2; h2hINV: 1; t2tINV: 1; TRA: 6
SVs in sample	315
Oscillating CN (2 and 3 states)	5, 7
CN segments	38
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.78, 2.01



bd4284a7-260d-48b3-9b48-a1c578c30d27

Cancer type	Uterus-AdenoCA
Position	3:60986489–85883621
Type	Canonical without polyploidization
Interleaved intrachr. SVs	10
Total SVs (intrachr. + transl.)	10
SV types	DEL: 4; DUP: 1; h2hINV: 2; t2tINV: 3; TRA: 0
SVs in sample	199
Oscillating CN (2 and 3 states)	6, 4
CN segments	6
FDR fragment joints	0.68
FDR chr. breakp. enrich.	0
Linked to chrs	
Purity, ploidy	0.83, 1.91

c88e3901-f3ee-436a-ba80-143c8eab7d69

Cancer type	Uterus-AdenoCA
Position	8:51305779–141554762
Type	With other complex events
Interleaved intrachr. SVs	31
Total SVs (intrachr. + transl.)	45
SV types	DEL: 6; DUP: 8; h2hINV: 8; t2tINV: 9; TRA: 14
SVs in sample	382
Oscillating CN (2 and 3 states)	6, 5
CN segments	78
FDR fragment joints	0.92
FDR chr. breakp. enrich.	0
Linked to chrs	16:46736458–70526638; 7:44704759–148485338
Purity, ploidy	0.96, 1.98