

Masahiro Kanai

Curriculum Vitae

✉ mkanai@g.harvard.edu
✉ masahiro.kanai@riken.jp
✉ cani.m.61st@gmail.com
🌐 mkanai.github.io
🌐 mkanai

Education

Harvard University **Boston, USA**
Bioinformatics and Integrative Genomics PhD Program, Harvard Medical School Aug. 2017–present

Keio University **Yokohama, Japan**
B.S. in Bioinformatics, Department of Biosciences and Informatics Apr. 2013–Mar. 2017

Research Experience

RIKEN Center for Integrative Medical Sciences **Yokohama, Japan**
Research Assistant, Laboratory for Statistical Analysis May 2015–present

Advisor: Drs. Yoichiro Kamatani & Yukinori Okada

Research theme:

- Genome-wide association study (GWAS) of ~200,000 individuals in the BioBank Japan Project.
- Interpretation of GWAS polygenic signals using epigenomic data.
- Population genetics analysis of 1,037 Japanese whole-genome sequences.

Keio University **Yokohama, Japan**
Undergraduate Researcher, Laboratory for Bioinformatics Apr. 2016–Mar. 2017

Advisor: Dr. Yasubumi Sakakibara

Bachelor thesis: Integrative multi-omics analysis of renal cell carcinoma

Tokyo Medical and Dental University **Tokyo, Japan**
Technical Assistant, Department of Human Genetics and Disease Diversity Apr. 2014–Mar. 2016

Advisor: Drs. Yukinori Okada & Toshihiro Tanaka

Research theme:

- Empirical estimation of genome-wide significance thresholds based on GWAS simulations.
- HLA imputation analysis using the Japanese-specific reference panel.

Certification

The Certification for Bioinformatics Engineers
certificated by the Japanese Society of Bioinformatics 2015

Awards and Fellowships

The Nakajima Foundation Fellowship **Tokyo, Japan**
Predoctoral fellowship which covers up to ~\$50,000/year for tuition and stipend. 2017–2019+

The 3rd place, Worldwide Finals **New York, USA**
Microsoft Imagine Cup 2011 Windows 7 Touch Challenge 2011

The 1st place, National Finals & Worldwide Finalist **Japan & Poland**
Microsoft Imagine Cup 2010 Software Design Competition 2010

Technical Skills

Programming Language: C/C++, C#, Python, R, Java, Matlab, Unix shell, sed/awk

Analysis: GWAS, Genotype Imputation, HLA Imputation, Polygenic analysis using GCTA and LDSC

Publications

1. **Kanai, M.**, Akiyama, M., Takahashi, A., Matoba, N., Momozawa, Y., Ikeda, M., Iwata, N., Ikegawa, S., Hirata, M., Matsuda, K., Kubo, M., Okada, Y. & Kamatani, Y. Genetic analysis of quantitative traits in the Japanese population links cell types to complex human diseases. *Nature Genetics*. doi:10.1038/s41588-018-0047-6 (2018).
2. Hirata, J., Hirota, T., Ozeki, T., **Kanai, M.**, Sudo, T., Tanaka, T., Hizawa, N., Nakagawa, H., Sato, S., Mushiroda, T., Saeki, H., Tamari, M. & Okada, Y. Variants at HLA-A, HLA-C, and HLA-DQB1 confer risk of psoriasis vulgaris in Japanese. *Journal of Investigative Dermatology* **138**, 542–548 (2018).
3. Akiyama, M., Okada, Y., **Kanai, M.**, Takahashi, A., Momozawa, Y., Ikeda, M., Iwata, N., Ikegawa, S., Hirata, M., Matsuda, K., Iwasaki, M., Yamaji, T., Sawada, N., Hachiya, T., Tanno, K., Shimizu, A., Hozawa, A., Minegishi, N., Tsugane, S., Yamamoto, M., Kubo, M. & Kamatani, Y. Genome-wide association study identifies 112 new loci for body mass index in the Japanese population. *Nature Genetics* **49**, 1458–1467 (2017).
4. Sudo, T., Okada, Y., Ozaki, K., Urayama, K., **Kanai, M.**, Kobayashi, H., Gokyu, M., Izumi, Y. & Tanaka, T. Association of NOD2 Mutations with Aggressive Periodontitis. *Journal of Dental Research* **96**, 1100–1105 (2017).
5. Okada, Y., Suzuki, A., Ikari, K., Terao, C., Kochi, Y., Ohmura, K., Higasa, K., Akiyama, M., Ashikawa, K., **Kanai, M.**, Hirata, J., Suita, N., Teo, Y.-Y., Xu, H., Bae, S.-C., Takahashi, A., Momozawa, Y., Matsuda, K., Momohara, S., Taniguchi, A., Yamada, R., Mimori, T., Kubo, M., Brown, M. A., Raychaudhuri, S., Matsuda, F., Yamanaka, H., Kamatani, Y. & Yamamoto, K. Contribution of a Non-classical HLA Gene, HLA-DOA, to the Risk of Rheumatoid Arthritis. *The American Journal of Human Genetics* **99**, 366–374 (2016).
6. **Kanai, M.**, Tanaka, T. & Okada, Y. Empirical estimation of genome-wide significance thresholds based on the 1000 Genomes Project data set. *Journal of Human Genetics* **61**, 861–866 (2016).
7. Okada, Y., Muramatsu, T., Suita, N., **Kanai, M.**, Kawakami, E., Lotchkova, V., Soranzo, N., Inazawa, J. & Tanaka, T. Significant impact of miRNA–target gene networks on genetics of human complex traits. *Scientific Reports* **6**, 22223 (2016).
8. Okada, Y., Momozawa, Y., Ashikawa, K., **Kanai, M.**, Matsuda, K., Kamatani, Y., Takahashi, A. & Kubo, M. Construction of a population-specific HLA imputation reference panel and its application to Graves' disease risk in Japanese. *Nature Genetics* **47**, 798–802 (2015).

Reviews (in Japanese)

1. **Kanai, M.**, Okada, Y. & Kamatani, Y. Large-scale genome-wide association study in the Japanese population elucidates genetic backgrounds of 58 quantitative traits. *Life Science First Author's Review*. doi:10.7875/first.author.2018.025 (2018).
2. **Kanai, M.** & Okada, Y. Identification of genetic loci associated with chronic kidney disease and applications for drug development. *Kidney and Metabolic Bone Diseases* **31**, 19–26 (2018).
3. **Kanai, M.** & Okada, Y. HLA imputation: construction of a population-specific reference panel in Japanese. *Journal of Clinical and Experimental Medicine (IGAKU NO AYUMI)* **257**, 939–940 (2016).

Presentations

International Conference

1. **Kanai, M.**, Akiyama, M., Okada, Y., Ikeda, M., Iwata, N., Kubo, M. & Kamatani, Y. Trans-ethnic comparison of partitioned heritability reveals shared cell-type specific enrichment between East Asian and European genome-wide association studies. *The 66th Annual Meeting of the American Society of Human Genetics, Poster Session* (2016).
2. **Kanai, M.**, Tanaka, T. & Okada, Y. Empirical estimation of genome-wide significance thresholds based on the 1000 Genomes Project. *The 13th International Congress of Human Genetics, Oral Session* (2016).

3. **Kanai, M.**, Okada, Y., Muramatsu, T., Suita, N., Kawakami, E., Iotchkova, V., Soranzo, N., Inazawa, J. & Tanaka, T. Significant impact of miRNA–target gene networks on genetics of human complex traits. *The 13th International Congress of Human Genetics, Oral Session* (2016).

Domestic Conference (in Japan).....

1. **Kanai, M.**, Tanaka, T. & Okada, Y. Empirical estimation of a genome-wide significance threshold based on the 1000 Genomes Project. *The 60th Annual Meeting of the Japan Society of Human Genetics, Oral Session* (2015).
2. Suita, N., **Kanai, M.**, Higuchi, C., Tanaka, T. & Okada, Y. Comprehensive pathway analysis for 23 large-scale genome-wide association studies. *The 60th Annual Meeting of the Japan Society of Human Genetics, Poster Session* (2015).
3. **Kanai, M.**, Yamane, K., Higuchi, C., Tanaka, T. & Okada, Y. Performance evaluation of PLINK v.1.90: a next version of a tool set for genome-wide association study. *The 59th Annual Meeting of the Japan Society of Human Genetics, Poster Session* (2014).

Last updated: February 26, 2018.