nanoclaw-update-vm in Google Cloud

Project dvlm-develom-ai, number 859575560347. Zone us-central1-a. The practice VM has no external IP. The Mac reaches it only through Identity-Aware Proxy.

Operator Mac - not on this VPC

Three separate local processes. None of them route into 10.1.0.0/24.

Live NanoClaw
launchd on the Mac
OneCLI 127.0.0.1:10254, version 1.41.0
Source of Saul state. No route into this VPC.

Sandbox clone
nanoclaw-update, commit 70a06b93
git push to github.com/xtreamgit/nanoclaw-update
Public repo. No groups and no secrets.

Operator identity
hector@develom.com
gcloud compute ssh --tunnel-through-iap
Uploads archives with user credentials.

state copy, not a live link

git clone on the VM

IAP TCP 22

Staging bucket
gs://dvlm-develom-ai-nanoclaw-staging
us-central1, public access prevention
VM service account has no grant

GitHub
xtreamgit/nanoclaw-update
VM pulls the repo over Cloud NAT
Image is built on the VM, not in a registry

IAP
35.235.240.0/20
tcp/22 only, tag nanoclaw
Rule nanoclaw-allow-iap-ssh

Cloud NAT
develom-ai-router / develom-ai-nat
136.111.118.155
Egress only. AUTO_ONLY, all subnet ranges

develom-ai-vpc

Subnet develom-ai-subnet 10.1.0.0/24, gateway 10.1.0.1, us-central1. Private Google access on. No secondary ranges. No external addresses.

nanoclaw-update-vm 10.1.0.3

env=test | e2-standard-4 | Debian 12 | 100 GB | shielded | OS Login | tag nanoclaw

Host
systemd nanoclaw.service
user nanoclaw
/home/nanoclaw/nanoclaw-update
Unix socket data/cli.sock
SQLite on the boot disk

Docker
nanoclaw-agent-v2-88663bb9
one container per session
host.docker.internal
172.17.0.1
uses the host Docker socket

OneCLI 1.41.0
0.0.0.0:10254 and :10255
Postgres 0.0.0.0:5432
separate from the Mac vault
volumes onecli_app-data
and onecli_pgdata

Agent containers call the gateway at 172.17.0.1:10254. The host calls 127.0.0.1:10254.
Deny-all ingress blocks the rest of the VPC from both addresses.
Service account nanoclaw-vm@dvlm-develom-ai.iam.gserviceaccount.com, scope cloud-platform.
Same account as the prod VM. Telegram is off. No channel webhook is listening.

nanoclaw-vm

10.1.0.2

label env=prod
same subnet, tag, disk size,
and service account

No path is drawn to it.
A future cluster must not
reuse this account or this
boot disk.

Ingress deny-all priority 65534 from 0.0.0.0/0. IAP tcp/22 priority 1000. Health checks tcp/80 and tcp/443 from 130.211.0.0/22 and 35.191.0.0/16.

Routes 0.0.0.0/0 via the default internet gateway, SNAT by the NAT. Peering servicenetworking to 10.231.0.0/24. Local route 10.8.0.0/28 with no subnet.

Measured 2026-11-06 from project dvlm-develom-ai. Prod VM was not logged into.

What has to exist before Kubernetes

develom-ai-subnet cannot host GKE pod IPs as it is. Private Google access is already on. Pod and service ranges are not. The shared service account must not become the workload identity.

Current piece	Address or name	Kubernetes requirement
Practice VM	nanoclaw-update-vm, 10.1.0.3, env=test	Do not join this VM to the cluster. Replace it with a private cluster in us-central1.
Subnet	develom-ai-subnet 10.1.0.0/24	Add pod and service secondary ranges. 10.1.0.0/24 stays the node range if these VMs remain.
Ingress	Only tcp/22 from 35.235.240.0/20	Private control plane. No Ingress and no NodePort. Telegram stays off.
Health-check rule	develom-ai-allow-lb-health-checks, no target tag	Already applies to every instance, for tcp/80 and tcp/443 only. Nothing listens there, and there is no forwarding rule.
Egress	develom-ai-nat, 136.111.118.155	Keep Cloud NAT. Endpoint type is VM today, so GKE nodes need the NAT updated for nodes or pods.
Host process	systemd nanoclaw.service	One replica. SQLite has a single writer, so it cannot scale out.
Session containers	Docker socket, image built locally	This is the hard cut. A pod must not mount docker.sock. Session work needs a runtime redesign, and the image needs Artifact Registry.
Gateway	0.0.0.0:10254, :10255, Postgres :5432	ClusterIP only. Agent DNS replaces 172.17.0.1. The Postgres volume stays ReadWriteOnce.
State	Boot disk, /home/nanoclaw/nanoclaw-update/data and groups	One ReadWriteOnce volume in us-central1. Do not put SQLite on a shared filesystem.
State transfer	gs://dvlm-develom-ai-nanoclaw-staging	Stays an operator path. Do not mount the bucket into the pod.
Private services	10.231.0.0/24, servicenetworking peering	Use only if OneCLI Postgres moves to Cloud SQL. It is a container volume today.
Orphan route	10.8.0.0/28	A local route with no subnet object. Do not assign it.