Final Project for Exam

Marius Lindauer







Winter Term 2021/22



Reminder: Final Grading

- ▶ Implement a larger project (worth 1-2 weeks full time)
 - You can propose your own project idea!
 - ► Hand-in a short summary of the idea and we will provide feedback regarding feasibility
 - ► Teamwork (at most 3) again possible
 - ightharpoonup Larger team ightarrow larger scope of the project
- ► "Exam"
 - First ~ 15 min: Present your project idea and results
 - Of course, everyone will present the project on their own
 - Second 15min: We will ask further questions about your project and how it relates to stuff you learned in the lecture.
- ▶ You will have the choice between a virtual and on-site exam.



Requirements

- ▶ 2 different options for the scope of the project
 - see next slides
- Proposal should include:
 - Scope and main objective(s)
 - ▶ Which open-source frameworks you plan to use
 - both for RL agents and for benchmark envs
 - some presented in the next (last) exercise
 - Amount for compute resources you will use
 - ► Rough time frame / milestones
 - → At most 1 page
- Sound scientific workflow
 - Fill out reproducibility check list (see studip)
- ► Hand in: source code, ML reproducibility check list and PDF presentation with at most 7 slides (excl. title slide)
 - Proper code documentation; PEP8
 - Send us an invitation to a GitHub Repo
 - ▶ To both: eimer@tnt.uni-hannover.de, schubert@tnt.uni-hannover.de



Option I: New Env

- ▶ Propose a new & interesting benchmark environment / application for RL (incl. state, action, reward, transition, ...)
 - Use OpenAI-Gym env API
 - ▶ Should be somehow related to preventing climate change
- ▶ Minimal requirement: An RL agent (of your choice) can learn something reasonable
 - ▶ That is, it performs better than a static or random policy
 - You can use already implemented RL algorithms
 - We will provide a list of recommended RL agents
- Further goals could include:
 - Impact of state or action space (e.g., size or encoding)
 - Reward signal or reward shaping
 - Does the Markov assumption hold true?
- → Environment should not be too trivial (e.g., a small maze)



Option II: RL Agent

- ▶ Implement an RL agent from scratch
 - Pick a (recent) RL paper and re-implement it
 - ▶ Don't use existing implementations!
- Minimal requirement: Your RL agent can learn a reasonable policy on a RL benchmark of your choice
 - ▶ That is, it performs better than a static or random policy
 - You can use already implemented RL benchmark envs
 - We will provide a list of recommended RL envs in the next exercise session
- Further goals could include:
 - Variants of different algorithm components (e.g., experience replay)
 - Hyperparameter sensitivity study
 - Comparison against other baselines



Score Distribution¹

- ▶ Idea, Topic & Results: at most 25 (sufficiently challenging, interesting beyond lecture, gained insights, results, ...)
- Implementation: at most 25 (correctness, reproducibility, code documentation, code quality, ...)
- Presentation: at most 25
 (concise slides, clear message, structure, citations, plots, ...)
- Answering of questions: at most 25 (correct, concise, knowledge, own ideas, ...)
- **▶** 100-90: 1.0; 89 85: 1.3; 84 80: 1.7
- ▶ 79 75: 2.0; 74 70: 2.3; 69 65: 2.7
- **▶** 64 60: 3.0; 59 55: 3.3; 54 50: 3.7
- ▶ 49 45: 4.0; < 45 : failed

¹Not the same scoring as in iML

Deadlines



- Proposal Deadline: Jan 27th (AoE²)
 - Submit earlier to get feedback sooner!
- ► Feedback for proposal: latest Feb 3rd
- Results Deadline: March 4th (AoE)
- Exam: March 14th March 18th (in the mornings)
 - ▶ We will send you a link for registration to one of the possible slots