




# 1 nsink: An R package for flow path nitrogen removal 2 estimation

3 **Jeff Hollister<sup>1</sup>, Dorothy Q. Kellogg<sup>2</sup>, Qian Lei-Parent<sup>3</sup>, Emily Wilson<sup>3</sup>,**  
4 **Cary Chadwick<sup>3</sup>, David Dickson<sup>3</sup>, Arthur Gold<sup>2</sup>, and Chester Arnold<sup>3</sup>**

5 **1** U. S. Environmental Protection Agency, Atlantic Coastal Environmental Sciences Division **2**  
6 University of Rhode Island, Department of Natural Resources Science **3** University of Connecticut,  
7 Center for Land Use Education and Research

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

## Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Chris Vernon](#) 

## Reviewers:

- [@jmp75](#)
- [@ldecicco-usgs](#)
- [@jmp75](#)

Submitted: 20 December 2021

Published: unpublished

## License

Authors of papers retain  
copyright and release the work  
under a Creative Commons  
Attribution 4.0 International  
License ([CC BY 4.0](#)).

## 8 Summary

9 The nsink package estimates cumulative nitrogen (N) removal along a specified flow path and  
10 is based on methodologies outlined in Kellogg et al. (2010). For a user-specified watershed  
11 (i.e., hydrologic unit code (HUC), nsink downloads all required datasets from public datasets  
12 in the United States, prepares data for use, summarizes N removal along a flow path and  
13 creates several static maps. The results of an nsink analysis may be exported to standard  
14 geospatial files for use in other applications.

## 15 Statement of need

16 Excess N delivery via surface water to downstream aquatic resources contributes to impaired  
17 water quality and impacts ecosystem services including harmful algal blooms (HABs) and  
18 hypoxia (Rabalais et al., 2002). Identifying landscape N sinks (i.e., areas where N is effectively  
19 removed from the aquatic system) and analyzing N delivery at the watershed scale is helpful  
20 to watershed managers, land use planners and conservation organizations. The theoretical  
21 underpinnings for identifying N sinks rely on decades of research and are explained in Kellogg  
22 et al. (2010).

23 Prior N-sink implementations were done case-by-case. Data acquisition and manipulation were  
24 mostly manual and took weeks to months to complete for a single 12-digit HUC. The effort  
25 required for the analysis limited it's application as scaling beyond a few pilot studies was not  
26 feasible. The goal of nsink was to address this limitation and provide an open source solution  
27 that could be run on a single small watershed (e.g., 12-digit HUC) in minutes to hours with  
28 minimal manual input.

## 29 The nsink package

### 30 Package Installation

31 The nsink package is available from <https://github.com/usepa/nsink> and may be installed in  
32 R with the following:

```
# If not installed, install remotes  
install.packages("remotes")
```

```
# Install nsink from GitHub  
remotes::install_github("USEPA/nsink", dependencies = TRUE, build_vignettes = TRUE)
```

## Package Details

The `nsink` package is designed around the major steps in running an N-Sink analysis and includes functions for the following tasks:

1. Prepare for analysis
  - Get data
  - Prepare data for analysis
  - Calculate relative N removal layer for hydric soils, lakes and streams.
2. Run a point-based analysis
  - Calculate a flow path
  - Summarize relative N removal along a flow path
3. Run a HUC-based analysis
  - Develop static maps
  - Generate output datasets

## Required Data

The ability to run an `nsink` analysis relies on several datasets for the conterminous United States. By limiting our approach to these national datasets we are ensuring scalability of `nsink` because the datasets will be available for most locations in the United States. The datasets that `nsink` uses are the National Hydrography Dataset Plus version 2 (NHDPlus), Soil Survey Geographic Database (SSURGO), the National Land Cover Dataset (NLCD) land cover, and the National Land Cover Dataset (NLCD) impervious surface (Jin et al., 2019; Moore et al., 2019; Soil Survey Staff, 2017). These datasets are all available via an Application Programming Interface (API) or via direct download.

## Dependencies

The `nsink` package depends on several existing R packages to facilitate spatial data handling, data acquisition, data management, data analysis and data processing. These are detailed in Table 1.

Table 1. R package dependencies for the `nsink` package

Package	Task	Citation
<code>sf</code>	Spatial Data Handling and Analysis	Pebesma (2018); Pebesma (2021b)
<code>raster</code>	Spatial Data Handling and Analysis	Hijmans (2021)
<code>stars</code>	Spatial Data Handling and Analysis	Pebesma (2021c)
<code>fasterize</code>	Spatial Data Handling and Analysis	Ross (2020)
<code>lwgeom</code>	Spatial Data Handling and Analysis	Pebesma (2021a)
<code>gstat</code>	Spatial Data Handling and Analysis	Pebesma (2004); Gräler et al. (2016); Pebesma & Graeler (2021)

Package	Task	Citation
sp	Spatial Data Handling and Analysis	Pebesma & Bivand (2005); Bivand et al. (2013); Pebesma & Bivand (2021)
units	Unit Transformations	Pebesma et al. (2016); Pebesma et al. (2021)
FedData	Data Acquisition	Bocinsky (2020)
httr	Data Acquisition	Wickham (2020)
dplyr	Data Management and Analysis	Wickham et al. (2021)
zoo	Data Management and Analysis	Zeileis & Grothendieck (2005); Zeileis et al. (2021)
igraph	Data Management and Analysis	Csardi & Nepusz (2006); Csardi et al. (2020)
readr	Data Management and Analysis	Wickham & Hester (2020)
foreign	Data Management and Analysis	R Core Team (2020)
rlang	Data Management and Analysis	Henry & Wickham (2021)
furrr	Parallel Processing	Vaughan & Dancho (2021)
future	Parallel Processing	Bengtsson (2021); Bengtsson (2020)

## 60 Functionality

61 Currently, nsink provides 10 exported functions to facilitate a flow path analysis of relative  
 62 N removal. The nsink repository (<https://github.com/usepa/nsink>) and R package docu-  
 63 mentation contain detailed documentation of each function. The package also has a vignette  
 64 that outlines a typical workflow for running an N-Sink analysis with the nsink package. Upon  
 65 install, the vignette is accessed in R with `vignette("intro", package = "nsink")`.

## 66 Acknowledgements

67 Many people have contributed in various ways to the development of the N-Sink concept. In  
 68 particular, we would like to thank, Chet Arnold, Cary Chadwick, David Dickson, and Emily  
 69 Wilson of the University of Connecticut's Center for Land Use Education and Research as well  
 70 as Peter August, Chris Damon, and Art Gold of the University of Rhode Island's Department of  
 71 Natural Resources Science. Both the UCONN and URI crews have contributed tremendously  
 72 to the development of the N-Sink concept. Additionally, we are grateful to Stephen Shivers,  
 73 Michael Dumelle, Justin Bousquin, Joe LiVolsi, Tim Gleason, and Wayne Munns for constructive  
 74 early reviews of this paper. Lastly, Ken Forshay from the US EPA's Center for Environmental  
 75 Solutions and Emergency Response deserves our thanks for shepherding the development of  
 76 N-Sink for many years. The views expressed in this article are those of the authors and do  
 77 not necessarily represent the views or policies of the U.S. Environmental Protection Agency.  
 78 Any mention of trade names, products, or services does not imply an endorsement by the  
 79 U.S. Government or the U.S. Environmental Protection Agency. The EPA does not endorse  
 80 any commercial products, services, or enterprises. This contribution is identified by the  
 81 tracking number ORD-044618 of the Atlantic Coastal Environmental Sciences Division, Office  
 82 of Research and Development, Center for Environmental Measurement and Modeling, US  
 83 Environmental Protection Agency.

## References

- Bengtsson, H. (2020). *Future: Unified parallel and distributed processing in r for everyone*. <https://CRAN.R-project.org/package=future>
- Bengtsson, H. (2021). A Unifying Framework for Parallel and Distributed Processing in R using Futures. In *The R Journal*. <https://doi.org/10.32614/RJ-2021-048>
- Bivand, R. S., Pebesma, E. J., & Gomez-Rubio, V. (2013). *Applied spatial data analysis with R, second edition*. Springer, NY. <https://doi.org/10.1007/978-1-4614-7618-4>
- Bocinsky, R. K. (2020). *FedData: Functions to automate downloading geospatial data available from several federated data sources*. <https://CRAN.R-project.org/package=FedData>
- Csardi, G., & Nepusz, T. (2006). The igraph software package for complex network research. *InterJournal, Complex Systems*, 1695. <https://igraph.org>
- Csardi, G., Nepusz, T., Horvat, S., Traag, V., & Zanini, F. (2020). *Network analysis and visualization*. <https://CRAN.R-project.org/package=zoo>
- Gräler, B., Pebesma, E. J., & Heuvelink, G. (2016). Spatio-temporal interpolation using gstat. *The R Journal*, 8, 204–218. <https://doi.org/10.32614/RJ-2016-014>
- Henry, L., & Wickham, H. (2021). *Rlang: Functions for base types and core r and 'tidyverse' features*. <https://CRAN.R-project.org/package=rlang>
- Hijmans, R. J. (2021). *Raster: Geographic data analysis and modeling*. <https://CRAN.R-project.org/package=raster>
- Jin, S., Homer, C., Yang, L., Danielson, P., Dewitz, J., Li, C., Zhu, Z., Xian, G., & Howard, D. (2019). Overall methodology design for the united states national land cover database 2016 products. *Remote Sensing*, 11(24), 2971. <https://doi.org/10.3390/rs11242971>
- Kellogg, D. Q., Gold, A. J., Cox, S., Addy, K., & August, P. V. (2010). A geospatial approach for assessing denitrification sinks within lower-order catchments. *Ecological Engineering*, 36(11), 1596–1606. <https://doi.org/10.1016/j.ecoleng.2010.02.006>
- Moore, R. B., McKay, L. D., Rea, A. H., Bondelid, T. R., Price, C. V., Dewald, T. G., Johnston, C. M. others. (2019). User's guide for the national hydrography dataset plus (NHDPlus) high resolution. *Open-File Report-US Geological Survey, 2019-1096*. <https://doi.org/10.3133/ofr20191096>
- Pebesma, E. J. (2004). Multivariable geostatistics in S: The gstat package. *Computers & Geosciences*, 30, 683–691. <https://doi.org/10.1016/j.cageo.2004.03.012>
- Pebesma, E. J. (2018). Simple Features for R: Standardized Support for Spatial Vector Data. *The R Journal*, 10(1), 439–446. <https://doi.org/10.32614/RJ-2018-009>
- Pebesma, E. J. (2021a). *Lwgeom: Bindings to selected 'liblwgeom' functions for simple features*. <https://CRAN.R-project.org/package=lwgeom>
- Pebesma, E. J. (2021b). *Simple features for r*. <https://CRAN.R-project.org/package=sf>
- Pebesma, E. J. (2021c). *Stars: Spatiotemporal arrays, raster and vector data cubes*. <https://CRAN.R-project.org/package=stars>
- Pebesma, E. J., & Bivand, R. (2021). *Sp: Classes and methods for spatial data*. <https://CRAN.R-project.org/package=sp>
- Pebesma, E. J., & Bivand, R. S. (2005). Classes and methods for spatial data in R. *R News*, 5(2), 9–13. <https://CRAN.R-project.org/doc/Rnews/>
- Pebesma, E. J., & Graeler, B. (2021). *Gstat: Spatial and spatio-temporal geostatistical modelling, prediction and simulation*. <https://CRAN.R-project.org/package=gstat>

- 128 Pebesma, E. J., Mailund, T., & Hiebert, J. (2016). Measurement units in R. *R Journal*, 8(2),  
129 486–494. <https://doi.org/10.32614/RJ-2016-061>
- 130 Pebesma, E. J., Mailund, T., Kalinowski, T., & Ucar, I. (2021). *Units: Spatiotemporal arrays,*  
131 *raster and vector data cubes*. <https://CRAN.R-project.org/package=units>
- 132 R Core Team. (2020). *Foreign: Read data stored by 'minitab', 's', 'SAS', 'SPSS', 'stata',*  
133 *'systat', 'weka', 'dBase', ...* <https://CRAN.R-project.org/package=foreign>
- 134 Rabalais, N. N., Turner, R. E., & Scavia, D. (2002). Beyond science into policy: Gulf of mexico  
135 hypoxia and the mississippi river: Nutrient policy development for the mississippi river  
136 watershed reflects the accumulated scientific evidence that the increase in nitrogen loading  
137 is the primary factor in the worsening of hypoxia in the northern gulf of mexico. *BioScience*,  
138 52(2), 129–142. [https://doi.org/10.1641/0006-3568\(2002\)052%5B0129:BSIPGO%5D2.0.](https://doi.org/10.1641/0006-3568(2002)052%5B0129:BSIPGO%5D2.0.CO;2)  
139 [CO;2](https://doi.org/10.1641/0006-3568(2002)052%5B0129:BSIPGO%5D2.0.CO;2)
- 140 Ross, N. (2020). *Fasterize: Fast polygon to raster conversion*. [https://CRAN.R-project.org/](https://CRAN.R-project.org/package=fasterize)  
141 [package=fasterize](https://CRAN.R-project.org/package=fasterize)
- 142 Soil Survey Staff, U. (2017). *Web soil survey*.
- 143 Vaughan, D., & Dancho, M. (2021). *Furrr: Apply mapping functions in parallel using futures*.  
144 <https://CRAN.R-project.org/package=furrr>
- 145 Wickham, H. (2020). *Httr: Tools for working with URLs and HTTP*. [https://CRAN.R-project.](https://CRAN.R-project.org/package=httr)  
146 [org/package=httr](https://CRAN.R-project.org/package=httr)
- 147 Wickham, H., François, R., Henry, L., & Müller, K. (2021). *Dplyr: A grammar of data*  
148 *manipulation*. <https://CRAN.R-project.org/package=dplyr>
- 149 Wickham, H., & Hester, J. (2020). *Readr: Read rectangular text data*. [https://CRAN.](https://CRAN.R-project.org/package=readr)  
150 [R-project.org/package=readr](https://CRAN.R-project.org/package=readr)
- 151 Zeileis, A., Gorthendieck, G., & Ryan, J. A. (2021). *Zoo: S3 infrastructure for regular and*  
152 *irregular time series (Z's Ordered Observations)*. [https://CRAN.R-project.org/package=](https://CRAN.R-project.org/package=zoo)  
153 [zoo](https://CRAN.R-project.org/package=zoo)
- 154 Zeileis, A., & Grothendieck, G. (2005). Zoo: S3 infrastructure for regular and irregular time  
155 series. *Journal of Statistical Software*, 14(6), 1–27. <https://doi.org/10.18637/jss.v014.i06>