

mmrefpoints: Projecting long-term marine mammal abundance with bycatch

Margaret C. Siple^{*1}, André E. Punt², Tessa B. Francis³, Phillip S. Hammond⁴, Dennis Heinemann⁵, Kristy J. Long⁶, Jeffrey Moore⁷, Maritza Sepúlveda⁸, Randall R. Reeves⁹, Guðjón Már Sigurðsson¹⁰, Gisli Víkingsson¹⁰, Paul A. Wade¹¹, Rob Williams¹², and Alexandre N. Zerbini¹³

¹ Resource Assessment and Conservation Engineering Division, Alaska Fisheries Science Center, National Oceanic and Atmospheric Administration, Seattle, WA, 98115, USA ² School of Aquatic and Fishery Sciences, University of Washington, 1122 NE Boat St, Seattle, WA 98115 ³ Puget Sound Institute, University of Washington Tacoma, 326 East D Street, Tacoma, WA 98421, USA ⁴ Sea Mammal Research Unit, Scottish Oceans Institute, University of St Andrews, Fife KY16 8LB, UK ⁵ U.S. Marine Mammal Commission, 4340 East-West Hwy, Rm 700, Bethesda, MD 20814, USA ⁶ Office of Protected Resources, NOAA's National Marine Fisheries Service, Silver Spring, MD 20910, USA ⁷ Protected Resources Division, NOAA SWFSC, La Jolla, CA 92037, USA ⁸ Facultad de Ciencias, Universidad de Valparaíso, Gran Bretaña 1111, Playa Ancha, Valparaíso, Chile ⁹ Okapi Wildlife Associates, Hudson, Quebec, Canada ¹⁰ Marine and Freshwater Research Institute, Skúlagata 4, 121, Reykjavík, Iceland ¹¹ Marine Mammal Laboratory, NOAA AFSC, Seattle, WA, 98115-6349, USA ¹² Oceans Initiative, 117 E. Louisa Street No. 135. Seattle, WA 98102, USA ¹³ Cascadia Research Collective, 218 ½ 4th Ave W, Olympia, WA, 98501, USA ¹⁴ Marine Ecology and Telemetry Research, 2468 Camp McKenzie Tr NW, Seabeck, WA, 98380, USA

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [Frederick Boehm](#)

Reviewers:

- [@ha0ye](#)
- [@tbrown122387](#)

Submitted: 02 November 2021

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Statement of Need

Fisheries bycatch is one of the top threats to marine mammals worldwide. Data on bycatch and marine mammal abundance are required to make management decisions, yet many marine mammal populations exist in locations where these data are sparse. Population models offer a way to explore the long-term impacts of different bycatch scenarios even when data are sparse or absent. Our modeling tool, mmrefpoints, uses very basic information about marine mammal life history, estimates of abundance and bycatch, and population models to project long-term (e.g. 20-100 yr) outcomes of different bycatch rates. These long-term outcomes are the basis of several reference points used for marine mammal management including the Potential Biological Removal (PBR) approach ([Wade, 1998](#)). The goal is to make complex population models accessible to managers and stakeholders who need them, and to students who are learning about risk-based approaches to managing marine mammal populations.

Summary

This tool provides a way for managers and other stakeholders to explore bycatch scenarios, based on simple information about marine mammal life history and rough estimates of abundance and bycatch. The tool consists of an R package ([R Core Team, 2021](#)) and a Shiny application ([Chang et al., 2021](#)). The primary machinery in the package is an age-structured population dynamics model, which is used to model future population size based on the current population size, life history traits, and bycatch rates. The package also contains tools for calculating performance metrics, as well as the U.S. reference point for bycatch (Potential Biological Removal or PBR) and a solver that estimates the maximum bycatch rate that will meet management objectives. For users who would prefer to see outputs in an interactive user

**

44 interface, there is a Shiny app called the Marine Mammal Bycatch Impacts Exploration Tool
 45 (MMBIET) that shows projections, explains and calculates reference points, and creates a report
 46 summarizing inputs and outputs. The app is hosted publicly on the web via the shinyapps.io
 47 [server](#), or it can be run locally by installing the package and running the `run_app()` function
 48 in the R or RStudio console:

```
remotes::install_github("mcsiple/mmrefpoints")
library(mmrefpoints)
run_app()
```

49 Population model

50 The population model is a simplified version of the model described in Breiwick et al. (1984)
 51 and Punt (1999). The model is a single-sex, age-structured population model. The number of
 52 calves or pups born each year is density-dependent, based on the number of mature adults, the
 53 pregnancy rate at pre-exploitation equilibrium, maximum theoretical fecundity rate, degree of
 54 compensation, and the total abundance relative to carrying capacity K . User inputs determine
 55 the parameters for calf survival, adult survival, age at maturity, and plus group age. Default
 56 parameters are based on those used by Punt et al. (2018), with additional default parameters
 57 for other species drawn from literature values (Arso Civil et al. (2019), Ólafsdóttir et al. (2003),
 58 and Speakman et al. (2010)). Because of the variation in pinniped life history parameters,
 59 parameter estimates for several pinniped species are provided within the Shiny app. These life
 60 history parameters are taken from Butterworth et al. (1995), DeLong et al. (2017), Dillingham
 61 et al. (2016), Hastings et al. (2012), and Moore (2019).

62 The full model description including equations is contained in the “Model description” vignette
 63 and the “About the Model” tab of the app.

64 Intended use

65 **mmrefpoints and the MMBIET app are intended to be used for the following:**

- 66 ■ Exploring outcomes for bycatch rates in populations with little or no information
- 67 ■ Calculating reference points like PBR to estimate maximum allowable bycatch for marine
 68 mammal populations

69 **The MMBIET app is *not* intended for the following:**

- 70 ■ Permitting specific management actions regarding bycatch. We refer users to Hammond
 71 et al. (2021), Moore et al. (2021), and Wade et al. (2021) for guidance on developing
 72 a management program for marine mammal bycatch including monitoring.
- 73 ■ Calculating PBR for marine mammal stocks that already have a stock assessment. If
 74 reference points have already been calculated for the stock, those should be used.
- 75 ■ Fitting population models to data (we direct readers to other tools like [rSPAMM](#) for
 76 this type of need)

77 Acknowledgements

78 The authors would like to thank several pilot testers for reviewing a beta version of the
 79 MMBIET Shiny app, and Christine Stawitz and Jay Barlow for reviewing an earlier version of
 80 the mmrefpoints R package and the app.

81 Ongoing projects using MMBIET

82 At the time of this submission, three papers have cited mmrefpoints and/or MMBIET:

83 Hammond, P. S., Francis, T. B., Heinemann, D., Long, K. J., Moore, J. E., Punt, A. E., Reeves,
 84 R. R., Sepúlveda, M., Sigurðsson, G. M., Siple, M. C., Víkingsson, G., Wade, P. R., Williams,

- 85 R., & Zerbini, A. N. (2021). Estimating the Abundance of Marine Mammal Populations.
86 *Frontiers in Marine Science*, 8, 1316. <https://doi.org/10.3389/fmars.2021.735770>
- 87 Moore, J. E., Heinemann, D., Francis, T. B., Hammond, P. S., Long, K. J., Punt, A.
88 E., Reeves, R. R., Sepúlveda, M., Sigurðsson, G. M., Siple, M. C., Víkingsson, G. A.,
89 Wade, P. R., Williams, R., & Zerbini, A. N. (2021). Estimating Bycatch Mortality for
90 Marine Mammals: Concepts and Best Practices. *Frontiers in Marine Science*, 8, 1793.
91 <https://doi.org/10.3389/fmars.2021.752356>
- 92 Wade, P. R., Long, K. J., Francis, T. B., Punt, A. E., Hammond, P. S., Heinemann, D.,
93 Moore, J. E., Reeves, R. R., Sepúlveda, M., Sullaway, G., Sigurðsson, G. M., Siple, M.
94 C., Víkingsson, G. A., Williams, R., & Zerbini, A. N. (2021). Best Practices for Assess-
95 ing and Managing Bycatch of Marine Mammals. *Frontiers in Marine Science*, 8, 1566.
96 <https://doi.org/10.3389/fmars.2021.757330>

97 Financial support

98 Support for this project is provided by the Ocean Modeling Forum and the Lenfest Ocean
99 Program. M. Siple was supported by the Ocean Modeling Forum and a James S. McDonnell
100 Postdoctoral Fellowship.

101 References

- 102 Arso Civil, M., Cheney, B., Quick, N. J., Islas-Villanueva, V., Graves, J. A., Janik, V. M.,
103 Thompson, P. M., & Hammond, P. S. (2019). Variations in age- and sex-specific survival
104 rates help explain population trend in a discrete marine mammal population. *Ecology and*
105 *Evolution*, 9(1), 533–544. <https://doi.org/10.1002/ece3.4772>
- 106 Breiwick, J. M., Eberhardt, L. L., & Braham, H. W. (1984). Population Dynamics of Western
107 Arctic Bowhead Whales (*Balaena mysticetus*). *Canadian Journal of Fisheries and Aquatic*
108 *Sciences*, 41(3), 484–496. <https://doi.org/10.1139/f84-058>
- 109 Butterworth, D. S., Punt, A. E., Oosthuizen, W. H., & Wickens, P. A. (1995). The effects of
110 future consumption by the Cape fur seal on catches and catch rates of the Cape hakes. 3.
111 Modelling the dynamics of the Cape fur seal *Arctocephalus pusillus pusillus*. *South African*
112 *Journal of Marine Science*, 16(1), 161–183. <https://doi.org/10.2989/025776195784156511>
- 113 Chang, W., Cheng, J., Allaire, J., Sievert, C., Schloerke, B., Xie, Y., Allen, J., McPherson,
114 J., Dipert, A., & Borges, B. (2021). *Shiny: Web application framework for r*. [https://](https://CRAN.R-project.org/package=shiny)
115 CRAN.R-project.org/package=shiny
- 116 DeLong, R. L., Melin, S. R., Laake, J. L., Morris, P., Orr, A. J., & Harris, J. D. (2017). Age-
117 and sex-specific survival of California sea lions (*Zalophus californianus*) at San Miguel
118 Island, California. *Marine Mammal Science*, 33(4), 1097–1125. [https://doi.org/10.1111/](https://doi.org/10.1111/mms.12427)
119 [mms.12427](https://doi.org/10.1111/mms.12427)
- 120 Dillingham, P. W., Moore, J. E., Fletcher, D., Cortés, E., Curtis, K. A., James, K. C.,
121 & Lewison, R. L. (2016). Improved estimation of intrinsic growth r_{max} for long-lived
122 species: Integrating matrix models and allometry. *Ecological Applications*, 26(1), 322–333.
123 <https://doi.org/10.1890/14-1990>
- 124 Hammond, P. S., Francis, T. B., Heinemann, D., Long, K. J., Moore, J. E., Punt, A. E., Reeves,
125 R. R., Sepúlveda, M., Sigurðsson, G. M., Siple, M. C., Víkingsson, G., Wade, P. R., Williams,
126 R., & Zerbini, A. N. (2021). Estimating the Abundance of Marine Mammal Populations.
127 *Frontiers in Marine Science*, 8, 1316. <https://doi.org/10.3389/fmars.2021.735770>
- 128 Hastings, K. K., Small, R. J., & Pendleton, G. W. (2012). Sex- and age-specific survival of
129 harbor seals (*Phoca vitulina*) from Tugidak Island, Alaska. *Journal of Mammalogy*, 93(5),
130 1368–1379. <https://doi.org/10.1644/11-MAMM-A-291.1>

- 131 Moore, J. E. (2019). *Unpublished estimates following the methods of Dillingham et al. 2016*.
- 132 Moore, Jeffrey E., Heinemann, D., Francis, T. B., Hammond, P. S., Long, K. J., Punt, A.
133 E., Reeves, R. R., Sepúlveda, M., Sigurðsson, G. M., Siple, M. C., Víkingsson, G. A.,
134 Wade, P. R., Williams, R., & Zerbini, A. N. (2021). Estimating Bycatch Mortality for
135 Marine Mammals: Concepts and Best Practices. *Frontiers in Marine Science*, 8, 1793.
136 <https://doi.org/10.3389/fmars.2021.752356>
- 137 Ólafsdóttir, D., Víkingsson, G. A., Halldórsson, S. D., & Sigurjónsson, J. (2003). Growth and
138 reproduction in harbour porpoises (*Phocoena phocoena*) in Icelandic waters. *NAMMCO*
139 *Scientific Publications*, 5, 195–210. <https://doi.org/10.7557/3.2747>
- 140 Punt, A. E. (1999). *Annex R: A full description of the standard Baleen II model and some*
141 *variants thereof*. Division of Marine Research, CSIRO Marine Laboratories. [https://](https://duwamish.lib.washington.edu/uwnetid/illiad.dll?Action=10&Form=75&Value=1651729)
142 duwamish.lib.washington.edu/uwnetid/illiad.dll?Action=10&Form=75&Value=1651729
- 143 Punt, A. E., Moreno, P., Brandon, J. R., & Mathews, M. A. (2018). Conserving and recovering
144 vulnerable marine species: A comprehensive evaluation of the US approach for marine
145 mammals. *ICES Journal of Marine Science*, 75(5), 1813–1831. [https://doi.org/10.1093/](https://doi.org/10.1093/icesjms/fsy049)
146 [icesjms/fsy049](https://doi.org/10.1093/icesjms/fsy049)
- 147 R Core Team. (2021). *R: A language and environment for statistical computing*. R Foundation
148 for Statistical Computing. <https://www.R-project.org/>
- 149 Speakman, T. R., Lane, S. M., Schwacke, L. H., Fair, P. A., & Zolman, E. S. (2010).
150 *Mark-recapture estimates of seasonal abundance and survivorship for bottlenose dolphins*
151 *(Tursiops truncatus) near Charleston, South Carolina, USA*. 11.
- 152 Wade, P. R. (1998). Calculating Limits to the Allowable Human-Caused Mortality of
153 Cetaceans and Pinnipeds. *Marine Mammal Science*, 14(1), 1–37. [https://doi.org/10.](https://doi.org/10.1111/j.1748-7692.1998.tb00688.x)
154 [1111/j.1748-7692.1998.tb00688.x](https://doi.org/10.1111/j.1748-7692.1998.tb00688.x)
- 155 Wade, P. R., Long, K. J., Francis, T. B., Punt, A. E., Hammond, P. S., Heinemann, D.,
156 Moore, J. E., Reeves, R. R., Sepúlveda, M., Sullaway, G., Sigurðsson, G. M., Siple,
157 M. C., Víkingsson, G. A., Williams, R., & Zerbini, A. N. (2021). Best Practices for
158 Assessing and Managing Bycatch of Marine Mammals. *Frontiers in Marine Science*, 8,
159 1566. <https://doi.org/10.3389/fmars.2021.757330>