Finding, Searching, and Replacing

Ctrl-F3	Search for word at insertion point
F3/Shift-F3	Find next/previous in file
Ctrl-F/H	Find/Replace in file
Alt-F7	Find usages
Ctrl-Shift-P	Find in projects
Alt-Shift-U	Show Usages window
Alt-Shift-H	Turn off search result highlights
Alt-Shift-L	Next in jump list (all files)
Alt-Shift-K	Previous in jump list (all files)
Ctrl-R	Reload form
Alt-U, then U	Convert selection to uppercase
Alt-U, then L	Convert selection to lowercase
Alt-U, then R	Switch case of selection (toggle)

Navigating through Source Code

Alt-Shift-O	Go to class
Alt-Shift-E	Go to JUnit test
Alt-O	Go to source
Alt-G	Go to declaration
Ctrl-B	Go to super implementation
Alt-K/Alt-L	Back/Forward
Ctrl-G	Go to line
Ctrl-F2	Toggle add/remove bookmark
F2/Shift-F2	Next/previous bookmark
F12/Shift-F12	Next/previous usage/compile error
Ctrl-Shift-1/2/3	Select in Projects/Files/Favorites
Ctrl-[Move caret to matching bracket
Ctrl-^	Ctrl-[(French/Belgian keyboard)

Coding in Java

Ctrl-I	Override method
Alt-Shift-F/I	Fix all/selected class's imports
Alt-Shift-W	Surround with try-catch block
Ctrl-Shift-F	Reformat selection
Ctrl-D/Ctrl-T	Shift one tab to the left/right
Ctrl-Shift-T/D	Add/remove comment lines ("//")
Ctrl-L/K	Insert next/previous matched word

Esc/Ctrl-Space	Close/Open code completion
Ctrl-M	Select next parameter
Shift-Space	Enter space, no abbrev expansion
Alt-F1/Shift-F1	Display/search Javadoc
Ctrl-Shift-M	Extract method
Alt-U, then G	Prepend "get" to identifier
Alt-U, then S	Prepend "set" to identifier
Alt-U, then I	Prepend "is" to identifier
Ctrl-Backspace/Del	Delete previous/current word
Ctrl-E	Delete the current line
Ctrl-J, then S/E	Start/end recording macro
Ctrl-Shift-J	Insert internationalized string
Ctrl-NumPad -	Collapse (hide) a block of code
Ctrl-NumPad +	Expand a collapsed block of code
Ctrl-Shift-NumPad-	Collapse all code blocks
Ctrl-Shift-NumPad+	Expand all code blocks
Alt-Enter	Show suggestion/tip/hint

Opening and Toggling between Views

Ctrl-Shift-0	Show Search Results window
Ctrl-0	Show Source Editor
Ctrl-1	Show Projects window
Ctrl-2	Show Files window
Ctrl-3	Show Favorites window
Ctrl-4	Show Output window
Ctrl-5	Show Runtime window
Ctrl-6	Show To Do window
Ctrl-7	Show Navigator window
Ctrl-Shift-7	Show Properties dialog box
Ctrl-Shift-8	Show Component Palette
Ctrl-8	Show Versioning window
Ctrl-9	Show VCS Output window
Shift-F4	Show Documents dialog box
Alt-Left Arrow	Tab to window on left
Alt-Right Arrow	Tab to window on right
Ctrl-Tab (Ctrl-`)	Toggle between open documents
Shift-Escape	Maximize window (toggle)
Ctrl-F4/Ctrl-W	Close currently selected window
Ctrl-Shift-F4	Close all windows

Compiling, Testing, and Running	Compiling.	Testing.	and	Running
---------------------------------	------------	----------	-----	---------

F9	Compile selected package or file
F11	Build main project
Shift-F11	Clean & build main project
Ctrl-Q	Set request parameters
Ctrl-Shift-U	Create JUnit test
Ctrl-F6/Alt-F6	Run JUnit test on file/project
F6/Shift-F6	Run main project/file

Open contextual menu

Debugging

Shift-F10

F5	Start debugging main project
Ctrl-Shift-F5	Start debugging current file
Ctrl-Shift-F6	Start debugging test for file (JUnit)
Shift-F5/Ctrl-F5	Stop/Continue debugging session
F4	Run to cursor location in file
F7/F8	Step into/over
Ctrl-F7	Step out
Ctrl-Alt-Up	Go to called method
Ctrl-Alt-Down	Go to calling method
Ctrl-F9	Evaluate expression
Ctrl-F8	Toggle breakpoint
Ctrl-Shift-F8	New breakpoint
Ctrl-Shift-F7	New watch
Ctrl-Shift-5	Show HTTP Monitor
Ctrl-Shift-0	Show Search Results window
Alt-Shift-1	Show Local Variables window
Alt-Shift-2	Show Watches window
Alt-Shift-3	Show Call Stack window
Alt-Shift-4	Show Classes window
Alt-Shift-5	Show Breakpoints window
Alt-Shift-6	Show Sessions window
Ctrl-Shift-6	Switch to Execution window
Alt-Shift-7	Switch to Threads window
Alt-Shift-8	Switch to Sources window

When typing in the Source Editor, you can generate the text in the right-column of the following list by typing the abbreviation that is listed in the left-column and then pressing Space.

Java Editor Code Templates

Enumeration

En

```
Ex
           Exception
Ob
            Object
Psf
            public static final
           public static final boolean
Psfb
Psfi
            public static final int
Psfs
            public static final String
            String
St
ab
           abstract
            boolean
bo
br
            break
           catch (
ca
            class
            continue
cn
            default:
dowhile
            do {
            } while (condition):
            equals
            extends
ex
            false
fi
            final
            float
            for (Iterator it = collection.iterator();
forc
               it.hasNext();) {
               Object elem = (Object) it.next():
            for (Object elem: iterable) {
fore
fori
            for (int i = 0; i < arr.length; i++) {
            finally
fy
ie
            interface
ifelse
            if (condition){}else {
            implements
im
            instanceof
iof
ir
            import
            length
```

```
Object name = new Object(args);
newo
            protected
pe
            private
pr
psf
            private static final
            private static final boolean
psfb
           private static final int
psfi
            private static final String
psfs
            printStackTrace():
pst
            public static void main(String[] args){
psvm
           public
pu
            return
re
serr
            System.err.println ("|");
            System.out.println ("|");
sout
            static
            switch (
SW
            synchronized
Sy
tds
            Thread.dumpStack();
th
            throws
            try {}
trycatch
            catch (Exception e) {}
tw
            throw
            throw new
twn
wh
            while (
whilei
            while (it.hasNext()) {
               Object elem = (Object) it.next();
```

JSP Editor Code Templates

```
ag
           application.getAttribute("|")
          application.putAttribute("|",)
ap
           application.removeAttribute("|")
ar
cfgi
          config.getInitParameter("|")
           <isp:forward page="|"/>
jspf
           <jsp:getProperty name="|" property="" />
jspg
           <jsp:include page="|"/>
jspi
           <jsp:plugin type="|" code=""
jspp
           codebase=""></isp:plugin>
           <jsp:setProperty name="|" property=""/>
jsps
           <isp:useBean id="I" type=""/>
jspu
           out.print("|")
oup
           out.println("|")
oupl
           pageContext.getAttribute("|")
pcg
```

```
pageContext.getAttributeNamesInScope("|")
pcgn
         pageContext.getAttributesScope("|")
pcgs
         pageContext.removeAttribute("|")
pcr
         pageContext.setAttribute("|",)
pcs
         <%@page |%>
pg
         <%@page autoFlush="false"%>
pga
         <%@page buffer="|kb"%>
pgb
         <%@page contentType="|"%>
pgc
         <%@page errorPage="|"%>
pgerr
         <%@page extends="|"%>
pgex
         <%@page isErrorPage="true"%>
pgie
         <%@page import="|"%>
pgim
          <%@page info="|"%>
pgin
pgit
         <%@page isThreadSafe="false"%>
         <%@page language="java"%>
pgl
         <%@page session="false"%>
pgs
         request.getParameter("|")
rg
         session.getAttribute("|")
sg
sp
         session.setAttribute("|", )
         session.removeAttribute("|")
sr
tglb
         <%@taglib uri="|"%>
```

XML/DTD Editor Code Templates

```
<?xml version="1.0" encoding="UTF-8"?>
!do
        <!DOCTYPE>
        <![CDATA[|]]>
!cd
!at
        <!ATTLIST |>
        <!ELEMENT |>
!el
        <!ENTITY |>
!en
        PUBLIC "|"
pu
        SYSTEM "|"
SV
!no
        <!NOTATION |>
cd
        CDATA
        EMPTY
em
        ENTITY
en
        ENTITIES
ens
        #FIXED
fi
im
        #IMPLIED
        NMTOKEN
nm
        NMTOKENS
nms
        NOTATION
nn
        #PCDATA
pc
```

Emacs Keyboard Shortcuts

General Keyboard Shortcuts

Ctrl-X, then U	Undo
Ctrl-Shift- Z	Redo
Ctrl-X, then H	Select all
Ctrl-X, then Ctrl-S	Save
Ctrl-X, then S	Save all

Finding, Searching, and Replacing

Ctrl-S/Ctrl-H	Find/replace in file
Alt-S/Alt-R	Find next/previous in file
Alt-F7	Find usages
Ctrl-Shift-P	Find in projects
Ctrl-Alt-F	Show Usages window
Ctrl X, then Ctrl-U	Convert selection to uppercase
Ctrl-X, then Ctrl-L	Convert selection to lowercase

Navigating through Source Code

Ctrl-I	Override method
Alt-Shift-F	Fix all imports
Alt-Shift-I	Fix selected class's imports
Alt-Shift-W	Surround with try-catch block
Ctrl-Shift-F	Reformat selection
Alt-Shift-O	Go to class
Alt-Shift-E	Go to JUnit test
Alt-PERIOD	Go to declaration
Ctrl-G	Go to line
Ctrl-B	Go one character to the left
Ctrl-F	Go one character to the right
Alt-B/F	Go one word to the left/right
Ctrl-N/P	Go one row down/up
Ctrl-A/Ctrl-E	Go to start/end of line
Alt-V/Ctrl-V	Go up/down one page
Alt-Shift-COMMA	Go to start of document
Alt-Shift-PERIOD	Go to end of document
Ctrl-Shift-1/2/3	Select in Projects/Files/Favorites

Ctrl-F2	Toggle add/remove bookmark
F2/Shift-F2	Next/previous bookmark
F12/Shift-F12	Next/previous error

Coding in Java

Alt-0, then Ctrl-X, then Tab Ctrl-X, then Tab Ctrl-C, then Ctrl-C Alt-0, then Ctrl-C, then Ctrl-C Alt-SLASH Ctrl-Q, then Tab Ctrl-Q, then Tab Ctrl-X, then Shift-9/0 Start/stop recording macro
Ctrl-X, then Tab Shift one tab to the right Ctrl-C, then Ctrl-C Comment out lines ("//") Alt-0, then Ctrl-C, Remove comment out lines ("//") then Ctrl-C Alt-SLASH Insert next matched word Ctrl-Q, then Tab Insert Tab
Ctrl-C, then Ctrl-C Alt-0, then Ctrl-C, then Ctrl-C Alt-SLASH Ctrl-Q, then Tab Comment out lines ("//") Remove comment out lines ("//") Insert next matched word Insert Tab
Alt-0, then Ctrl-C, then Ctrl-C Alt-SLASH Insert next matched word Ctrl-Q, then Tab Insert Tab
then Ctrl-C Alt-SLASH Insert next matched word Ctrl-Q, then Tab Insert Tab
Alt-SLASH Insert next matched word Ctrl-Q, then Tab Insert Tab
Ctrl-Q, then Tab Insert Tab
Ctrl-X then Shift-9/0 Start/ston recording macro
cui-x, then shift-y/o start/stop recording macro
Alt-D Delete next word
Alt-Backspace Delete previous word
Ctrl-D Delete next character
Backspace Delete previous character
Alt-0, then Ctrl-K Cut to start of line
Ctrl-K Cut to end of line
Ctrl-Shift-MINUS Collapse all code blocks
Ctrl-Shift-PLUS Expand all code blocks
Ctrl-Shift-M Extract method

Opening and Toggling between Views

Ctrl-Alt-N	New file
Ctrl-Shift-N	New project
Ctrl-X, then Ctrl-F	Open a file
Ctrl-Shift-O	Open a project
Ctrl-X, then B	Show Documents dialog box
Ctrl-X, then 1	Maximize window (toggle)
Ctrl-X, then Ctrl-K	Close currently selected document
Ctrl-X, then K	(same as above)
Ctrl-X, then Ctrl-C	Exit the IDE
Ctrl-Shift-0	Show Search Results window
Ctrl-0	Show Source Editor
Ctrl-1	Show Projects window

Ctrl-2	Show Files window
Ctrl-3	Show Favorites window
Ctrl-4	Show Output window
Ctrl-5	Show Runtime window
Ctrl-6	Show To Do window
Ctrl-7	Show Navigator window
Ctrl-Shift-7	Show Properties dialog box
Ctrl-8	Show Versioning Window
Ctrl-Shift-8	Show Component Palette
Ctrl-9	Show VCS Output window
Alt-Left Arrow	Tab to window on left
Alt-Right Arrow	Tab to window on right
Ctrl-Tab (Ctrl-`)	Toggle between open documents

Compiling, Testing, and Running

F9	Compile selected package or file
F11	Build main project
Shift-F11	Clean & build main project
Ctrl-Q	Set request parameters
Ctrl-Shift-U	Create JUnit test
Ctrl-F6/Alt-F6	Run JUnit test on file/project
F6/Shift-F6	Run main project/file

Debugging

F5	Start debugging main project
Ctrl-Shift-F5	Start debugging current file
Ctrl-Shift-F6	Start debugging test for file
	(JUnit)
Shift-F5/Ctrl-F5	Stop/Continue debugging session
F4	Run to cursor location in file
F7/F8	Step into/over
Ctrl-F7	Step out
Ctrl-Alt-Up	Go to called method
Ctrl-Alt-Down	Go to calling method
Ctrl-F9	Evaluate expression
Ctrl-F8	Toggle breakpoint
Ctrl-Shift-F8	New breakpoint
Ctrl-Shift-F7	New watch

Eclipse Keyboard Shortcuts

Finding, Searching, and Replacing

FIND/Ctrl-Shift-F	Find/replace in file
Ctrl-K/Ctrl-Shift-K	Find next/previous in file
Alt-F7	Find usages
Ctrl-H	Find in projects
Alt-Shift-U	Show Usages window
Ctrl-Shift-X	Convert selection to uppercase
Ctrl-Shift-Y	Convert selection to lowercase

Navigating through Source Code

0 0	O .
Alt-Shift-O	Go to class
Alt-Shift-E	Go to JUnit test
Ctrl-F3	Go to source
F3	Go to declaration
Ctrl-L	Go to line
LEFT	Go one character to the left
RIGHT	Go one character to the right
Ctrl-LEFT/RIGHT	Go one word to the left/right
UP/DOWN	Go one row down/up
Ctrl-Shift-1/2	Select in Projects/Files
Ctrl-F2	Toggle add/remove bookmark
Shift-F2	Previous bookmark
Ctrl-PERIOD	Next usage/compile error
Ctrl-COMMA	Previous usage/compile error
Ctrl-Alt-Shift-P	Move caret to matching bracket
Alt-LEFT	Back
Alt-RIGHT	Forward

Coding in Java

Ctrl-I	Override method
Alt-Shift-W	Surround with try-catch block
Ctrl-Shift-O	Fix all imports
Ctrl-Shift-M	Fix selected class's imports
Alt-Enter	Show suggestion/tip/hint
Alt-SLASH	Insert next matched word
Ctrl-Delete	Delete next word

Ctrl-Backspace	Delete previous word
Delete	Delete next character
Backspace	Delete previous character
Ctrl-D	Delete current line
Ctrl-Shift-MINUS	Collapse all code blocks
Ctrl-Shift-PLUS	Expand all code blocks
Alt-Shift-M	Extract method

Opening and Toggling between Views

Ctrl-N	New file
Ctrl-Shift-N	New project
Ctrl-O	Open a file
Ctrl-Shift-O	Open a project
Ctrl-Shift-E	Show Documents dialog box
Ctrl-M	Maximize window (toggle)
Ctrl-F4/Ctrl-W	Close currently selected document
Ctrl-Shift-0	Show Search Results window
F12	Show Source Editor
Ctrl-1	Show Projects window
Ctrl-2	Show Files window
Ctrl-3	Show Favorites window
Ctrl-4	Show Output window
Ctrl-5	Show Runtime window
Ctrl-6	Show To Do window
Ctrl-7	Show Navigator window
Ctrl-Shift-7	Show Properties dialog box
Ctrl-8	Show Versioning window
Ctrl-Tab	Toggle between open documents

Compiling, Testing, and Running

F9	Compile selected package or file
F11	Build main project
Shift-F11	Clean & build main project
Ctrl-Q	Set request parameters
Ctrl-Shift-U	Create JUnit test
Ctrl-F6/Alt-F6	Run JUnit test on file/project
Ctrl-Shift-F11	Run main project
Shift-F6	Run file

Debugging

F11	Start debugging main project
Ctrl-Shift-F5	Start debugging current file
Ctrl-Shift-F6	Start debugging test for file (JUnit)
Shift-F5/F8	Stop/Continue debugging session
Ctrl-R	Run to cursor location in file
F5/F6	Step into/over
Ctrl-F7	Step out
Ctrl-Alt-Up	Go to called method
Ctrl-Alt-Down	Go to calling method
Ctrl-F9	Evaluate expression
Ctrl-Shift-B	Toggle breakpoint
Ctrl-Shift-F8	New breakpoint
Ctrl-Shift-F7	New watch

To change a code template or keyboard shortcut:

- 1. Choose Tools > Options from the main menu.
- 2. For code templates:
 - Select Editor in the left sidebar.
 - Click the Code Templates tab.
 - Choose a language from the Language dropdown list.
- 3. For keyboard shortcuts:
 - Select Keymap in the left sidebar.
 - Choose a profile from the Profile drop-down list.
- 4. Change the item and click OK.

To change how a code template is expanded:

- 1. Choose Tools > Options from the main menu.
- 2. Select Editor in the left sidebar.
- 3. Click the Code Templates tab.
- 4. Choose a language from the Language drop-down list.
- 5. Select the expander key from the Expand Template On drop-down list and click OK.

To choose a different profile:

- 1. Choose Tools > Options from the main menu.
- 2. Select Keymap in the left sidebar.
- 3. Choose a profile from the Profile drop-down list and click OK.