

- [1514] Röttger, Stefan, Alexander Irion, and Thomas Ertl, "Shadow Volumes Revisited," *Journal of WSCG (10th International Conference in Central Europe on Computer Graphics, Visualization and Computer Vision)*, vol. 10, no. 1–3, pp. 373–379, Feb. 2002. Cited on p. 232
- [1515] Rougier, Nicolas P., "Higher Quality 2D Text Rendering," *Journal of Computer Graphics Techniques*, vol. 1, no. 4, pp. 50–64, 2013. Cited on p. 676, 677
- [1516] Rougier, Nicolas P., "Shader-Based Antialiased, Dashed, Stroked Polyline," *Journal of Computer Graphics Techniques*, vol. 2, no. 2, pp. 105–121, 2013. Cited on p. 669
- [1517] de Rousiers, Charles, and Matt Pettineo, "Depth of Field with Bokeh Rendering," in Patrick Cozzi & Christophe Riccio, eds., *OpenGL Insights*, CRC Press, pp. 205–218, 2012. Cited on p. 531, 536
- [1518] Ruijters, Daniel, Bart M. ter Haar Romeny, and Paul Suetens, "Efficient GPU-Based Texture Interpolation Using Uniform B-Splines," *Journal of Graphics, GPU, and Game Tools*, vol. 13, no. 4, pp. 61–69, 2008. Cited on p. 180, 733, 734
- [1519] Rusinkiewicz, Szymon, and Marc Levoy, "QSplat: A Multiresolution Point Rendering System for Large Meshes," in *SIGGRAPH '00: Proceedings of the 27th Annual Conference on Computer Graphics and Interactive Techniques*, ACM Press/Addison-Wesley Publishing Co., pp. 343–352, July 2000. Cited on p. 573
- [1520] Rusinkiewicz, Szymon, Michael Burns, and Doug DeCarlo, "Exaggerated Shading for Depicting Shape and Detail," *ACM Transactions on Graphics*, vol. 25, no. 3, pp. 1199–1205, July 2006. Cited on p. 654
- [1521] Rusinkiewicz, Szymon, Forrester Cole, Doug DeCarlo, and Adam Finkelstein, *SIGGRAPH Line Drawings from 3D Models course*, Aug. 2008. Cited on p. 656, 678
- [1522] Ruskin, Elan, "Streaming Sunset Overdrive's Open World," *Game Developers Conference*, Mar. 2015. Cited on p. 871
- [1523] Ryu, David, "500 Million and Counting: Hair Rendering on *Ratatouille*," Pixar Technical Memo 07-09, May 2007. Cited on p. 648
- [1524] "S3TC DirectX 6.0 Standard Texture Compression," *S3 Inc.* website, 1998. Cited on p. 192
- [1525] Sadeghi, Iman, Heather Pritchett, Henrik Wann Jensen, and Rasmus Tamstorf, "An Artist Friendly Hair Shading System," in *ACM SIGGRAPH 2010 Papers*, ACM, article no. 56, July 2010. Cited on p. 359, 644
- [1526] Sadeghi, Iman, Oleg Bisker, Joachim De Deken, and Henrik Wann Jensen, "A Practical Microcylinder Appearance Model for Cloth Rendering," *ACM Transactions on Graphics*, vol. 32, no. 2, pp. 14:1–14:12, Apr. 2013. Cited on p. 359
- [1527] Safdar, Muhammad, Guihua Cui, Youn Jin Kim, and Ming Ronnier Luo, "Perceptually Uniform Color Space for Image Signals Including High Dynamic Range and Wide Gamut," *Optics Express*, vol. 25, no. 13, pp. 15131–15151, June 2017. Cited on p. 276
- [1528] Saito, Takafumi, and Tokiichiro Takahashi, "Comprehensible Rendering of 3-D Shapes," *Computer Graphics (SIGGRAPH '90 Proceedings)*, vol. 24, no. 4, pp. 197–206, Aug. 1990. Cited on p. 661, 883, 884
- [1529] Salvi, Marco, "Rendering Filtered Shadows with Exponential Shadow Maps," in Wolfgang Engel, ed., *ShaderX⁶*, Charles River Media, pp. 257–274, 2008. Cited on p. 256
- [1530] Salvi, Marco, "Probabilistic Approaches to Shadow Maps Filtering," *Game Developers Conference*, Feb. 2008. Cited on p. 256
- [1531] Salvi, Marco, Kiril Vidimče, Andrew Lauritzen, and Aaron Lefohn, "Adaptive Volumetric Shadow Maps," *Computer Graphics Forum*, vol. 29, no. 4, pp. 1289–1296, 2010. Cited on p. 258, 570

- [1532] Salvi, Marco, and Karthik Vaidyanathan, “Multi-layer Alpha Blending,” in *Proceedings of the 18th ACM SIGGRAPH Symposium on Interactive 3D Graphics and Games*, ACM, pp. 151–158, 2014. Cited on p. 156, 642
- [1533] Salvi, Marco, “An Excursion in Temporal Supersampling,” *Game Developers Conference*, Mar. 2016. Cited on p. 143
- [1534] Salvi, Marco, “Deep Learning: The Future of Real-Time Rendering?,” *SIGGRAPH Open Problems in Real-Time Rendering course*, Aug. 2017. Cited on p. 1043
- [1535] Samet, Hanan, *Applications of Spatial Data Structures: Computer Graphics, Image Processing and GIS*, Addison-Wesley, 1989. Cited on p. 825
- [1536] Samet, Hanan, *The Design and Analysis of Spatial Data Structures*, Addison-Wesley, 1989. Cited on p. 825
- [1537] Samosky, Joseph, *SectionView: A System for Interactively Specifying and Visualizing Sections through Three-Dimensional Medical Image Data*, MSc thesis, Department of Electrical Engineering and Computer Science, Massachusetts Institute of Technology, 1993. Cited on p. 969
- [1538] Sanchez, Bonet, Jose Luis, and Tomasz Stachowiak, “Solving Some Common Problems in a Modern Deferred Rendering Engine,” *Develop conference*, July 2012. Cited on p. 570
- [1539] Sander, Pedro V., Xianfeng Gu, Steven J. Gortler, Hugues Hoppe, and John Snyder, “Silhouette Clipping,” in *SIGGRAPH ’00: Proceedings of the 27th Annual Conference on Computer Graphics and Interactive Techniques*, ACM Press/Addison-Wesley Publishing Co., pp. 327–334, July 2000. Cited on p. 667
- [1540] Sander, Pedro V., John Snyder, Steven J. Gortler, and Hugues Hoppe, “Texture Mapping Progressive Meshes,” in *SIGGRAPH ’01 Proceedings of the 28th Annual Conference on Computer Graphics and Interactive Techniques*, ACM, pp. 409–416, Aug. 2001. Cited on p. 710
- [1541] Sander, Pedro V., David Gosselin, and Jason L. Mitchell, “Real-Time Skin Rendering on Graphics Hardware,” in *ACM SIGGRAPH 2004 Sketches*, ACM, p. 148, Aug. 2004. Cited on p. 635
- [1542] Sander, Pedro V., Natalya Tatarchuk, and Jason L. Mitchell, “Explicit Early-Z Culling for Efficient Fluid Flow Simulation,” in Wolfgang Engel, ed., *ShaderX⁵*, Charles River Media, pp. 553–564, 2006. Cited on p. 53, 1016
- [1543] Sander, Pedro V., and Jason L. Mitchell, “Progressive Buffers: View-Dependent Geometry and Texture LOD Rendering,” *SIGGRAPH Advanced Real-Time Rendering in 3D Graphics and Games course*, Aug. 2006. Cited on p. 860
- [1544] Sander, Pedro V., Diego Nehab, and Joshua Barczak, “Fast Triangle Reordering for Vertex Locality and Reduced Overdraw,” *ACM Transactions on Graphics*, vol. 26, no. 3, pp. 89:1–89:9, 2007. Cited on p. 701
- [1545] Sathe, Rahul P., “Variable Precision Pixel Shading for Improved Power Efficiency,” in Eric Lengyel, ed., *Game Engine Gems 3*, CRC Press, pp. 101–109, 2016. Cited on p. 814
- [1546] Scandolo, Leonardo, Pablo Bauszat, and Elmar Eisemann, “Merged Multiresolution Hierarchies for Shadow Map Compression,” *Computer Graphics Forum*, vol. 35, no. 7, pp. 383–390, 2016. Cited on p. 264
- [1547] Schäfer, H., J. Raab, B. Keinert, M. Meyer, M. Stamminger, and M. Nießner, “Dynamic Feature-Adaptive Subdivision,” in *Proceedings of the 19th Symposium on Interactive 3D Graphics and Games*, ACM, pp. 31–38, 2014. Cited on p. 779
- [1548] Schander, Thomas, and Clemens Musterle, “Real-Time Path Tracing Using a Hybrid Deferred Approach,” *GPU Technology Conference*, Oct. 18, 2017. Cited on p. 510
- [1549] Schaufler, G., and W. Stürzlinger, “A Three Dimensional Image Cache for Virtual Reality,” *Computer Graphics Forum*, vol. 15, no. 3, pp. 227–236, 1996. Cited on p. 561, 562

- [1550] Schaufler, Gernot, “Nailboards: A Rendering Primitive for Image Caching in Dynamic Scenes,” in *Rendering Techniques '97*, Springer, pp. 151–162, June 1997. Cited on p. 564, 565
- [1551] Schaufler, Gernot, “Per-Object Image Warping with Layered Impostors,” in *Rendering Techniques '98*, Springer, pp. 145–156, June–July 1998. Cited on p. 565
- [1552] Scheib, Vincent, “Parallel Rendering with DirectX Command Buffers,” *Beautiful Pixels* blog, July 22, 2008. Cited on p. 814
- [1553] Scheiblauer, Claus, *Interactions with Gigantic Point Clouds*, PhD thesis, Vienna University of Technology, 2016. Cited on p. 575
- [1554] Schertenleib, Sébastien, “A Multithreaded 3D Renderer,” in Eric Lengyel, ed., *Game Engine Gems*, Jones and Bartlett, pp. 139–147, 2010. Cited on p. 814
- [1555] Scherzer, Daniel, “Robust Shadow Maps for Large Environments,” *Central European Seminar on Computer Graphics*, May 2005. Cited on p. 242
- [1556] Scherzer, D., S. Jeschke, and M. Wimmer, “Pixel-Correct Shadow Maps with Temporal Reprojection and Shadow Test Confidence,” in *Proceedings of the 18th Eurographics Symposium on Rendering Techniques*, Eurographics Association, pp. 45–50, 2007. Cited on p. 522, 523
- [1557] Scherzer, D., and M. Wimmer, “Frame Sequential Interpolation for Discrete Level-of-Detail Rendering,” *Computer Graphics Forum*, vol. 27, no. 4, 1175–1181, 2008. Cited on p. 856
- [1558] Scherzer, Daniel, Michael Wimmer, and Werner Purgathofer, “A Survey of Real-Time Hard Shadow Mapping Methods,” *Computer Graphics Forum*, vol. 30, no. 1, pp. 169–186, 2011. Cited on p. 265
- [1559] Scherzer, D., L. Yang, O. Mattausch, D. Nehab, P. Sander, M. Wimmer, and E. Eisemann, “A Survey on Temporal Coherence Methods in Real-Time Rendering,” *Computer Graphics Forum*, vol. 31, no. 8, pp. 2378–2408, 2011. Cited on p. 523
- [1560] Scheuermann, Thorsten, “Practical Real-Time Hair Rendering and Shading,” in *ACM SIGGRAPH 2004 Sketches*, ACM, p. 147, Aug. 2004. Cited on p. 641, 644, 645
- [1561] Schied, Christoph, and Carsten Dachsbacher, “Deferred Attribute Interpolation for Memory-Efficient Deferred Shading,” in *Proceedings of the 7th Conference on High-Performance Graphics*, ACM, pp. 43–49, Aug. 2015. Cited on p. 907
- [1562] Schied, Christoph, and Carsten Dachsbacher, “Deferred Attribute Interpolation Shading,” in Wolfgang Engel, ed., *GPU Pro⁷*, CRC Press, pp. 83–96, 2016. Cited on p. 907
- [1563] Schied, Christoph, Anton Kaplanyan, Chris Wyman, Anjul Patney, Chakravarty R. Alla Chaitanya, John Burgess, Shiqiu Liu, Carsten Dachsbacher, and Aaron Lefohn, “Spatiotemporal Variance-Guided Filtering: Real-Time Reconstruction for Path-Traced Global Illumination,” *High Performance Graphics*, July 2017. Cited on p. 511
- [1564] Schilling, Andreas, G. Knittel, and Wolfgang Straßer, “Texram: A Smart Memory for Texturing,” *IEEE Computer Graphics and Applications*, vol. 16, no. 3, pp. 32–41, May 1996. Cited on p. 189
- [1565] Schilling, Andreas, “Antialiasing of Environment Maps,” *Computer Graphics Forum*, vol. 20, no. 1, pp. 5–11, 2001. Cited on p. 372
- [1566] Schlag, John, “Using Geometric Constructions to Interpolate Orientations with Quaternions,” in James Arvo, ed., *Graphics Gems II*, Academic Press, pp. 377–380, 1991. Cited on p. 102
- [1567] Schlag, John, “Fast Embossing Effects on Raster Image Data,” in Paul S. Heckbert, ed., *Graphics Gems IV*, Academic Press, pp. 433–437, 1994. Cited on p. 211
- [1568] Schlick, Christophe, “An Inexpensive BRDF Model for Physically Based Rendering,” *Computer Graphics Forum*, vol. 13, no. 3, pp. 149–162, 1994. Cited on p. 320, 351

- [1569] Schmalstieg, Dieter, and Robert F. Tobler, “Fast Projected Area Computation for Three-Dimensional Bounding Boxes,” *journal of graphics tools*, vol. 4, no. 2, pp. 37–43, 1999. Also collected in [112]. Cited on p. 863
- [1570] Schmalstieg, Dieter, and Tobias Hollerer, *Augmented Reality: Principles and Practice*, Addison-Wesley, 2016. Cited on p. 917, 940
- [1571] Schmittler, J. I. Wald, and P. Slusallek, “SaarCOR: A Hardware Architecture for Ray Tracing,” in *Graphics Hardware 2002*, Eurographics Association, pp. 27–36, Sept. 2002. Cited on p. 1039
- [1572] Schneider, Andrew, and Nathan Vos, “*Nubis*: Authoring Realtime Volumetric Cloudscapes with the *Decima* Engine,” *SIGGRAPH Advances in Real-Time Rendering in Games course*, Aug. 2017. Cited on p. 619, 620
- [1573] Schneider, Jens, and Rüdiger Westermann, “GPU-Friendly High-Quality Terrain Rendering,” *Journal of WSCG*, vol. 14, no. 1-3, pp. 49–56, 2006. Cited on p. 879
- [1574] Schneider, Philip, and David Eberly, *Geometric Tools for Computer Graphics*, Morgan Kaufmann, 2003. Cited on p. 685, 686, 716, 950, 966, 981, 987, 991
- [1575] Schollmeyer, Andre, Andrey Babanin, and Bernd Fro, “Order-Independent Transparency for Programmable Deferred Shading Pipelines,” *Computer Graphics Forum*, vol. 34, no. 7, pp. 67–76, 2015. Cited on p. 887
- [1576] Schorn, Peter, and Frederick Fisher, “Testing the Convexity of Polygon,” in Paul S. Heckbert, ed., *Graphics Gems IV*, Academic Press, pp. 7–15, 1994. Cited on p. 686
- [1577] Schott, Mathias, Vincent Pegoraro, Charles Hansen, Kévin Boulanger, and Kadi Bouatouch, “A Directional Occlusion Shading Model for Interactive Direct Volume Rendering,” in *EuroVis’09*, Eurographics Association, pp. 855–862, 2009. Cited on p. 607
- [1578] Schott, Mathias, A. V. Pascal Grosset, Tobias Martin, Vincent Pegoraro, Sean T. Smith, and Charles D. Hansen, “Depth of Field Effects for Interactive Direct Volume Rendering,” *Computer Graphics Forum*, vol. 30, no. 3, pp. 941–950, 2011. Cited on p. 607
- [1579] Schröder, Peter, and Wim Sweldens, “Spherical Wavelets: Efficiently Representing Functions on the Sphere,” in *SIGGRAPH ’95: Proceedings of the 22nd Annual Conference on Computer Graphics and Interactive Techniques*, ACM, pp. 161–172, Aug. 1995. Cited on p. 402
- [1580] Schröder, Peter, “What Can We Measure?” *SIGGRAPH Discrete Differential Geometry course*, Aug. 2006. Cited on p. 954
- [1581] Schroders, M. F. A., and R. V. Gulik, “Quadtree Relief Mapping,” in *Graphics Hardware 2006*, Eurographics Association, pp. 61–66, Sept. 2006. Cited on p. 220
- [1582] Schroeder, Tim, “Collision Detection Using Ray Casting,” *Game Developer*, vol. 8, no. 8, pp. 50–56, Aug. 2001. Cited on p. 976
- [1583] Schuetz, Markus, *Potree: Rendering Large Point Clouds in Web Browsers*, Diploma thesis in Visual Computing, Vienna University of Technology, 2016. Cited on p. 574, 575, 576
- [1584] Schüller, Christian, “Normal Mapping without Precomputed Tangents,” in Wolfgang Engel, ed., *ShaderX⁵*, Charles River Media, pp. 131–140, 2006. Cited on p. 210
- [1585] Schüller, Christian, “Multisampling Extension for Gradient Shadow Maps,” in Wolfgang Engel, ed., *ShaderX⁵*, Charles River Media, pp. 207–218, 2006. Cited on p. 250
- [1586] Schüller, Christian, “An Efficient and Physically Plausible Real Time Shading Model,” in Wolfgang Engel, ed., *ShaderX⁷*, Charles River Media, pp. 175–187, 2009. Cited on p. 325
- [1587] Schüller, Christian, “An Approximation to the Chapman Grazing-Incidence Function for Atmospheric Scattering,” in Wolfgang Engel, ed., *GPU Pro³*, CRC Press, pp. 105–118, 2012. Cited on p. 616

- [1588] Schüler, Christian, “Branchless Matrix to Quaternion Conversion,” *The Tenth Planet* blog, Aug. 7, 2012. Cited on p. 81
- [1589] Schulz, Nicolas, “Moving to the Next Generation—The Rendering Technology of *Ryse*,” *Game Developers Conference*, Mar. 2014. Cited on p. 371, 506, 892, 893, 904
- [1590] Schulz, Nicolas, and Theodor Mader, “Rendering Techniques in *Ryse: Son of Rome*,” *SIGGRAPH Advances in Real-Time Rendering in Games* course, Aug. 2014. Cited on p. 234, 245, 246, 251, 252, 569, 864
- [1591] Schulz, Nicolas, *CRYENGINE Manual*, Crytek GmbH, 2016. Cited on p. 111, 113, 631
- [1592] Schumacher, Dale A., “General Filtered Image Rescaling,” in David Kirk, ed., *Graphics Gems III*, Academic Press, pp. 8–16, 1992. Cited on p. 184
- [1593] Schwarz, Michael, and Marc Stamminger, “Bitmask Soft Shadows,” *Computer Graphics Forum*, vol. 26, no. 3, pp. 515–524, 2007. Cited on p. 252
- [1594] Schwarz, Michael, and Hans-Peter Seidel, “Fast Parallel Surface and Solid Voxelization on GPUs,” *ACM Transactions on Graphics*, vol. 29, no. 6, pp. 179:1–179:10, Dec. 2010. Cited on p. 581
- [1595] Schwarz, Michael, “Practical Binary Surface and Solid Voxelization with Direct3D 11,” in Wolfgang Engel, ed., *GPU Pro³*, CRC Press, pp. 337–352, 2012. Cited on p. 581, 582
- [1596] Seetzen, Helge, Wolfgang Heidrich, Wolfgang Stuerzlinger, Greg Ward, Lorne Whitehead, Matthew Trentacoste, Abhijeet Ghosh, and Andrejs Vorozcova, “High Dynamic Range Display Systems,” *ACM Transactions on Graphics (SIGGRAPH 2004)*, vol. 23, no. 3, pp. 760–768, Aug. 2004. Cited on p. 1011
- [1597] Segal, M., C. Korobkin, R. van Widenfelt, J. Foran, and P. Haeberli, “Fast Shadows and Lighting Effects Using Texture Mapping,” *Computer Graphics (SIGGRAPH '92 Proceedings)*, vol. 26, no. 2, pp. 249–252, July 1992. Cited on p. 173, 221, 229
- [1598] Segal, Mark, and Kurt Akeley, *The OpenGL Graphics System: A Specification (Version 4.5)*, The Khronos Group, June 2017. Editor (v1.1): Chris Frazier; Editor (v1.2–4.5): Jon Leech; Editor (v2.0): Pat Brown. Cited on p. 845, 1033
- [1599] Seiler, L. D. Carmean, E. Sprangle, T. Forsyth, M. Abrash, P. Dubey, S. Junkins, A. Lake, J. Sugerman, R. Cavin, R. Espasa, E. Grochowski, T. Juan, and P. Hanrahan, “Larrabee: A Many-Core x86 Architecture for Visual Computing,” *ACM Transactions on Graphics*, vol. 27, no. 3, pp. 18:1–18:15, 2008. Cited on p. 230, 996, 1017
- [1600] Sekulic, Dean, “Efficient Occlusion Culling,” in Randima Fernando, ed., *GPU Gems*, Addison-Wesley, pp. 487–503, 2004. Cited on p. 524, 836
- [1601] Selan, Jeremy, “Using Lookup Tables to Accelerate Color Transformations,” in Matt Pharr, ed., *GPU Gems 2*, Addison-Wesley, pp. 381–408, 2005. Cited on p. 289, 290
- [1602] Selan, Jeremy, “Cinematic Color: From Your Monitor to the Big Screen,” VES White Paper, 2012. Cited on p. 166, 283, 289, 290, 291
- [1603] Selgrad, K., C. Dachsbacher, Q. Meyer, and M. Stamminger, “Filtering Multi-Layer Shadow Maps for Accurate Soft Shadows,” *Computer Graphics Forum*, vol. 34, no. 1, pp. 205–215, 2015. Cited on p. 259
- [1604] Selgrad, K., J. Müller, C. Reintges, and M. Stamminger, “Fast Shadow Map Rendering for Many-Lights Settings,” in *Eurographics Symposium on Rendering—Experimental Ideas & Implementations*, Eurographics Association, pp. 41–47, 2016. Cited on p. 247
- [1605] Sellers, Graham, Patrick Cozzi, Kevin Ring, Emil Persson, Joel da Vahl, and J. M. P. van Waveren, *SIGGRAPH Rendering Massive Virtual Worlds* course, July 2013. Cited on p. 102, 868, 874, 875, 876, 879

- [1606] Sellers, Graham, Richard S. Wright Jr., and Nicholas Haemel, *OpenGL Superbible: Comprehensive Tutorial and Reference*, Seventh Edition, Addison-Wesley, 2015. Cited on p. 55
- [1607] Sen, Pradeep, Mike Cammarano, and Pat Hanrahan, “Shadow Silhouette Maps,” *ACM Transactions on Graphics (SIGGRAPH 2003)*, vol. 22, no. 3, pp. 521–526, 2003. Cited on p. 259
- [1608] Senior, Andrew, “Facial Animation for Mobile GPUs,” in Wolfgang Engel, ed., *ShaderX⁷*, Charles River Media, pp. 561–570, 2009. Cited on p. 90
- [1609] Senior, Andrew, “iPhone 3GS Graphics Development and Optimization Strategies,” in Wolfgang Engel, ed., *GPU Pro*, A K Peters, Ltd., pp. 385–395, 2010. Cited on p. 702, 795, 804, 805
- [1610] Seymour, Mike, “Manuka: Weta Digital’s New Renderer,” *fxguide*, Aug. 6, 2014. Cited on p. 280
- [1611] Shade, J., Steven Gortler, Li-Wei He, and Richard Szeliski, “Layered Depth Images,” in *SIGGRAPH ’98: Proceedings of the 25th Annual Conference on Computer Graphics and Interactive Techniques*, ACM, pp. 231–242, July 1998. Cited on p. 565
- [1612] Shamir, Ariel, “A survey on Mesh Segmentation Techniques,” *Computer Graphics Forum*, vol. 27, no. 6, pp. 1539–1556, 2008. Cited on p. 683
- [1613] Shankel, Jason, “Rendering Distant Scenery with Skyboxes,” in Mark DeLoura, ed., *Game Programming Gems 2*, Charles River Media, pp. 416–420, 2001. Cited on p. 548
- [1614] Shankel, Jason, “Fast Heightfield Normal Calculation,” in Dante Treglia, ed., *Game Programming Gems 3*, Charles River Media, pp. 344–348, 2002. Cited on p. 695
- [1615] Shanmugam, Perumaal, and Okan Arıkan, “Hardware Accelerated Ambient Occlusion Techniques on GPUs,” in *Proceedings of the 2007 Symposium on Interactive 3D Graphics and Games*, ACM, pp. 73–80, 2007. Cited on p. 458
- [1616] Shastry, Anirudh S., “High Dynamic Range Rendering,” *GameDev.net*, 2004. Cited on p. 527
- [1617] Sheffer, Alla, Bruno Lévy, Maxim Mogilnitsky, and Alexander Bogomyakov, “ABF++: Fast and Robust Angle Based Flattening,” *ACM Transactions on Graphics*, vol. 24, no. 2, pp. 311–330, 2005. Cited on p. 485
- [1618] Shemanarev, Maxim, “Texts Rasterization Exposures,” *The AGG Project*, July 2007. Cited on p. 676
- [1619] Shen, Hao, Pheng Ann Heng, and Zesheng Tang, “A Fast Triangle-Triangle Overlap Test Using Signed Distances,” *journals of graphics tools*, vol. 8, no. 1, pp. 17–24, 2003. Cited on p. 974
- [1620] Shen, Li, Jieqing Feng, and Baoguang Yang, “Exponential Soft Shadow Mapping,” *Computer Graphics Forum*, vol. 32, no. 4, pp. 107–116, 2013. Cited on p. 257
- [1621] Shene, Ching-Kuang, “Computing the Intersection of a Line and a Cylinder,” in Paul S. Heckbert, ed., *Graphics Gems IV*, Academic Press, pp. 353–355, 1994. Cited on p. 959
- [1622] Shene, Ching-Kuang, “Computing the Intersection of a Line and a Cone,” in Alan Paeth, ed., *Graphics Gems V*, Academic Press, pp. 227–231, 1995. Cited on p. 959
- [1623] Sherif, Tarek, “WebGL 2 Examples,” *Github* repository, Mar. 17, 2017. Cited on p. 122, 125
- [1624] Shewchuk, Jonathan Richard, “Adaptive Precision Floating-Point Arithmetic and Fast Robust Geometric Predicates,” *Discrete and Computational Geometry*, vol. 18, no. 3, pp. 305–363, Oct. 1997. Cited on p. 974
- [1625] Shilov, Anton, Yaroslav Lyssenko, and Alexey Stepin, “Highly Defined: ATI Radeon HD 2000 Architecture Review,” *Xbit Laboratories* website, Aug. 2007. Cited on p. 142
- [1626] Shirley, Peter, *Physically Based Lighting Calculations for Computer Graphics*, PhD thesis, University of Illinois at Urbana Champaign, Dec. 1990. Cited on p. 143, 351

- [1627] Shirley, Peter, Helen Hu, Brian Smits, and Eric Lafortune, “A Practitioners’ Assessment of Light Reflection Models,” in *Pacific Graphics ’97*, IEEE Computer Society, pp. 40–49, Oct. 1997. Cited on p. 351
- [1628] Shirley, Peter, *Ray Tracing in One Weekend*, Ray Tracing Minibooks Book 1, 2016. Cited on p. 512, 1047
- [1629] Shirley, Peter, “New Simple Ray-Box Test from Andrew Kensler,” *Pete Shirley’s Graphics Blog*, Feb. 14, 2016. Cited on p. 961
- [1630] Shirman, Leon A., and Salim S. Abi-Ezzi, “The Cone of Normals Technique for Fast Processing of Curved Patches,” *Computer Graphics Forum*, vol. 12, no. 3, pp. 261–272, 1993. Cited on p. 833
- [1631] Shishkovtsov, Oles, “Deferred Shading in *S.T.A.L.K.E.R.*,” in Matt Pharr, ed., *GPU Gems 2*, Addison-Wesley, pp. 143–166, 2005. Cited on p. 216, 888
- [1632] Shodhan, Shalin, and Andrew Willmott, “Stylized Rendering in *Spore*,” in Wolfgang Engel, ed., *GPU Pro*, A K Peters, Ltd., pp. 549–560, 2010. Cited on p. 678
- [1633] Shoemake, Ken, “Animating Rotation with Quaternion Curves,” *Computer Graphics (SIGGRAPH ’85 Proceedings)*, vol. 19, no. 3, pp. 245–254, July 1985. Cited on p. 73, 76, 80, 82
- [1634] Shoemake, Ken, “Quaternions and 4×4 Matrices,” in James Arvo, ed., *Graphics Gems II*, Academic Press, pp. 351–354, 1991. Cited on p. 80
- [1635] Shoemake, Ken, “Polar Matrix Decomposition,” in Paul S. Heckbert, ed., *Graphics Gems IV*, Academic Press, pp. 207–221, 1994. Cited on p. 74
- [1636] Shoemake, Ken, “Euler Angle Conversion,” in Paul S. Heckbert, ed., *Graphics Gems IV*, Academic Press, pp. 222–229, 1994. Cited on p. 70, 73
- [1637] Shopf, J., J. Barczak, C. Oat, and N. Tatarchuk, “March of the Froblins: Simulation and Rendering of Massive Crowds of Intelligent and Details Creatures on GPU,” *SIGGRAPH Advances in Real-Time Rendering in 3D Graphics and Games course*, Aug. 2008. Cited on p. 475, 848, 851
- [1638] Sigg, Christian, and Markus Hadwiger, “Fast Third-Order Texture Filtering,” in Matt Pharr, ed., *GPU Gems 2*, Addison-Wesley, pp. 313–329, 2005. Cited on p. 189, 517
- [1639] Sikachev, Peter, Vladimir Egorov, and Sergey Makeev, “Quaternions Revisited,” in Wolfgang Engel, ed., *GPU Pro⁵*, CRC Press, pp. 361–374, 2014. Cited on p. 87, 210, 715
- [1640] Sikachev, Peter, and Nicolas Longchamps, “Reflection System in *Thief*,” *SIGGRAPH Advances in Real-Time Rendering in Games course*, Aug. 2014. Cited on p. 502
- [1641] Sikachev, Peter, Samuel Delmont, Uriel Doyon, and Jean-Normand Bucci, “Next-Generation Rendering in *Thief*,” in Wolfgang Engel, ed., *GPU Pro⁶*, CRC Press, pp. 65–90, 2015. Cited on p. 251, 252
- [1642] Sillion, Fran ois, and Claude Puech, *Radiosity and Global Illumination*, Morgan Kaufmann, 1994. Cited on p. 442, 483
- [1643] Silvennoinen, Ari, and Ville Timonen, “Multi-Scale Global Illumination in Quantum Break,” *SIGGRAPH Advances in Real-Time Rendering in Games course*, Aug. 2015. Cited on p. 488, 496
- [1644] Silvennoinen, Ari, and Jaakko Lehtinen, “Real-Time Global Illumination by Precomputed Local Reconstruction from Sparse Radiance Probes,” *ACM Transactions on Graphics (SIGGRAPH Asia 2017)*, vol. 36, no. 6, pp. 230:1–230:13, Nov. 2017. Cited on p. 484
- [1645] Sintorn, Erik, Elmar Eisemann, and Ulf Assarsson, “Sample Based Visibility for Soft Shadows Using Alias-Free Shadow Maps,” *Computer Graphics Forum*, vol. 27, no. 4, pp. 1285–1292, 2008. Cited on p. 261

- [1646] Sintorn, Erik, and Ulf Assarsson, “Hair Self Shadowing and Transparency Depth Ordering Using Occupancy Maps,” in *Proceedings of the 2009 Symposium on Interactive 3D Graphics and Games*, ACM, pp. 67–74, Feb.–Mar. 2009. Cited on p. 645
- [1647] Sintorn, Erik, Viktor Kämpe, Ola Olsson, and Ulf Assarsson, “Compact Precomputed Voxelized Shadows,” *ACM Transactions on Graphics*, vol. 33, no. 4, article no. 150, Mar. 2014. Cited on p. 264, 586
- [1648] Sintorn, Erik, Viktor Kämpe, Ola Olsson, and Ulf Assarsson, “Per-Triangle Shadow Volumes Using a View-Sample Cluster Hierarchy,” in *Proceedings of the 18th Meeting of the ACM SIGGRAPH Symposium on Interactive 3D Graphics and Games*, ACM, pp. 111–118, Mar. 2014. Cited on p. 233, 259
- [1649] Skiena, Steven, *The Algorithm Design Manual*, Springer-Verlag, 1997. Cited on p. 707
- [1650] Skillman, Drew, and Pete Demoreuille, “Rock Show VFX: Bringing Brütal Legend to Life,” *Game Developers Conference*, Mar. 2010. Cited on p. 569, 572
- [1651] Sloan, Peter-Pike, Jan Kautz, and John Snyder, “Precomputed Radiance Transfer for Real-Time Rendering in Dynamic, Low-Frequency Lighting Environments,” *ACM Transactions on Graphics (SIGGRAPH 2002)*, vol. 21, no. 3, pp. 527–536, July 2002. Cited on p. 471, 479, 480
- [1652] Sloan, Peter-Pike, Jesse Hall, John Hart, and John Snyder, “Clustered Principal Components for Precomputed Radiance Transfer,” *ACM Transactions on Graphics (SIGGRAPH 2003)*, vol. 22, no. 3, pp. 382–391, 2003. Cited on p. 480
- [1653] Sloan, Peter-Pike, Ben Luna, and John Snyder, “Local, Deformable Precomputed Radiance Transfer,” *ACM Transactions on Graphics (SIGGRAPH 2005)*, vol. 24, no. 3, pp. 1216–1224, Aug. 2005. Cited on p. 431, 481
- [1654] Sloan, Peter-Pike, “Normal Mapping for Precomputed Radiance Transfer,” in *Proceedings of the 2006 Symposium on Interactive 3D Graphics and Games*, ACM, pp. 23–26, 2006. Cited on p. 404
- [1655] Sloan, Peter-Pike, Naga K. Govindaraju, Derek Nowrouzezahrai, and John Snyder, “Image-Based Proxy Accumulation for Real-Time Soft Global Illumination,” in *Pacific Graphics 2007*, IEEE Computer Society, pp. 97–105, Oct. 2007. Cited on p. 456, 467
- [1656] Sloan, Peter-Pike, “Stupid Spherical Harmonics (SH) Tricks,” *Game Developers Conference*, Feb. 2008. Cited on p. 395, 400, 401, 428, 429, 430, 431, 470
- [1657] Sloan, Peter-Pike, “Efficient Spherical Harmonic Evaluation,” *Journal of Computer Graphics Techniques*, vol. 2, no. 2, pp. 84–90, 2013. Cited on p. 400
- [1658] Sloan, Peter-Pike, Jason Tranchida, Hao Chen, and Ladislav Kavan, “Ambient Obscurance Baking on the GPU,” in *ACM SIGGRAPH Asia 2013 Technical Briefs*, ACM, article no. 32, Nov. 2013. Cited on p. 453
- [1659] Sloan, Peter-Pike, “Deringing Spherical Harmonics,” in *SIGGRAPH Asia 2017 Technical Briefs*, ACM, article no. 11, 2017. Cited on p. 401, 429
- [1660] Smedberg, Niklas, and Daniel Wright, “Rendering Techniques in *Gears of War 2*,” *Game Developers Conference*, Mar. 2009. Cited on p. 462
- [1661] Smith, Alvy Ray, *Digital Filtering Tutorial for Computer Graphics*, Technical Memo 27, revised Mar. 1983. Cited on p. 136
- [1662] Smith, Alvy Ray, and James F. Blinn, “Blue Screen Matting,” in *SIGGRAPH ’96: Proceedings of the 23rd Annual Conference on Computer Graphics and Interactive Techniques*, ACM, pp. 259–268, Aug. 1996. Cited on p. 159, 160
- [1663] Smith, Alvy Ray, “The Stuff of Dreams,” *Computer Graphics World*, vol. 21, pp. 27–29, July 1998. Cited on p. 1042

- [1664] Smith, Ashley Vaughan, and Mathieu Einig, "Physically Based Deferred Shading on Mobile," in Wolfgang Engel, ed., *GPU Pro⁷*, CRC Press, pp. 187–198, 2016. Cited on p. 903
- [1665] Smith, Bruce G., "Geometrical Shadowing of a Random Rough Surface," *IEEE Transactions on Antennas and Propagation*, vol. 15, no. 5, pp. 668–671, Sept. 1967. Cited on p. 334
- [1666] Smith, Ryan, "GPU Boost 3.0: Finer-Grained Clockspeed Controls," Section in "The NVIDIA GeForce GTX 1080 & GTX 1070 Founders Editions Review: Kicking Off the FinFET Generation," *AnandTech*, July 20, 2016. Cited on p. 163, 789
- [1667] Smits, Brian E., and Gary W. Meyer, "Newton's Colors: Simulating Interference Phenomena in Realistic Image Synthesis," in Kadi Bouatouch & Christian Bouville, eds. *Photorealism in Computer Graphics*, Springer, pp. 185–194, 1992. Cited on p. 363
- [1668] Smits, Brian, "Efficiency Issues for Ray Tracing," *journal of graphics tools*, vol. 3, no. 2, pp. 1–14, 1998. Also collected in [112]. Cited on p. 792, 961
- [1669] Smits, Brian, "Reflection Model Design for WALL-E and Up," *SIGGRAPH Practical Physically Based Shading in Film and Game Production course*, Aug. 2012. Cited on p. 324
- [1670] Snook, Greg, "Simplified Terrain Using Interlocking Tiles," in Mark DeLoura, ed., *Game Programming Gems 2*, Charles River Media, pp. 377–383, 2001. Cited on p. 876
- [1671] Snyder, John, "Area Light Sources for Real-Time Graphics," Technical Report MSR-TR-96-11, Microsoft Research, Mar. 1996. Cited on p. 382
- [1672] Snyder, John, and Jed Lengyel, "Visibility Sorting and Compositing without Splitting for Image Layer Decompositions," in *SIGGRAPH '98: Proceedings of the 25th Annual Conference on Computer Graphics and Interactive Techniques*, ACM, pp. 219–230, July 1998. Cited on p. 532, 551
- [1673] Soler, Cyril, and François Sillion, "Fast Calculation of Soft Shadow Textures Using Convolution," in *SIGGRAPH '98: Proceedings of the 25th Annual Conference on Computer Graphics and Interactive Techniques*, ACM, pp. 321–332, July 1998. Cited on p. 256
- [1674] Sousa, Tiago, "Adaptive Glare," in Wolfgang Engel, ed., *ShaderX³*, Charles River Media, pp. 349–355, 2004. Cited on p. 288, 527
- [1675] Sousa, Tiago, "Generic Refraction Simulation," in Matt Pharr, ed., *GPU Gems 2*, Addison-Wesley, pp. 295–305, 2005. Cited on p. 628
- [1676] Sousa, Tiago, "Vegetation Procedural Animation and Shading in Crysis," in Hubert Nguyen, ed., *GPU Gems 3*, Addison-Wesley, pp. 373–385, 2007. Cited on p. 639
- [1677] Sousa, Tiago, "Anti-Aliasing Methods in CryENGINE," *SIGGRAPH Filtering Approaches for Real-Time Anti-Aliasing course*, Aug. 2011. Cited on p. 145, 531
- [1678] Sousa, Tiago, Nickolay Kasyan, and Nicolas Schulz, "Secrets of CryENGINE 3 Graphics Technology," *SIGGRAPH Advances in Real-Time Rendering in 3D Graphics and Games course*, Aug. 2011. Cited on p. 145, 234, 245, 252, 257, 262, 505
- [1679] Sousa, Tiago, Nickolay Kasyan, and Nicolas Schulz, "CryENGINE 3: Three Years of Work in Review," in Wolfgang Engel, ed., *GPU Pro⁸*, CRC Press, pp. 133–168, 2012. Cited on p. 139, 234, 238, 245, 252, 257, 542, 786, 793, 932, 937
- [1680] Sousa, Tiago, Carsten Wenzel, and Chris Raine, "The Rendering Technologies of *Crysis 3*," *Game Developers Conference*, Mar. 2013. Cited on p. 887, 889, 890, 895
- [1681] Sousa, Tiago, Nickolay Kasyan, and Nicolas Schulz, "CryENGINE 3: Graphics Gems," *SIGGRAPH Advances in Real-Time Rendering in 3D Graphics and Games course*, July 2013. Cited on p. 531, 535, 539, 540, 542, 604, 888, 892
- [1682] Sousa, T., and J. Geoffroy, "DOOM: the Devil is in the Details," *SIGGRAPH Advances in Real-Time Rendering in 3D Graphics and Games course*, July 2016. Cited on p. 569, 629, 883, 901

- [1683] Spencer, Greg, Peter Shirley, Kurt Zimmerman, and Donald Greenberg, “Physically-Based Glare Effects for Digital Images,” in *SIGGRAPH ’95: Proceedings of the 22nd Annual Conference on Computer Graphics and Interactive Techniques*, ACM, pp. 325–334, Aug. 1995. Cited on p. 524
- [1684] Stachowiak, Tomasz, “Stochastic Screen-Space Reflections,” *SIGGRAPH Advances in Real-Time Rendering in Games course*, Aug. 2015. Cited on p. 507, 508
- [1685] Stachowiak, Tomasz, “A Deferred Material Rendering System,” online article, Dec. 18, 2015. Cited on p. 907
- [1686] Stam, Jos, “Multiple Scattering as a Diffusion Process,” in *Rendering Techniques ’95*, Springer, pp. 41–50, June 1995. Cited on p. 634
- [1687] Stam, Jos, “Exact Evaluation of Catmull-Clark Subdivision Surfaces at Arbitrary Parameter Values,” in *SIGGRAPH ’98: Proceedings of the 25th Annual Conference on Computer Graphics and Interactive Techniques*, ACM, pp. 395–404, July 1998. Cited on p. 763
- [1688] Stam, Jos, “Diffraction Shaders,” in *SIGGRAPH ’99: Proceedings of the 26th Annual Conference on Computer Graphics and Interactive Techniques*, ACM Press/Addison-Wesley Publishing Co., pp. 101–110, Aug. 1999. Cited on p. 361
- [1689] Stam, Jos, “Real-Time Fluid Dynamics for Games,” *Game Developers Conference*, Mar. 2003. Cited on p. 649
- [1690] Stamate, Vlad, “Reduction of Lighting Calculations Using Spherical Harmonics,” in Wolfgang Engel, ed., *ShaderX³*, Charles River Media, pp. 251–262, 2004. Cited on p. 430
- [1691] Stamminger, Marc, and George Drettakis, “Perspective Shadow Maps,” *ACM Transactions on Graphics (SIGGRAPH 2002)*, vol. 21, no. 3, pp. 557–562, July 2002. Cited on p. 241
- [1692] St-Amour, Jean-François, “Rendering *Assassin’s Creed III*,” *Game Developers Conference*, Mar. 2013. Cited on p. 453
- [1693] Steed, Paul, *Animating Real-Time Game Characters*, Charles River Media, 2002. Cited on p. 88
- [1694] Stefanov, Nikolay, “Global Illumination in *Tom Clancy’s The Division*,” *Game Developers Conference*, Mar. 2016. Cited on p. 478, 483
- [1695] Steinicke, Frank Steinicke, Gerd Bruder, and Scott Kuhl, “Realistic Perspective Projections for Virtual Objects and Environments,” *ACM Transactions on Graphics*, vol. 30, no. 5, article no. 112, Oct. 2011. Cited on p. 554
- [1696] Stemkoski, Lee, “Bubble Demo,” *GitHub* repository, 2013. Cited on p. 628
- [1697] Stengel, Michael, Steve Groganick, Martin Eisemann, and Marcus Magnor, “Adaptive Image-Space Sampling for Gaze-Contingent Real-Time Rendering,” *Computer Graphics Forum*, vol. 35, no. 4, pp. 129–139, 2016. Cited on p. 932
- [1698] Sterna, Wojciech, “Practical Gather-Based Bokeh Depth of Field,” in Wolfgang Engel, ed., *GPU Zen*, Black Cat Publishing, pp. 217–237, 2017. Cited on p. 535
- [1699] Stewart, A. J., and M. S. Langer, “Towards Accurate Recovery of Shape from Shading Under Diffuse Lighting,” *IEEE Trans. on Pattern Analysis and Machine Intelligence*, vol. 19, no. 9, pp. 1020–1025, Sept. 1997. Cited on p. 450
- [1700] Stewart, Jason, and Gareth Thomas, “Tiled Rendering Showdown: Forward++ vs. Deferred Rendering,” *Game Developers Conference*, Mar. 2013. Cited on p. 896, 897, 914
- [1701] Stewart, Jason, “Compute-Based Tiled Culling,” in Wolfgang Engel, ed., *GPU Pro⁶*, CRC Press, pp. 435–458, 2015. Cited on p. 894, 896, 914
- [1702] Stich, Martin, Carsten Wächter, and Alexander Keller, “Efficient and Robust Shadow Volumes Using Hierarchical Occlusion Culling and Geometry Shaders,” in Hubert Nguyen, ed., *GPU Gems 3*, Addison-Wesley, pp. 239–256, 2007. Cited on p. 233

- [1703] Stiles, W. S., and J. M. Burch, “Interim Report to the Commission Internationale de l’Éclairage Zurich, 1955, on the National Physical Laboratory’s Investigation of Colour-Matching (1955),” *Optica Acta*, vol. 2, no. 4, pp. 168–181, 1955. Cited on p. 273
- [1704] Stokes, Michael, Matthew Anderson, Srinivasan Chandrasekar, and Ricardo Motta, “A Standard Default Color Space for the Internet—sRGB,” Version 1.10, *International Color Consortium*, Nov. 1996. Cited on p. 278
- [1705] Stone, Jonathan, “Radially-Symmetric Reflection Maps,” in *SIGGRAPH 2009 Talks*, ACM, article no. 24, Aug. 2009. Cited on p. 414
- [1706] Stone, Maureen, *A Field Guide to Digital Color*, A K Peters, Ltd., Aug. 2003. Cited on p. 276
- [1707] Stone, Maureen, “Representing Colors as Three Numbers,” *IEEE Computer Graphics and Applications*, vol. 25, no. 4, pp. 78–85, July/Aug. 2005. Cited on p. 272, 276
- [1708] Storsjö, Martin, *Efficient Triangle Reordering for Improved Vertex Cache Utilisation in Real-time Rendering*, MSc thesis, Department of Information Technologies, Faculty of Technology, Åbo Akademi University, 2008. Cited on p. 701
- [1709] Story, Jon, and Holger Gruen, “High Quality Direct3D 10.0 & 10.1 Accelerated Techniques,” *Game Developers Conference*, Mar. 2009. Cited on p. 249
- [1710] Story, Jon, “DirectCompute Accelerated Separable Filtering,” *Game Developers Conference*, Mar. 2011. Cited on p. 54, 518
- [1711] Story, Jon, “Advanced Geometrically Correct Shadows for Modern Game Engines,” *Game Developers Conference*, Mar. 2016. Cited on p. 224, 261, 262
- [1712] Story, Jon, and Chris Wyman, “HFTS: Hybrid Frustum-Traced Shadows in *The Division*,” in *ACM SIGGRAPH 2016 Talks*, ACM, article no. 13, July 2016. Cited on p. 261
- [1713] Strauss, Paul S., “A Realistic Lighting Model for Computer Animators,” *IEEE Computer Graphics and Applications*, vol. 10, no. 6, pp. 56–64, Nov. 1990. Cited on p. 324
- [1714] Ström, Jacob, and Tomas Akenine-Möller, “iPACKMAN: High-Quality, Low-Complexity Texture Compression for Mobile Phones,” in *Graphics Hardware 2006*, Eurographics Association, pp. 63–70, July 2005. Cited on p. 194
- [1715] Ström, Jacob, and Martin Pettersson, “ETC2: Texture Compression Using Invalid Combinations,” in *Graphics Hardware 2007*, Eurographics Association, pp. 49–54, Aug. 2007. Cited on p. 194
- [1716] Ström, J., P. Wennersten, J. Rasmusson, J. Hasselgren, J. Munkberg, P. Clarberg, and T. Akenine-Möller, “Floating-Point Buffer Compression in a Unified Codec Architecture,” in *Graphics Hardware 2008*, Eurographics Association, pp. 75–84, June 2008. Cited on p. 1009, 1018, 1038
- [1717] Ström, Jacob, and Per Wennersten, “Lossless Compression of Already Compressed Textures,” in *Proceedings of the ACM SIGGRAPH/EUROGRAPHICS Conference on High-Performance Graphics*, ACM, pp. 177–182, Aug. 2011. Cited on p. 870
- [1718] Ström, J., K. Åström, and T. Akenine-Möller, “Immersive Linear Algebra,” <http://immersivemath.com>, 2015. Cited on p. 102, 1047
- [1719] Strothotte, Thomas, and Stefan Schlechtweg, *Non-Photorealistic Computer Graphics: Modeling, Rendering, and Animation*, Morgan Kaufmann, 2002. Cited on p. 652, 678
- [1720] Strugar, F., “Continuous Distance-Dependent Level of Detail for Rendering Heightmaps,” *Journal of Graphics, GPU, and Game Tools*, vol. 14, no. 4, pp. 57–74, 2009. Cited on p. 876, 877
- [1721] Sugden, B., and M. Iwanicki, “Mega Meshes: Modelling, Rendering and Lighting a World Made of 100 Billion Polygons,” *Game Developers Conference*, Mar. 2011. Cited on p. 483, 868, 870

- [1722] Sun, Bo, Ravi Ramamoorthi, Srinivasa Narasimhan, and Shree Nayar, “A Practical Analytic Single Scattering Model for Real Time Rendering,” *ACM Transactions on Graphics (SIGGRAPH 2005)*, vol. 24, no. 3, pp. 1040–1049, 2005. Cited on p. 604
- [1723] Sun, Xin, Qiming Hou, Zhong Ren, Kun Zhou, and Baining Guo, “Radiance Transfer Bi clustering for Real-Time All-Frequency Biscale Rendering,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 17, no. 1, pp. 64–73, 2011. Cited on p. 402
- [1724] Sutherland, Ivan E., Robert F. Sproull, and Robert F. Schumacker, “A Characterization of Ten Hidden-Surface Algorithms,” *Computing Surveys*, vol. 6, no. 1, pp. 1–55, Mar. 1974. Cited on p. 1048
- [1725] Sutter, Herb, “The Free Lunch Is Over,” *Dr. Dobb’s Journal*, vol. 30, no. 3, Mar. 2005. Cited on p. 806, 815
- [1726] Svarovsky, Jan, “View-Independent Progressive Meshing,” in Mark DeLoura, ed., *Game Programming Gems*, Charles River Media, pp. 454–464, 2000. Cited on p. 707, 711
- [1727] Swoboda, Matt, “Deferred Lighting and Post Processing on PLAYSTATION 3,” *Game Developers Conference*, Mar. 2009. Cited on p. 893
- [1728] Swoboda, Matt, “Ambient Occlusion in Frameranger,” *direct to video blog*, Jan. 15, 2010. Cited on p. 453
- [1729] Szeliski, Richard, *Computer Vision: Algorithms and Applications*, Springer, 2011. Cited on p. 130, 200, 543, 549, 587, 661, 1048
- [1730] Szirmay-Kalos, László, Barnabás Aszódi, István Lazányi, and Mátyás Premecz, “Approximate Ray-Tracing on the GPU with Distance Impostors,” *Computer Graphics Forum*, vol. 24, no. 3, pp. 695–704, 2005. Cited on p. 502
- [1731] Szirmay-Kalos, László, and Tamás Umenhoffer, “Displacement Mapping on the GPU—State of the Art,” *Computer Graphics Forum*, vol. 27, no. 6, pp. 1567–1592, 2008. Cited on p. 222, 933
- [1732] Szirmay-Kalos, László, Tamás Umenhoffer, Gustavo Patow, László Szécsi, and Mateu Sbert, “Specular Effects on the GPU: State of the Art,” *Computer Graphics Forum*, vol. 28, no. 6, pp. 1586–1617, 2009. Cited on p. 435
- [1733] Szirmay-Kalos, László, Tamás Umenhoffer, Balázs Tóth, László Szécsi, and Mateu Sbert, “Volumetric Ambient Occlusion for Real-Time Rendering and Games,” *IEEE Computer Graphics and Applications*, vol. 30, no. 1, pp. 70–79, 2010. Cited on p. 459
- [1734] Tabellion, Eric, and Arnauld Lamorlette, “An Approximate Global Illumination System for Computer Generated Films,” *ACM Transactions on Graphics (SIGGRAPH 2004)*, vol. 23, no. 3, pp. 469–476, Aug. 2004. Cited on p. 26, 491
- [1735] Tadamura, Katsumi, Xueying Qin, Guofang Jiao, and Eihachiro Nakamae, “Rendering Optimal Solar Shadows Using Plural Sunlight Depth Buffers,” in *Computer Graphics International 1999*, IEEE Computer Society, pp. 166–173, June 1999. Cited on p. 242
- [1736] Takayama, Kenshi, Alec Jacobson, Ladislav Kavan, and Olga Sorkine-Hornung, “A Simple Method for Correcting Facet Orientations in Polygon Meshes Based on Ray Casting,” *Journal of Computer Graphics Techniques*, vol. 3, no. 4, pp. 53–63, 2014. Cited on p. 693
- [1737] Takeshige, Masaya, “The Basics of GPU Voxelization,” *NVIDIA GameWorks* blog, Mar. 22, 2015. Cited on p. 582
- [1738] Tampieri, Filippo, “Newell’s Method for the Plane Equation of a Polygon,” in David Kirk, ed., *Graphics Gems III*, Academic Press, pp. 231–232, 1992. Cited on p. 685
- [1739] Tanner, Christopher C., Christopher J. Migdal, and Michael T. Jones, “The Clipmap: A Virtual Mipmap,” in *SIGGRAPH ’98: Proceedings of the 25th Annual Conference on Computer Graphics and Interactive Techniques*, ACM, pp. 151–158, July 1998. Cited on p. 570, 867, 872

- [1740] Tarini, Marco, Kai Hormann, Paolo Cignoni, and Claudio Montani, “PolyCube-Maps,” *ACM Transactions on Graphics (SIGGRAPH 2004)*, vol. 23, no. 3, pp. 853–860, Aug. 2004. Cited on p. 171
- [1741] Tatarchuk, Natalya, “Artist-Directable Real-Time Rain Rendering in City Environments,” *SIGGRAPH Advanced Real-Time Rendering in 3D Graphics and Games course*, Aug. 2006. Cited on p. 604
- [1742] Tatarchuk, Natalya, “Dynamic Parallax Occlusion Mapping with Approximate Soft Shadows,” *SIGGRAPH Advanced Real-Time Rendering in 3D Graphics and Games course*, Aug. 2006. Cited on p. 217, 218, 222
- [1743] Tatarchuk, Natalya, “Practical Parallax Occlusion Mapping with Approximate Soft Shadows for Detailed Surface Rendering,” *SIGGRAPH Advanced Real-Time Rendering in 3D Graphics and Games course*, Aug. 2006. Cited on p. 217, 218, 222
- [1744] Tatarchuk, Natalya, and Jeremy Shopf, “Real-Time Medical Visualization with FireGL,” *SIGGRAPH AMD Technical Talk*, Aug. 2007. Cited on p. 607, 753
- [1745] Tatarchuk, Natalya, “Real-Time Tessellation on GPU,” *SIGGRAPH Advanced Real-Time Rendering in 3D Graphics and Games course*, Aug. 2007. Cited on p. 770
- [1746] Tatarchuk, Natalya, Christopher Oat, Jason L. Mitchell, Chris Green, Johan Andersson, Martin Mittring, Shanon Drone, and Nico Galoppo, *SIGGRAPH Advanced Real-Time Rendering in 3D Graphics and Games course*, Aug. 2007. Cited on p. 1115
- [1747] Tatarchuk, Natalya, Chris Tchou, and Joe Venzon, “Destiny: From Mythic Science Fiction to Rendering in Real-Time,” *SIGGRAPH Advances in Real-Time Rendering in Games course*, July 2013. Cited on p. 568, 569, 892
- [1748] Tatarchuk, Natalya, and Shi Kai Wang, “Creating Content to Drive Destiny’s Investment Game: One Solution to Rule Them All,” *SIGGRAPH Production Session*, Aug. 2014. Cited on p. 366
- [1749] Tatarchuk, Natalya, “Destiny’s Multithreaded Rendering Architecture,” *Game Developers Conference*, Mar. 2015. Cited on p. 815
- [1750] Tatarchuk, Natalya, and Chris Tchou, “Destiny Shader Pipeline,” *Game Developers Conference*, Feb.–Mar. 2017. Cited on p. 128, 129, 815
- [1751] Taubin, Gabriel, André Guéziec, William Horn, and Francis Lazarus, “Progressive Forest Split Compression,” in *SIGGRAPH ’98: Proceedings of the 25th Annual Conference on Computer Graphics and Interactive Techniques*, ACM, pp. 123–132, July 1998. Cited on p. 706
- [1752] Taylor, Philip, “Per-Pixel Lighting,” *Driving DirectX* web column, Nov. 13, 2001. Cited on p. 432
- [1753] Tector, C., “Streaming Massive Environments from Zero to 200MPH,” *Game Developers Conference*, Mar. 2010. Cited on p. 871
- [1754] Teixeira, Diogo, “Baking Normal Maps on the GPU,” in Hubert Nguyen, ed., *GPU Gems 3*, Addison-Wesley, pp. 491–512, 2007. Cited on p. 853
- [1755] Teller, Seth J., and Carlo H. Séquin, “Visibility Preprocessing for Interactive Walkthroughs,” *Computer Graphics (SIGGRAPH ’91 Proceedings)*, vol. 25, no. 4, pp. 61–69, July 1991. Cited on p. 837
- [1756] Teller, Seth J., *Visibility Computations in Densely Occluded Polyhedral Environments*, PhD thesis, Department of Computer Science, University of Berkeley, 1992. Cited on p. 837
- [1757] Teller, Seth, and Pat Hanrahan, “Global Visibility Algorithms for Illumination Computations,” in *SIGGRAPH ’94: Proceedings of the 21st Annual Conference on Computer Graphics and Interactive Techniques*, ACM, pp. 443–450, July 1994. Cited on p. 837

- [1758] Teschner, Matthias, “Advanced Computer Graphics: Sampling,” Course Notes, Computer Science Department, University of Freiburg, 2016. Cited on p. 144, 165
- [1759] Tessman, Thant, “Casting Shadows on Flat Surfaces,” *Iris Universe*, pp. 16–19, Winter 1989. Cited on p. 225
- [1760] Tevs, A., I. Ihrke, and H.-P. Seidel, “Maximum Mipmaps for Fast, Accurate, and Scalable Dynamic Height Field Rendering,” in *Proceedings of the 2008 Symposium on Interactive 3D Graphics and Games*, ACM, pp. 183–190, 2008. Cited on p. 220
- [1761] Thibault, Aaron P., and Sean “Zoner” Cavanaugh, “Making Concept Art Real for Borderlands,” *SIGGRAPH Stylized Rendering in Games course*, July 2010. Cited on p. 652, 661, 662, 664, 678
- [1762] Thibieroz, Nicolas, “Deferred Shading with Multiple Render Targets,” in Wolfgang Engel, ed., *ShaderX²: Introductions & Tutorials with DirectX 9*, Wordware, pp. 251–269, 2004. Cited on p. 882, 884
- [1763] Thibieroz, Nicolas, “Robust Order-Independent Transparency via Reverse Depth Peeling in DirectX 10,” in Wolfgang Engel, ed., *ShaderX⁶*, Charles River Media, pp. 211–226, 2008. Cited on p. 154
- [1764] Thibieroz, Nicolas, “Deferred Shading with Multisampling Anti-Aliasing in DirectX 10,” in Wolfgang Engel, ed., *ShaderX⁷*, Charles River Media, pp. 225–242, 2009. Cited on p. 888
- [1765] Thibieroz, Nicolas, “Order-Independent Transparency Using Per-Pixel Linked Lists,” in Wolfgang Engel, ed., *GPU Pro²*, A K Peters/CRC Press, pp. 409–431, 2011. Cited on p. 155
- [1766] Thibieroz, Nicolas, “Deferred Shading Optimizations,” *Game Developers Conference*, Mar. 2011. Cited on p. 886, 887, 892, 900
- [1767] Thomas, Gareth, “Compute-Based GPU Particle Systems,” *Game Developers Conference*, Mar. 2014. Cited on p. 572
- [1768] Thomas, Gareth, “Advancements in Tiled-Based Compute Rendering,” *Game Developers Conference*, Mar. 2015. Cited on p. 803, 894, 896, 900, 901
- [1769] Thomas, Spencer W., “Decomposing a Matrix into Simple Transformations,” in James Arvo, ed., *Graphics Gems II*, Academic Press, pp. 320–323, 1991. Cited on p. 72, 74
- [1770] Thürmer, Grit, and Charles A. Wüthrich, “Computing Vertex Normals from Polygonal Facets,” *journal of graphics tools*, vol. 3, no. 1, pp. 43–46, 1998. Also collected in [112]. Cited on p. 695
- [1771] Timonen, Ville, “Line-Sweep Ambient Obscurrence,” *Eurographics Symposium on Rendering*, June 2013. Cited on p. 461
- [1772] Toisoul, Antoine, and Abhijeet Ghosh, “Practical Acquisition and Rendering of Diffraction Effects in Surface Reflectance,” *ACM Transactions on Graphics*, vol. 36, no. 5, pp. 166:1–166:16, Oct. 2017. Cited on p. 361
- [1773] Toisoul, Antoine, and Abhijeet Ghosh, “Real-Time Rendering of Realistic Surface Diffraction with Low Rank Factorisation,” *European Conference on Visual Media Production (CVMP)*, Dec. 2017. Cited on p. 361
- [1774] Toksvig, Michael, “Mipmapping Normal Maps,” *journal of graphics tools*, vol. 10, no. 3, pp. 65–71, 2005. Cited on p. 369
- [1775] Tokuyoshi, Yusuke, “Error Reduction and Simplification for Shading Anti-Aliasing,” Technical Report, Square Enix, Apr. 2017. Cited on p. 371
- [1776] Torborg, J., and J. T. Kajiya, “Talisman: Commodity Realtime 3D Graphics for the PC,” in *SIGGRAPH ’96: Proceedings of the 23rd Annual Conference on Computer Graphics and Interactive Techniques*, ACM, pp. 353–363, Aug. 1996. Cited on p. 551

- [1777] Torchelsen, Rafael P., João L. D. Comba, and Rui Bastos, “Practical Geometry Clipmaps for Rendering Terrains in Computer Games,” in Wolfgang Engel, ed., *ShaderX⁶*, Charles River Media, pp. 103–114, 2008. Cited on p. 612, 873
- [1778] Török, Balázs, and Tim Green, “The Rendering Features of *The Witcher 3: Wild Hunt*,” in *ACM SIGGRAPH 2015 Talks*, ACM, article no. 7, Aug. 2015. Cited on p. 366, 420, 889
- [1779] Torrance, K., and E. Sparrow, “Theory for Off-Specular Reflection from Roughened Surfaces,” *Journal of the Optical Society of America*, vol. 57, no. 9, pp. 1105–1114, Sept. 1967. Cited on p. 314, 334
- [1780] Toth, Robert, “Avoiding Texture Seams by Discarding Filter Taps,” *Journal of Computer Graphics Techniques*, vol. 2, no. 2, pp. 91–104, 2013. Cited on p. 191
- [1781] Toth, Robert, Jon Hasselgren, and Tomas Akenine-Möller, “Perception of Highlight Disparity at a Distance in Consumer Head-Mounted Displays,” in *Proceedings of the 7th Conference on High-Performance Graphics*, ACM, pp. 61–66, Aug. 2015. Cited on p. 934
- [1782] Toth, Robert, Jim Nilsson, and Tomas Akenine-Möller, “Comparison of Projection Methods for Rendering Virtual Reality,” in *High-Performance Graphics 2016*, Eurographics Association, pp. 163–171, June 2016. Cited on p. 930
- [1783] Tran, Ray, “Facetted Shadow Mapping for Large Dynamic Game Environments,” in Wolfgang Engel, ed., *ShaderX⁷*, Charles River Media, pp. 363–371, 2009. Cited on p. 244
- [1784] Trapp, Matthias, and Jürgen Döllner, “Automated Combination of Real-Time Shader Programs,” in *Eurographics 2007—Short Papers*, Eurographics Association, pp. 53–56, Sept. 2007. Cited on p. 128
- [1785] Trebilco, Damian, “Light-Indexed Deferred Rendering,” in Wolfgang Engel, ed., *ShaderX⁷*, Charles River Media, pp. 243–258, 2009. Cited on p. 893
- [1786] Treglia, Dante, ed., *Game Programming Gems 3*, Charles River Media, 2002. Cited on p. 1089
- [1787] Trop, Oren, Ayellet Tal, and Ilan Shimshoni, “A Fast Triangle to Triangle Intersection Test for Collision Detection,” *Computer Animation & Virtual Worlds*, vol. 17, no. 5, pp. 527–535, 2006. Cited on p. 974
- [1788] Trowbridge, T. S., and K. P. Reitz, “Average Irregularity Representation of a Roughened Surface for Ray Reflection,” *Journal of the Optical Society of America*, vol. 65, no. 5, pp. 531–536, May 1975. Cited on p. 340
- [1789] Trudel, N., “Improving Geometry Culling for *Deus Ex: Mankind Divided*,” *Game Developers Conference*, Mar. 2016. Cited on p. 850
- [1790] Tuft, David, “Plane-Based Depth Bias for Percentage Closer Filtering,” *Game Developer*, vol. 17, no. 5, pp. 35–38, May 2010. Cited on p. 249, 250
- [1791] Tuft, David, “Cascaded Shadow Maps,” *Windows Dev Center: DirectX Graphics and Gaming Technical Articles*, 2011. Cited on p. 244, 245, 247, 265
- [1792] Tuft, David, “Common Techniques to Improve Shadow Depth Maps,” *Windows Dev Center: DirectX Graphics and Gaming Technical Articles*, 2011. Cited on p. 236, 239, 240, 265
- [1793] Turkowski, Ken, “Filters for Common Resampling Tasks,” in Andrew S. Glassner, ed., *Graphics Gems*, Academic Press, pp. 147–165, 1990. Cited on p. 136
- [1794] Turkowski, Ken, “Properties of Surface-Normal Transformations,” in Andrew S. Glassner, ed., *Graphics Gems*, Academic Press, pp. 539–547, 1990. Cited on p. 68
- [1795] Turkowski, Ken, “Incremental Computation of the Gaussian,” in Hubert Nguyen, ed., *GPU Gems 3*, Addison-Wesley, pp. 877–890, 2007. Cited on p. 515
- [1796] Ulrich, Thatcher, “Loose Octrees,” in Mark DeLoura, ed., *Game Programming Gems*, Charles River Media, pp. 444–453, 2000. Cited on p. 826

- [1797] Ulrich, Thatcher, “Rendering Massive Terrains Using Chunked Level of Detail Control,” *SIGGRAPH Super-Size It! Scaling up to Massive Virtual Worlds course*, July 2002. Cited on p. 874, 875
- [1798] Uludag, Yasin, “Hi-Z Screen-Space Tracing,” in Wolfgang Engel, ed., *GPU Pro⁵*, CRC Press, pp. 149–192, 2014. Cited on p. 507
- [1799] Umenhoffer, Tamás, László Szirmay-Kalos, and Gábor Szíjártó, “Spherical Billboards and Their Application to Rendering Explosions,” in *Graphics Interface 2006*, Canadian Human-Computer Communications Society, pp. 57–63, 2006. Cited on p. 559
- [1800] Umenhoffer, Tamás, László Szirmay-Kalos, and Gábor Szíjártó, “Spherical Billboards for Rendering Volumetric Data,” in Wolfgang Engel, ed., *ShaderX⁵*, Charles River Media, pp. 275–285, 2006. Cited on p. 559
- [1801] *Unity User Manual*, Unity Technologies, 2017. Cited on p. 287
- [1802] *Unreal Engine 4 Documentation*, Epic Games, 2017. Cited on p. 114, 126, 128, 129, 262, 287, 364, 611, 644, 920, 923, 932, 934, 939
- [1803] Upchurch, Paul, and Mathieu Desbrun, “Tightening the Precision of Perspective Rendering,” *journal of graphics tools*, vol. 16, no. 1, pp. 40–56, 2012. Cited on p. 101
- [1804] Upstill, S., *The RenderMan Companion: A Programmer’s Guide to Realistic Computer Graphics*, Addison-Wesley, 1990. Cited on p. 37
- [1805] Vaidyanathan, K., M. Salvi, R. Toth, T. Foley, T. Akenine-Möller, J. Nilsson, J. Munkberg, J. Hasselgren, M. Sugihara, P. Clarberg, T. Janczak, and A. Lefohn, “Coarse Pixel Shading,” in *High Performance Graphics 2014*, Eurographics Association, pp. 9–18, June 2014. Cited on p. 924, 1013
- [1806] Vaidyanathan, Karthik, Jacob Munkberg, Petrik Clarberg, and Marco Salvi, “Layered Light Field Reconstruction for Defocus Blur,” *ACM Transactions on Graphics*, vol. 34, no. 2, pp. 23:1–23:12, Feb. 2015. Cited on p. 536
- [1807] Vaidyanathan, K. T. Akenine-Möller, and M. Salvi, “Watertight Ray Traversal with Reduced Precision,” in *High-Performance Graphics 2016*, Eurographics Association, pp. 33–40, June 2016. Cited on p. 1039
- [1808] Vainio, Matt, “The Visual Effects of *inFAMOUS: Second Son*,” *Game Developers Conference*, Mar. 2014. Cited on p. 572
- [1809] Valient, Michal, “Deferred Rendering in *Killzone 2*,” *Develop Conference*, July 2007. Cited on p. 882, 885, 886, 887
- [1810] Valient, Michal, “Stable Rendering of Cascaded Shadow Maps,” in Wolfgang Engel, ed., *ShaderX⁶*, Charles River Media, pp. 231–238, 2008. Cited on p. 239, 245, 247
- [1811] Valient, Michal, “Shadows + Games: Practical Considerations,” *SIGGRAPH Efficient Real-Time Shadows course*, Aug. 2012. Cited on p. 245, 246, 252
- [1812] Valient, Michal, “Taking *Killzone: Shadow Fall* Image Quality into the Next Generation,” *Game Developers Conference*, Mar. 2014. Cited on p. 148, 235, 245, 490, 506, 507, 509, 523, 608, 609
- [1813] Van Verth, Jim, “Doing Math with RGB (and A),” *Game Developers Conference*, Mar. 2015. Cited on p. 151, 208
- [1814] Vaxman, Amir, Marcel Campen, Olga Diamanti, Daniele Panozzo, David Bommes, Klaus Hildebrandt, and Mirela Ben-Chen, “Directional Field Synthesis, Design, and Processing,” *Computer Graphics Forum*, vol. 35, no. 2, pp. 545–572, 2016. Cited on p. 672
- [1815] Veach, Eric, “Robust Monte Carlo Methods for Light Transport Simulation,” PhD Dissertation, Stanford University, Dec. 1997. Cited on p. 445

- [1816] Venkataraman, S., “Fermi Asynchronous Texture Transfers,” in Patrick Cozzi & Christophe Riccio, eds., *OpenGL Insights*, CRC Press, pp. 415–430, 2012. Cited on p. 1034
- [1817] Villanueva, Alberto Jaspe, Fabio Marton, and Enrico Gobbetti, “SSVDAGs: Symmetry-Aware Sparse Voxel DAGs,” in *Proceedings of the 20th ACM SIGGRAPH Symposium on Interactive 3D Graphics and Games*, ACM, pp. 7–14, 2016. Cited on p. 586
- [1818] *Virtual Terrain Project*, <http://www.vterrain.org>. Cited on p. 877
- [1819] Vlachos, Alex, Jörg Peters, Chas Boyd, and Jason L. Mitchell, “Curved PN Triangles,” in *Proceedings of the 2001 Symposium on Interactive 3D Graphics*, ACM, pp. 159–166, 2001. Cited on p. 744, 745, 746
- [1820] Vlachos, Alex, and John Isidoro, “Smooth C^2 Quaternion-Based Flythrough Paths,” in Mark DeLoura, ed., *Game Programming Gems 2*, Charles River Media, pp. 220–227, 2001. Cited on p. 102
- [1821] Vlachos, Alex, “Post Processing in *The Orange Box*,” *Game Developers Conference*, Feb. 2008. Cited on p. 288, 538
- [1822] Vlachos, Alex, “Rendering Wounds in *Left 4 Dead 2*,” *Game Developers Conference*, Mar. 2010. Cited on p. 366
- [1823] Vlachos, Alex, “Advanced VR Rendering,” *Game Developers Conference*, Mar. 2015. Cited on p. 371, 628, 922, 925, 926, 927, 933, 934, 939, 940, 1010
- [1824] Vlachos, Alex, “Advanced VR Rendering Performance,” *Game Developers Conference*, Mar. 2016. Cited on p. 784, 805, 928, 930, 931, 936, 937, 938, 940
- [1825] Voorhies, Douglas, “Space-Filling Curves and a Measure of Coherence,” in James Arvo, ed., *Graphics Gems II*, Academic Press, pp. 26–30, 1991. Cited on p. 1018
- [1826] *Vulkan Overview*, Khronos Group, Feb. 2016. Cited on p. 806
- [1827] Walbourn, Chuck, ed., *SIGGRAPH Introduction to Direct3D 10 course*, Aug. 2007. Cited on p. 798
- [1828] Wald, Ingo, William R. Mark, Johannes Günther, Solomon Boulos, Thiago Ize, Warren Hunt, Steven G. Parker, and Peter Shirley, “State of the Art in Ray Tracing Animated Scenes,” *Computer Graphics Forum*, vol. 28, no. 6, pp. 1691–1722, 2009. Cited on p. 953
- [1829] Wald, Ingo, Sven Woop, Carsten Benthin, Gregory S. Johnsson, and Manfred Ernst, “Embree: A Kernel Framework for Efficient CPU Ray Tracing,” *ACM Transactions on Graphics*, vol. 33, no. 4, pp. 143:1–143:8, 2014. Cited on p. 452, 821
- [1830] Walker, R., and J. Snoeyink, “Using CSG Representations of Polygons for Practical Point-in-Polygon Tests,” in *ACM SIGGRAPH ’97 Visual Proceedings*, ACM, p. 152, Aug. 1997. Cited on p. 967
- [1831] Wallace, Evan, “Rendering Realtime Caustics in WebGL,” *Medium* blog, Jan. 7, 2016. Cited on p. 631
- [1832] Walter, Bruce, Sebastian Fernandez, Adam Arbree, Kavita Bala, Michael Donikian, and Donald P. Greenberg, “Lightcuts: A Scalable Approach to Illumination,” *ACM Transactions on Graphics*, vol. 24, no. 3, pp. 1098–1107, 2005. Cited on p. 431, 901
- [1833] Walter, Bruce, Stephen R. Marschner, Hongsong Li, and Kenneth E. Torrance, “Microfacet Models for Refraction through Rough Surfaces,” *Rendering Techniques 2007*, Eurographics Association, pp. 195–206, June 2007. Cited on p. 334, 337, 339, 340, 369, 419
- [1834] Walton, Patrick, “Pathfinder, a Fast GPU-Based Font Rasterizer in Rust,” *pcwalton blog*, Feb. 14, 2017. Cited on p. 676
- [1835] Wan, Liang, Tien-Tsin Wong, and Chi-Sing Leung, “Isocube: Exploiting the Cubemap Hardware,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 13, no. 4, pp. 720–731, July 2007. Cited on p. 412

- [1836] Wan, Liang, Tien-Tsin Wong, Chi-Sing Leung, and Chi-Wing Fu, “Isocube: A Cubemap with Uniformly Distributed and Equally Important Texels,” in Wolfgang Engel, ed., *ShaderX⁶*, Charles River Media, pp. 83–92, 2008. Cited on p. 412
- [1837] Wang, Beibei, and Huw Bowles, “A Robust and Flexible Real-Time Sparkle Effect,” in *Proceedings of the Eurographics Symposium on Rendering: Experimental Ideas & Implementations*, Eurographics Association, pp. 49–54, 2016. Cited on p. 372
- [1838] Wang, JiaPing, Peiran Ren, Minmin Gong, John Snyder, and Baining Guo, “All-Frequency Rendering of Dynamic, Spatially-Varying Reflectance,” *ACM Transactions on Graphics*, vol. 28, no. 5, pp. 133:1–133:10, 2009. Cited on p. 397, 398, 466, 472
- [1839] Wang, Niniane, “Realistic and Fast Cloud Rendering,” *journal of graphics tools*, vol. 9, no. 3, pp. 21–40, 2004. Cited on p. 556
- [1840] Wang, Niniane, “Let There Be Clouds!” *Game Developer*, vol. 11, no. 1, pp. 34–39, Jan. 2004. Cited on p. 556
- [1841] Wang, Rui, Ren Ng, David P. Luebke, and Greg Humphreys, “Efficient Wavelet Rotation for Environment Map Rendering,” in *17th Eurographics Symposium on Rendering*, Eurographics Association, pp. 173–182, 2006. Cited on p. 402
- [1842] Wang, R., X. Yang, Y. Yuan, Yazhen, W. Chen, K. Bala, and H. Bao, “Automatic Shader Simplification Using Surface Signal Approximation,” *ACM Transactions on Graphics*, vol. 33, no. 6, pp. 226:1–226:11, 2014. Cited on p. 853
- [1843] Wang, R., B. Yu, K. Marco, T. Hu, D. Gutierrez, and H. Bao, “Real-Time Rendering on a Power Budget,” *ACM Transactions on Graphics*, vol. 335 no. 4, pp. 111:1–111:11, 2016. Cited on p. 866
- [1844] Wang, X., X. Tong, S. Lin, S. Hu, B. Guo, and H.-Y. Shum, “Generalized Displacement Maps,” in *15th Eurographics Symposium on Rendering*, Eurographics Association, pp. 227–233, June 2004. Cited on p. 219
- [1845] Wang, Yulan, and Steven Molnar, “Second-Depth Shadow Mapping,” Technical Report TR94-019, Department of Computer Science, University of North Carolina at Chapel Hill, 1994. Cited on p. 238
- [1846] Wanger, Leonard, “The Effect of Shadow Quality on the Perception of Spatial Relationships in Computer Generated Imagery,” in *Proceedings of the 1992 Symposium on Interactive 3D Graphics*, ACM, pp. 39–42, 1992. Cited on p. 225, 611
- [1847] Warren, Joe, and Henrik Weimer, *Subdivision Methods for Geometric Design: A Constructive Approach*, Morgan Kaufmann, 2001. Cited on p. 718, 754, 756, 760, 761, 781
- [1848] Wasson, Ben, “Maxwell’s Dynamic Super Resolution Explored,” *The Tech Report* website, Sept. 30, 2014. Cited on p. 139
- [1849] Watson, Benjamin, and David Luebke, “The Ultimate Display: Where Will All the Pixels Come From?” *Computer*, vol. 38, no. 8, pp. 54–61, Aug. 2005. Cited on p. 1, 808, 817
- [1850] Watt, Alan, and Fabio Policarpo, *Advanced Game Development with Programmable Graphics Hardware*, A K Peters, Ltd., 2005. Cited on p. 220, 222
- [1851] van Waveren, J. M. P., “Real-Time Texture Streaming & Decompression,” Technical Report, Id Software, Nov. 2006. Cited on p. 870
- [1852] van Waveren, J. M. P., and Ignacio Castaño, “Real-Time YCoCg-DXT Decompression,” Technical Report, Id Software, Sept. 2007. Cited on p. 198
- [1853] van Waveren, J. M. P., and Ignacio Castaño, “Real-Time Normal Map DXT Compression,” Technical Report, Id Software, Feb. 2008. Cited on p. 198
- [1854] van Waveren, J. M. P., “id Tech 5 Challenges,” *SIGGRAPH Beyond Programmable Shading course*, Aug. 2009. Cited on p. 812, 869

- [1855] van Waveren, J. M. P., and E. Hart, “Using Virtual Texturing to Handle Massive Texture Data,” *GPU Technology Conference (GTC)*, Sept. 2010. Cited on p. 868, 870
- [1856] van Waveren, J. M. P., “Software Virtual Textures,” Technical Report, Id Software, Feb. 2012. Cited on p. 868
- [1857] van Waveren, J. M. P., “The Asynchronous Time Warp for Virtual Reality on Consumer Hardware,” in *Proceedings of the 22nd ACM Conference on Virtual Reality Software and Technology*, ACM, pp. 37–46, Nov. 2016. Cited on p. 936, 937
- [1858] Webb, Matthew, Emil Praun, Adam Finkelstein, and Hugues Hoppe, “Fine Tone Control in Hardware Hatching,” in *Proceedings of the 2nd International Symposium on Non-Photorealistic Animation and Rendering*, ACM, pp. 53–58, June 2002. Cited on p. 671
- [1859] Weber, Marco, and Peter Quayle, “Post-Processing Effects on Mobile Devices,” in Wolfgang Engel, ed., *GPU Pro²*, A K Peters/CRC Press, pp. 291–305, 2011. Cited on p. 527
- [1860] Wei, Li-Yi, “Tile-Based Texture Mapping,” in Matt Pharr, ed., *GPU Gems 2*, Addison-Wesley, pp. 189–199, 2005. Cited on p. 175
- [1861] Wei, Li-Yi, Sylvain Lefebvre, Vivek Kwatra, and Greg Turk, “State of the Art in Example-Based Texture Synthesis,’ in *Eurographics 2009—State of the Art Reports*, Eurographics Association, pp. 93–117, 2009. Cited on p. 200
- [1862] Weidlich, Andrea, and Alexander Wilkie, “Arbitrarily Layered Micro-Facet Surfaces,” in *GRAPHITE 2007*, ACM, pp. 171–178, 2007. Cited on p. 364
- [1863] Weidlich, Andrea, and Alexander Wilkie, *SIGGRAPH Asia Thinking in Layers: Modeling with Layered Materials course*, Aug. 2011. Cited on p. 364
- [1864] Weier, M., M. Stengel, T. Roth, P. Didyk, E. Eisemann, M. Eisemann, S. Groganick, A. Hinkenjann, E. Kruijff, M. Magnor, K. Myszkowski, and P. Slusallek, “Perception-Driven Accelerated Rendering,” *Computer Graphics Forum*, vol. 36, no. 2, pp. 611–643, 2017. Cited on p. 587, 940
- [1865] Weiskopf, D., and T. Ertl, “Shadow Mapping Based on Dual Depth Layers,” *Eurographics 2003 Short Presentation*, Sept. 2003. Cited on p. 238
- [1866] Welsh, Terry, “Parallax Mapping with Offset Limiting: A Per-Pixel Approximation of Uneven Surfaces,” Technical Report, Infiscape Corp., Jan. 18, 2004. Also collected in [429]. Cited on p. 215, 216
- [1867] Welzl, Emo, “Smallest Enclosing Disks (Balls and Ellipsoids),” in H. Maurer, ed., *New Results and New Trends in Computer Science*, LNCS 555, Springer, pp. 359–370, 1991. Cited on p. 950
- [1868] Wennersten, Per, and Jacob Ström, “Table-Based Alpha Compression,” *Computer Graphics Forum*, vol. 28, no. 2, pp. 687–695, 2009. Cited on p. 194
- [1869] Wenzel, Carsten, “Far Cry and DirectX,” *Game Developers Conference*, Mar. 2005. Cited on p. 528, 799
- [1870] Wenzel, Carsten, “Real-Time Atmospheric Effects in Games,” *SIGGRAPH Advanced Real-Time Rendering in 3D Graphics and Games course*, Aug. 2006. Cited on p. 559
- [1871] Wenzel, Carsten, “Real-Time Atmospheric Effects in Games Revisited,” *Game Developers Conference*, Mar. 2007. Cited on p. 551, 556, 601, 602, 614
- [1872] Weronko, S., and S. Andreason, “Real-Time Transformations in *The Order 1886*,” in *ACM SIGGRAPH 2015 Talks*, ACM, article no. 8, Aug. 2015. Cited on p. 91
- [1873] Westin, Stephen H., Hongsong Li, and Kenneth E. Torrance, “A Field Guide to BRDF Models,” Research Note PCG-04-01, Cornell University Program of Computer Graphics, Jan. 2004. Cited on p. 329

- [1874] Westin, Stephen H., Hongsong Li, and Kenneth E. Torrance, “A Comparison of Four BRDF Models,” Research Note PCG-04-02, Cornell University Program of Computer Graphics, Apr. 2004. Cited on p. 329
- [1875] Wetzstein, Gordon, “Focus Cues and Computational Near-Eye Displays with Focus Cues,” *SIGGRAPH Applications of Visual Perception to Virtual Reality course*, Aug. 2017. Cited on p. 549, 923
- [1876] Whatley, David, “Towards Photorealism in Virtual Botany,” in Matt Pharr, ed., *GPU Gems 2*, Addison-Wesley, pp. 7–45, 2005. Cited on p. 207, 858
- [1877] White, John, and Colin Barré-Brisebois, “More Performance! Five Rendering Ideas from *Battlefield 3* and *Need For Speed: The Run*,” *SIGGRAPH Advances in Real-Time Rendering in Games course*, Aug. 2011. Cited on p. 527, 804, 896, 898, 904
- [1878] Whiting, Nick, “Integrating the Oculus Rift into Unreal Engine 4,” *Gamasutra*, June 11, 2013. Cited on p. 934
- [1879] Whitley, Brandon, “The Destiny Particle Architecture,” *SIGGRAPH Advances in Real-Time Rendering in Games course*, Aug. 2017. Cited on p. 571
- [1880] Whittinghill, David, “Nasum Virtualis: A Simple Technique for Reducing Simulator Sickness in Head Mounted VR,” *Game Developers Conference*, Mar. 2015. Cited on p. 920
- [1881] Widmark, M., “Terrain in *Battlefield 3*: A Modern, Complete and Scalable System,” *Game Developers Conference*, Mar. 2012. Cited on p. 869, 878
- [1882] Wiesendanger, Tobias, “Stingray Renderer Walkthrough,” *Autodesk Stingray* blog, Feb. 1, 2017. Cited on p. 549, 803, 814
- [1883] Wihlidal, Graham, “Optimizing the Graphics Pipeline with Compute,” *Game Developers Conference*, Mar. 2016. Cited on p. 54, 798, 834, 837, 840, 848, 849, 851, 908, 986
- [1884] Wihlidal, Graham, “Optimizing the Graphics Pipeline with Compute,” in Wolfgang Engel, ed., *GPU Zen*, Black Cat Publishing, pp. 277–320, 2017. Cited on p. 54, 702, 784, 798, 812, 834, 837, 840, 848, 850, 851, 908, 986
- [1885] Wihlidal, Graham, “4K Checkerboard in *Battlefield 1* and *Mass Effect Andromeda*,” *Game Developers Conference*, Feb.–Mar. 2017. Cited on p. 143, 805, 906, 1042
- [1886] Wiley, Abe, and Thorsten Scheuermann, “The Art and Technology of Whiteout,” *SIGGRAPH AMD Technical Talk*, Aug. 2007. Cited on p. 427
- [1887] Williams, Amy, Steve Barrus, R. Keith Morley, and Peter Shirley, “An Efficient and Robust Ray-Box Intersection Algorithm,” *journal of graphics tools*, vol. 10, no. 1, pp. 49–54, 2005. Cited on p. 961
- [1888] Williams, Lance, “Casting Curved Shadows on Curved Surfaces,” *Computer Graphics (SIGGRAPH ’78 Proceedings)*, vol. 12, no. 3, pp. 270–274, Aug. 1978. Cited on p. 234
- [1889] Williams, Lance, “Pyramidal Parametrics,” *Computer Graphics*, vol. 7, no. 3, pp. 1–11, July 1983. Cited on p. 183, 185, 408
- [1890] Willmott, Andrew, “Rapid Simplification of Multi-attribute Meshes,” in *Proceedings of the ACM SIGGRAPH Symposium on High-Performance Graphics*, ACM, pp. 151–158, Aug. 2011. Cited on p. 710
- [1891] Wilson, Timothy, “High Performance Stereo Rendering for VR,” *San Diego Virtual Reality Meetup*, Jan. 20, 2015. Cited on p. 927
- [1892] Wimmer, Michael, Peter Wonka, and François Sillion, “Point-Based Impostors for Real-Time Visualization,” in *Rendering Techniques 2001*, Springer, pp. 163–176, June 2001. Cited on p. 561

- [1893] Wimmer, Michael, Daniel Scherzer, and Werner Purgathofer, “Light Space Perspective Shadow Maps,” in *Proceedings of the Fifteenth Eurographics Conference on Rendering Techniques*, Eurographics Association, pp. 143–151, June 2004. Cited on p. 241
- [1894] Wimmer, Michael, and Jiří Bittner, “Hardware Occlusion Queries Made Useful,” in Matt Pharr, ed., *GPU Gems 2*, Addison-Wesley, pp. 91–108, 2005. Cited on p. 844
- [1895] Wimmer, Michael, and Daniel Scherzer, “Robust Shadow Mapping with Light-Space Perspective Shadow Maps,” in Wolfgang Engel, ed., *ShaderX⁴*, Charles River Media, pp. 313–330, 2005. Cited on p. 241
- [1896] Winnemöller, Holger, “XDoG: Advanced Image Stylistization with eXtended Difference-of-Gaussians,” in *ACM SIGGRAPH/Eurographics Symposium on Non-Photorealistic Animation and Rendering*, ACM, pp. 147–156, Aug. 2011. Cited on p. 665
- [1897] Wloka, Matthias, “Batch, Batch, Batch: What Does It Really Mean?” *Game Developers Conference*, Mar. 2003. Cited on p. 796
- [1898] Wolff, Lawrence B., “A Diffuse Reflectance Model for Smooth Dielectric Surfaces,” *Journal of the Optical Society of America*, vol. 11, no. 11, pp. 2956–2968, Nov. 1994. Cited on p. 353
- [1899] Wolff, Lawrence B., Shree K. Nayar, and Michael Oren, “Improved Diffuse Reflection Models for Computer Vision,” *International Journal of Computer Vision*, vol. 30, no. 1, pp. 55–71, 1998. Cited on p. 354
- [1900] Woo, Andrew, “The Shadow Depth Map Revisited,” in David Kirk, ed., *Graphics Gems III*, Academic Press, pp. 338–342, 1992. Cited on p. 238
- [1901] Woo, Andrew, Andrew Pearce, and Marc Ouellette, “It’s Really Not a Rendering Bug, You See...,” *IEEE Computer Graphics and Applications*, vol. 16, no. 5, pp. 21–25, Sept. 1996. Cited on p. 688
- [1902] Woo, Andrew, and Pierre Poulin, *Shadow Algorithms Data Miner*, A K Peters/CRC Press, 2011. Cited on p. 223, 265
- [1903] Woodland, Ryan, “Filling the Gaps—Advanced Animation Using Stitching and Skinning,” in Mark DeLoura, ed., *Game Programming Gems*, Charles River Media, pp. 476–483, 2000. Cited on p. 84, 85
- [1904] Woodland, Ryan, “Advanced Texturing Using Texture Coordinate Generation,” in Mark DeLoura, ed., *Game Programming Gems*, Charles River Media, pp. 549–554, 2000. Cited on p. 200, 221
- [1905] Woop, Sven, Jörg Schmittler, and Philipp Slusallek, “RPU: A Programmable Ray Processing Unit for Realtime Ray Tracing,” *ACM Transactions on Graphics*, vol. 24, no. 3, pp. 434–444, Aug. 2005. Cited on p. 1039
- [1906] Woop, Sven, Carsten Benthin, and Ingo Wald, “Watertight Ray/Triangle Intersection,” *Journal of Computer Graphics Techniques*, vol. 2, no. 1, pp. 65–82, June 2013. Cited on p. 962
- [1907] Worley, Steven, “A Cellular Texture Basis Function,” in *SIGGRAPH ’96: Proceedings of the 23rd Annual Conference on Computer Graphics and Interactive Techniques*, ACM, pp. 291–294, 1996. Cited on p. 620
- [1908] Wrenninge, Magnus, *Production Volume Rendering: Design and Implementation*, A K Peters/CRC Press, Sept. 2012. Cited on p. 582, 594, 610
- [1909] Wrenninge, Magnus, Chris Kulla, and Viktor Lundqvist, “Oz: The Great and Volumetric,” in *ACM SIGGRAPH 2013 Talks*, ACM, article no. 46, July 2013. Cited on p. 621
- [1910] Wright, Daniel, “Dynamic Occlusion with Signed Distance Fields,” *SIGGRAPH Advances in Real-Time Rendering in Games course*, Aug. 2015. Cited on p. 454, 467
- [1911] Wronski, Bartłomiej, “Assassin’s Creed: Black Flag—Road to Next-Gen Graphics,” *Game Developers Conference*, Mar. 2014. Cited on p. 32, 218, 478, 571, 572, 801

- [1912] Wronski, Bartłomiej, “Temporal Supersampling and Antialiasing,” *Bart Wronski* blog, Mar. 15, 2014. Cited on p. 143, 540
- [1913] Wronski, Bartłomiej, “GDC Follow-Up: Screenspace Reflections Filtering and Up-Sampling,” *Bart Wronski* blog, Mar. 23, 2014. Cited on p. 509
- [1914] Wronski, Bartłomiej, “GCN—Two Ways of Latency Hiding and Wave Occupancy,” *Bart Wronski* blog, Mar. 27, 2014. Cited on p. 32, 801, 1005
- [1915] Wronski, Bartłomiej, “Bokeh Depth of Field—Going Insane! Part 1,” *Bart Wronski* blog, Apr. 7, 2014. Cited on p. 531
- [1916] Wronski, Bartłomiej, “Temporal Supersampling pt. 2—SSAO Demonstration,” *Bart Wronski* blog, Apr. 27, 2014. Cited on p. 462
- [1917] Wronski, Bartłomiej, “Volumetric Fog: Unified Compute Shader-Based Solution to Atmospheric Scattering,” *SIGGRAPH Advances in Real-Time Rendering in Games course*, Aug. 2014. Cited on p. 610, 611
- [1918] Wronski, Bartłomiej, “Designing a Next-Generation Post-Effects Pipeline,” *Bart Wronski* blog, Dec. 9, 2014. Cited on p. 514, 520, 527, 543
- [1919] Wronski, Bartłomiej, “Anamorphic Lens Flares and Visual Effects,” *Bart Wronski* blog, Mar. 9, 2015. Cited on p. 526
- [1920] Wronski, Bartłomiej, “Fixing Screen-Space Deferred Decals,” *Bart Wronski* blog, Mar. 12, 2015. Cited on p. 889, 890
- [1921] Wronski, Bartłomiej, “Localized Tonemapping—Is Global Exposure and Global Tonemapping Operator Enough for Video Games?,” *Bart Wronski* blog, Aug. 29, 2016. Cited on p. 286
- [1922] Wronski, Bartłomiej, “Cull That Cone! Improved Cone/Spotlight Visibility Tests for Tiled and Clustered Lighting,” *Bart Wronski* blog, Apr. 13, 2017. Cited on p. 901
- [1923] Wronski, Bartłomiej, “Separable Disk-Like Depth of Field,” *Bart Wronski* blog, Aug. 6, 2017. Cited on p. 518
- [1924] Wu, Kui, and Cem Yuksel, “Real-Time Fiber-Level Cloth Rendering,” *Symposium on Interactive 3D Graphics and Games*, Mar. 2017. Cited on p. 359
- [1925] Wu, Kui, Nghia Truong, Cem Yuksel, and Rama Hoetzlein, “Fast Fluid Simulations with Sparse Volumes on the GPU,” *Computer Graphics Forum*, vol. 37, no. 1, pp. 157–167, 2018. Cited on p. 579
- [1926] Wu, Kui, and Cem Yuksel, “Real-Time Cloth Rendering with Fiber-Level Detail,” *IEEE Transactions on Visualization and Computer Graphics*, to appear. Cited on p. 359
- [1927] Wyman, Chris, “Interactive Image-Space Refraction of Nearby Geometry,” in *GRAPHITE 2005*, ACM, pp. 205–211, Nov. 2005. Cited on p. 630, 632
- [1928] Wyman, Chris, “Interactive Refractions and Caustics Using Image-Space Techniques,” in Wolfgang Engel, ed., *ShaderX⁵*, Charles River Media, pp. 359–371, 2006. Cited on p. 632
- [1929] Wyman, Chris, “Hierarchical Caustic Maps,” in *Proceedings of the 2008 Symposium on Interactive 3D Graphics and Games*, ACM, pp. 163–172, Feb. 2008. Cited on p. 632
- [1930] Wyman, C., R. Hoetzlein, and A. Lefohn, “Frustum-Traced Raster Shadows: Revisiting Irregular Z-Buffers,” in *Proceedings of the 19th Symposium on Interactive 3D Graphics and Games*, ACM, pp. 15–23, Feb.–Mar. 2015. Cited on p. 261, 1001
- [1931] Wyman, Chris, “Exploring and Expanding the Continuum of OIT Algorithms,” in *Proceedings of High-Performance Graphics*, Eurographics Association, pp. 1–11, June 2016. Cited on p. 156, 159, 165
- [1932] Wyman, Chris, Rama Hoetzlein, and Aaron Lefohn, “Frustum-Traced Irregular Z-Buffers: Fast, Sub-pixel Accurate Hard Shadows,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 22, no. 10, pp. 2249–2261, Oct. 2016. Cited on p. 261

- [1933] Wyman, Chris, and Morgan McGuire, “Hashed Alpha Testing,” *Symposium on Interactive 3D Graphics and Games*, Mar. 2017. Cited on p. 206, 208, 642
- [1934] Wyszecki, Günther, and W. S. Stiles, *Color Science: Concepts and Methods, Quantitative Data and Formulae*, Second Edition, John Wiley & Sons, Inc., 2000. Cited on p. 276, 291
- [1935] Xia, Julie C., Jihad El-Sana, and Amitabh Varshney, “Adaptive Real-Time Level-of-Detail-Based Rendering for Polygonal Objects,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 3, no. 2, pp. 171–183, June 1997. Cited on p. 772
- [1936] Xiao, Xiangyun, Shuai Zhang, and Xubo Yang, “Real-Time High-Quality Surface Rendering for Large Scale Particle-Based Fluids,” *Symposium on Interactive 3D Graphics and Games*, Mar. 2017. Cited on p. 572, 753
- [1937] Xie, Feng, and Jon Lanz, “Physically Based Shading at DreamWorks Animation,” *SIGGRAPH Physically Based Shading in Theory and Practice course*, Aug. 2017. Cited on p. 336, 359, 364
- [1938] Xu, Ke, “Temporal Antialiasing in *Uncharted 4*,” *SIGGRAPH Advances in Real-Time Rendering in Games course*, July 2016. Cited on p. 142, 143, 144, 492
- [1939] Xu, Kun, Yun-Tao Jia, Hongbo Fu, Shimin Hu, and Chiew-Lan Tai, “Spherical Piecewise Constant Basis Functions for All-Frequency Precomputed Radiance Transfer,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 14, no. 2, pp. 454–467, Mar.–Apr. 2008. Cited on p. 402
- [1940] Xu, Kun, Wei-Lun Sun, Zhao Dong, Dan-Yong Zhao, Run-Dong Wu, and Shi-Min Hu, “Anisotropic Spherical Gaussians,” *ACM Transactions on Graphics*, vol. 32, no. 6, pp. 209:1–209:11, 2013. Cited on p. 398, 498
- [1941] Yan, Ling-Qi, and Hašan, Miloš, Wenzel Jakob, Jason Lawrence, Steve Marschner, and Ravi Ramamoorthi, “Rendering Glints on High-Resolution Normal-Mapped Specular Surfaces,” *ACM Transactions on Graphics (SIGGRAPH 2014)*, vol. 33, no. 4, pp. 116:1–116:9, July 2014. Cited on p. 372
- [1942] Yan, Ling-Qi, Miloš Hašan, Steve Marschner, and Ravi Ramamoorthi, “Position-Normal Distributions for Efficient Rendering of Specular Microstructure,” *ACM Transactions on Graphics (SIGGRAPH 2016)*, vol. 35, no. 4, pp. 56:1–56:9, July 2016. Cited on p. 372
- [1943] Yang, Baoguang, Zhao Dong, Jieqing Feng, Hans-Peter Seidel, and Jan Kautz, “Variance Soft Shadow Mapping,” *Computer Graphics Forum*, vol. 29, no. 7, pp. 2127–2134, 2010. Cited on p. 257, 259
- [1944] Yang, Lei, Pedro V. Sander, and Jason Lawrence, “Geometry-Aware Framebuffer Level of Detail,” in *Proceedings of the Nineteenth Eurographics Symposium on Rendering*, Eurographics Association, pp. 1183–1188, June 2008. Cited on p. 520
- [1945] Yang, L., Y.-C. Tse, P. Sander, J. Lawrence, D. Nehab, H. Hoppe, and C. Wilkins, “Image-Space Bidirectional Scene Reprojection,” *ACM Transactions on Graphics*, vol. 30, no. 6, pp. 150:1–150:10, 2011. Cited on p. 523
- [1946] Yang, L., and H. Bowles, “Accelerating Rendering Pipelines Using Bidirectional Iterative Reprojection,” *SIGGRAPH Advances in Real-Time Rendering in Games course*, Aug. 2012. Cited on p. 523
- [1947] Ylitie, Henri, Tero Karras, and Samuli Laine, “Efficient Incoherent Ray Traversal on GPUs Through Compressed Wide BVHs,” *High Performance Graphics*, July 2017. Cited on p. 511
- [1948] Yoon, Sung-Eui, Peter Lindstrom, Valerio Pascucci, and Dinesh Manocha, “Cache-Oblivious Mesh Layouts,” *ACM Transactions on Graphics*, vol. 24, no. 3, pp. 886–893, July 2005. Cited on p. 828
- [1949] Yoon, Sung-Eui, and Dinesh Manocha, “Cache-Efficient Layouts of Bounding Volume Hierarchies,” *Computer Graphics Forum*, vol. 25, no. 3, pp. 853–857, 2006. Cited on p. 828

- [1950] Yoon, Sung-Eui, Sean Curtis, and Dinesh Manocha, “Ray Tracing Dynamic Scenes Using Selective Restructuring,” in *18th Eurographics Symposium on Rendering*, Eurographics Association, pp. 73–84, June 2007. Cited on p. 821
- [1951] Yoshida, Akiko, Matthias Ihrke, Rafał Mantiuk, and Hans-Peter Seidel, “Brightness of the Glare Illusion,” *Proceeding of the 5th Symposium on Applied Perception in Graphics and Visualization*, ACM, pp. 83–90, Aug. 2008. Cited on p. 524
- [1952] Yu, X., R. Wang, and J. Yu, “Real-Time Depth of Field Rendering via Dynamic Light Field Generation and Filtering,” *Computer Graphics Forum*, vol. 29, no. 7, pp. 2009–2107, 2010. Cited on p. 523
- [1953] Yuksel, Cem, and John Keyser, “Deep Opacity Maps,” *Computer Graphics Forum*, vol. 27, no. 2, pp. 675–680, 2008. Cited on p. 257, 645, 646
- [1954] Yuksel, Cem, and Sara Tariq, *SIGGRAPH Advanced Techniques in Real-Time Hair Rendering and Simulation course*, July 2010. Cited on p. 45, 642, 646, 649
- [1955] Yuksel, Cem, “Mesh Color Textures,” in *High Performance Graphics 2017*, Eurographics Association, pp. 17:1–17:11, 2017. Cited on p. 191
- [1956] Yusov, E., “Real-Time Deformable Terrain Rendering with DirectX 11,” in Wolfgang Engel, ed., *ShaderX³*, Charles River Media, pp. 13–39, 2004. Cited on p. 879
- [1957] Yusov, Egor, “Outdoor Light Scattering,” *Game Developers Conference*, Mar. 2013. Cited on p. 615
- [1958] Yusov, Egor, “Practical Implementation of Light Scattering Effects Using Epipolar Sampling and 1D Min/Max Binary Trees,” *Game Developers Conference*, Mar. 2013. Cited on p. 608
- [1959] Yusov, Egor, “High-Performance Rendering of Realistic Cumulus Clouds Using Pre-computed Lighting,” in *Proceedings of the Eurographics / ACM SIGGRAPH Symposium on High Performance Graphics*, Eurographics Association, pp. 127–136, Aug. 2014. Cited on p. 617, 618
- [1960] Zakarin, Jordan, “How *The Jungle Book* Made Its Animals Look So Real with Groundbreaking VFX,” *Inverse.com*, Apr. 15, 2016. Cited on p. 1042
- [1961] Zarge, Jonathan, and Richard Huddy, “Squeezing Performance out of Your Game with ATI Developer Performance Tools and Optimization Techniques,” *Game Developers Conference*, Mar. 2006. Cited on p. 713, 786, 787
- [1962] Zhang, Fan, Hanqiu Sun, Leilei Xu, and Kit-Lun Lee, “Parallel-Split Shadow Maps for Large-Scale Virtual Environments,” in *Proceedings of the 2006 ACM International Conference on Virtual Reality Continuum and Its Applications*, ACM, pp. 311–318, June 2006. Cited on p. 242, 244
- [1963] Zhang, Fan, Hanqiu Sun, and Oskari Nyman, “Parallel-Split Shadow Maps on Programmable GPUs,” in Hubert Nguyen, ed., *GPU Gems 3*, Addison-Wesley, pp. 203–237, 2007. Cited on p. 242, 243, 244
- [1964] Zhang, Fan, Alexander Zaprzagaev, and Allan Bentham, “Practical Cascaded Shadow Maps,” in Wolfgang Engel, ed., *ShaderX⁷*, Charles River Media, pp. 305–329, 2009. Cited on p. 242, 245
- [1965] Zhang, Hansong, *Effective Occlusion Culling for the Interactive Display of Arbitrary Models*, PhD thesis, Department of Computer Science, University of North Carolina at Chapel Hill, July 1998. Cited on p. 843
- [1966] Zhang, Long, Qian Sun, and Ying He, “Splatting Lines: An Efficient Method for Illustrating 3D Surfaces and Volumes,” in *Proceedings of the 18th Meeting of the ACM SIGGRAPH Symposium on Interactive 3D Graphics and Games*, ACM, pp. 135–142, Mar. 2014. Cited on p. 665

- [1967] Zhao, Guangyuan, and Xianming Sun, “Error Analysis of Using Henyey-Greenstein in Monte Carlo Radiative Transfer Simulations,” *Electromagnetics Research Symposium*, Mar. 2010. Cited on p. 598
- [1968] Zhdan, Dmitry, “Tiled Shading: Light Culling—Reaching the Speed of Light,” *Game Developers Conference*, Mar. 2016. Cited on p. 894
- [1969] Zhou, Kun, Yaohua Hu, Stephen Lin, Baining Guo, and Heung-Yeung Shum, “Precomputed Shadow Fields for Dynamic Scenes,” *ACM Transactions on Graphics (SIGGRAPH 2005)*, vol. 24, no. 3, pp. 1196–1201, 2005. Cited on p. 466
- [1970] Zhukov, Sergei, Andrei Iones, and Grigorij Kronin, “An Ambient Light Illumination Model,” in *Rendering Techniques ’98*, Springer, pp. 45–56, June–July 1998. Cited on p. 449, 454, 457
- [1971] Zink, Jason, Matt Pettineo, and Jack Hoxley, *Practical Rendering & Computation with Direct3D 11*, CRC Press, 2011. Cited on p. 47, 54, 90, 518, 519, 520, 568, 795, 813, 814, 914
- [1972] Zinke, Arno, Cem Yuksel, Weber Andreas, and John Keyser, “Dual Scattering Approximation for Fast Multiple Scattering in Hair,” *ACM Transactions on Graphics (SIGGRAPH 2008)*, vol. 27, no. 3, pp. 1–10, 2008. Cited on p. 645
- [1973] Zioma, Renaldas, “Better Geometry Batching Using Light Buffers,” in Wolfgang Engel, ed., *ShaderX⁴*, Charles River Media, pp. 5–16, 2005. Cited on p. 893
- [1974] Zirr, Tobias, and Anton Kaplanyan, “Real-Time Rendering of Procedural Multiscale Materials,” *Symposium on Interactive 3D Graphics and Games*, Feb. 2016. Cited on p. 372
- [1975] Zorin, Denis, Peter Schröder, and Wim Sweldens, “Interpolating Subdivision for Meshes with Arbitrary Topology,” in *SIGGRAPH ’96: Proceedings of the 23rd Annual Conference on Computer Graphics and Interactive Techniques*, ACM, pp. 189–192, Aug. 1996. Cited on p. 761
- [1976] Zorin, Denis, *Stationary Subdivision and Multiresolution Surface Representations*, PhD thesis, CS-TR-97-32, California Institute of Technology, 1997. Cited on p. 759, 761
- [1977] Zorin, Denis, Peter Schröder, Tony DeRose, Leif Kobbelt, Adi Levin, and Wim Sweldens, *SIGGRAPH Subdivision for Modeling and Animation course*, July 2000. Cited on p. 756, 760, 761, 762, 781
- [1978] Zou, Ming, Tao Ju, and Nathan Carr, “An Algorithm for Triangulating Multiple 3D Polygons,” *Computer Graphics Forum*, vol. 32, no. 5, pp. 157–166, 2013. Cited on p. 685

Index

For indexed terms with more than one page reference, the italicized page (or range) indicates the most significant reference.

- 1-ring, [759, 760](#)
- 2.5 dimensions, [531](#)
- 3D printing, [578, 683, 693](#)
- 3dfx Interactive, [37](#)
- A-buffer, *see under* buffer
- AABB, [822, 944, 946, 974, 976](#)
 - creation, [949](#)
 - orthographic projection, [93](#)
- AABB/object intersection, *see* intersection testing, AABB/AABB
- Academy Color Encoding System, *see* ACES
- acceleration algorithms, [14, 682, 817–879](#), *see also* optimization
- accessibility shading, [449](#)
- accommodation, [923](#)
- accumulation buffer, *see* buffer, accumulation
- ACE, [1036](#)
- ACES, [287](#)
- adaptation, [285](#)
- adaptive refinement, [547](#)
- adjacency graph, [692](#)
- affinity mask, [928](#)
- Afro Samurai*, [658](#)
- AHD basis, *see* basis, AHD
- albedo, [314](#)
 - directional, [313](#)
 - texture, [885](#)
- aliasing, [130, 131](#)
 - crawlies, [130](#)
 - fireflies, [132, 801](#)
 - jaggies, [130, 132, 537](#)
 - perspective, [239](#)
 - projective, [240](#)
 - self-shadow, [236](#)
 - shadow map, [236](#)
 - temporal, [132, 182](#)
 - texture, [182, 186](#)
- alpha, [149, 159–160, 202–208](#)
 - blending, [149–150, 203](#)
 - channel, [24, 159, 160, 203, 1010](#)
 - LOD, *see* level of detail, alpha mapping, *see* texturing
 - premultiplied, [159–160](#)
 - testing, [24, 204](#)
 - unmultiplied, [160](#)
- alpha to coverage, [149, 207](#)
- alternate frame rendering, [1013](#)
- ALU, [1002–1003, 1029, 1036](#)
- ambient
 - aperture lighting, [466](#)
 - color, [392](#)
 - cube, [394–395, 432, 478, 488](#)
 - dice, [395, 478, 488](#)
 - light, *see* light, ambient
- ambient occlusion, [446–451](#)
 - dynamic, [453–457](#)
 - field, [452](#)
 - ground-truth, [461](#)
 - horizon-based, [460](#)
 - precomputed, [451–453](#)
 - screen-space, [457–463](#)
 - shading, [463–465](#)
 - temporal supersampling, [462](#)
 - volume, [452](#)
 - volumetric, [459](#)
- ambient/highlight/direction basis, [476](#)
- Amdahl's law, [1020](#)
- animation, [81, 85, 200, 829](#)
 - cel, [652](#)
 - impostor, [562](#)
 - particle system, [567](#)
 - sprite, [550](#)
 - subdivision, [781](#)
 - texture, *see* texturing, animation
 - vertex blending, *see under* transform

anisotropic filtering, *see under* texturing, minification
 anisotropic reflection, 314
 anisotropic scaling, 62
 anti-shadow, 227
 antialiasing, 130–148
 coverage sampling, 141
 custom filter, 142
 directionally localized, 147
 distance-to-edge, 147
 enhanced quality, 141
 fast approximate, 146, 148
 FLIPQUAD, 146
 full-scene, 138
 geometry buffer, 147
 hybrid reconstruction, 146
 image-based, 147, 148
 jittering, 144, 909
 morphological, 146–148
 multisampling, 139–142, 144–148, 155
 N-rooks, 143
 Quincunx, 145–146
 rotated grid, 143, 145, 146
 screen based, 137–148, 204–207
 subpixel morphological, 148
 subpixel reconstruction, 147
 supersampling, 138–139
 rotated grid, 1028
 temporal, 142–143, 144–146, 148
 texture, *see* texturing, minification
 aperture, 307
 apex point map, 837, 980
 API, 15
 application stage, *see under* pipeline
 arithmetic logic unit, *see* ALU
 artistic rendering, *see* non-photorealistic rendering
Ashes of the Singularity, 883, 911, 913
 Ashikhmin model, 357
 aspect graph, *see under* spatial data structure
Assassin's Creed, 453, 539
Assassin's Creed 4: Black Flag, 478, 481
Assassin's Creed Unity, 834, 851, 905
Assimp, 716
 ASTC, *see under* texturing, compression
 asynchronous compute engine, *see* ACE
atan2, 8, 72
 atmosphere, 595, 596, 601, 613–616, 622–623
 attenuation index, 298
 augmented reality, 915–940
 average cache miss ratio, 700
 axis-aligned bounding box, *see* AABB
 axis-aligned BSP tree, *see under* spatial data structure, BSP tree

B-spline, *see under* curves and surfaces
 back buffer, *see* buffer, back
 back plane, 93n
 backface culling, *see* culling, backface
 backprojection, 252
 backward mapping, 532
 baking, 451, 473, 853
 least-squares, 452
 balancing the pipeline, *see* pipeline
 band-limited signal, 133
 banding, 161, 1010
 banding artifacts, 279, 1010
 bandwidth, 1006
 Bartleson-Breneman effect, 285
 barycentric coordinates, 45, 46, 489, 673, 740, 748, 907, 963, 998–1001
 perspective correct, 999–1001
 basis, 209
 AHD, 402, 467, 471, 484, 488, 498
 functions
 orthogonal, 398
 orthonormal, 399
 hemispherical, 402–404
 projection, 393
 spherical, 395–402
 Gaussian, 397–398, 471–472, 477–478, 488, 498
 harmonics, *see* spherical, harmonics
 radial, 396
 standard, 8, 400
 tangent space, 209–210, 343, 403, 766
 batch, 796
 batching, 795
Battlefield 1, 601
Battlefield 4, 514
 BC, *see under* texturing, compression
 bell curve, 515
 benchmarking, 1012
 bent cone, screen-space, 467
 bent normal, 448, 465
 Bernstein
 form, 835
 Bézier curve, 722
 Bézier patch, 737
 Bézier triangle, 740
 polynomial, 723, 737
 Bézier triangle, 741
 Bézier basis function, 723
 Bézier curves, *see* curves, Bézier
 Bézier patch, *see under* surfaces
 Bézier triangle, *see under* surfaces
 BGR color order, 1010
 bias, 226
 cone, 249

- normal offset, 238, 250
receiver plane depth, 250
slope scale, 236, 249
bidirectional reflectance distribution function,
see BRDF
bidirectional scattering distribution function, *see*
BSDF
bidirectional surface scattering distribution
functions, *see* BSSRDF
bilinear interpolation, 735
billboard, 551–564, *see also* impostor
 axial, 559–560, 568
 clouds, 563–564
 particle, 567
 screen-aligned, 553
 spherical, 559
 world-oriented, 554–559
binary space partitioning tree, *see* spatial data
structure, BSP tree
binary tree, 820
bindless texture, 192
binormal vector, 209
biquadratic surface, 736
bitangent vector, 209, 343
blend shapes, *see* transform, morph targets
blending, 25
 additive, 151, 527
 function, 723, 729
 implicit surface, 752
 multi-layer alpha, 156
 operations, *see* texturing
 surfaces, *see* surfaces, implicit
Blinn lighting equation, 314
blocking, 809
bloom, 524, 604
blue-screening, 160
blur, 515–518
bokeh, 531, 536
Boost, 793
border, 174
Borderlands, 662, 679
bottleneck, 12, 783, 786–788, 1023
boundary representation, 581
bounded Bézier curve, *see* curves, bounded
 Bézier
bounding volume, 819, 976
 creation, 948–953
 hierarchy, *see under* spatial data structure
 temporal, 821
bounding volume/object intersection, *see*
 intersection testing
bowtie, 684
box/object intersection, *see specific objects*
 under intersection testing
- BRDF, 308–315
 anisotropic, 314
 Ashikhmin, 357
 Banks, 359
 Blinn-Phong, 314
 clear coat, 364
 cloth, 356–359
 Cook-Torrance, 314
 Disney diffuse, 354, 357
 Disney principled, 324, 340, 345, 353, 364
 Hapke model, 314
 isotropic, 310
 Kajiya-Kay, 359
 Lambertian, 313, 314
 Lommel-Seeliger model, 314
 lunar, 314
 Oren-Nayar, 354
 Phong, 314, 340
 reflectance lobe, 315, 416
 specular lobe, 315, 338, 416, 418
 Torrance-Sparrow, 334
 Ward, 314
wave optics model, 359–363
Brütal Legend, 572
BSDF, 641–648
BSP tree, *see under* spatial data structure
BSSRDF, 634
buffer
 A-buffer, 155
 accumulation
 antialiasing, 139
 depth of field, 529
 motion blur, 537
 soft shadow, 228
 back, 25, 1012
 cache, 1007
 color, 24, 1009–1010
 compression, 1007–1009, 1032–1033
 deep, 884
 double, 25, 1012
 dynamic, 793
 framebuffer, 25
 front, 25, 1012
 G-buffer, 661, 884
 identification, 668, 942
 interleaved, 702
 pending, 1013
 single, 790, 1012
 static, 794
 stencil, 24, 53
 projection shadow, 227
 shadow volume, 230–233
 swap, 25, 1012, 1013
 triple, 1013

buffer (*continued*)
 velocity, 143, 540–541
 visibility, 906–908, 912
 z-buffer, 24, 53, 152, 1014–1016, 1048
 hierarchical, *see under* culling
 bump mapping, 167, 208–214
 filtering
 CLEAN, 370
 LEAN, 370
 Toksvig, 369
 heightfield, 211–212
 normal map, 195, 211–214, 366, 710
 offset vector, 211
 bus bandwidth, 1006
 BV, *see* bounding volume
 BVH, *see* spatial data structure, bounding volume hierarchy

C^0 -continuity, *see* continuity
 C^1 -continuity, *see* continuity
 cache
 hierarchy, 1038
 memory, 792
 post-transform, 700, 705
 pre-transform, 705
 texture, 1017–1018
 vertex, 700, 701, 703
 cache-oblivious mesh, *see* mesh, cache-oblivious
 CAD, 546
Call of Duty, 402, 476, 478
Call of Duty: Advanced Warfare, 286, 542, 718
Call of Duty: Black Ops, 340, 370
Call of Duty: Infinite Warfare, 325, 363–365, 420, 902
Call of Duty: WWII, 476
 camera, 307–308
 camera space, 15
 candela, 271
 canonical view volume, 16, 94
 capsule, 946
 cartoon rendering, *see* shading, toon
 cathode-ray tube, *see* CRT
 Catmull-Clark subdivision, *see* surfaces, subdivision, Catmull-Clark
 Catmull-Rom spline, 731
 caustics, 630–632
Cel Damage, 659, 660
 cel rendering, *see* shading, toon
 cell, *see* culling, portal
 cell-based visibility, 842
 CFAA, *see* antialiasing, custom filter
 character animation, *see* transform, vertex blending
 charcoal, 652

chart, 909
 checkerboard rendering, 146, 930
 chroma subsampling, 804
 chroma-keying, 160
 chromatic aberration, 521, 628, 921
 chromaticity, 273
 chrominance, 197
Chromium, 1020
 CIE, 272, 273
 CIE chromaticity diagram, 274–278
 CIE XYZ, 273–276
 CIECAM02, 278
 CIELAB, 276
 CIELUV, 276
 ciliary corona, 524
 circle of confusion, 531
Civilization V, 879
 clamp, 174
Claybook, 1045
 CLEAN mapping, 370
 ClearType, 675
 clip coordinates, 18
 clipmap, 867
 clipping, 19, 997–998
 guard-band, 998
 plane, 19
 clock gating, 1028
 clock rate, 789
 CLOD, *see* level of detail, continuous
 closed model, 693
 clouds, 257, 556, 563–564, 598, 613, 616–620, 622–623
 clustered deferred shading, 904
 clustered forward shading, 904, 907, 908, 914
 clustered shading, 898–905
 C^n -continuity, 728
 code optimization, *see* optimization, code
CodeAnalyst, 792
 coherence
 frame-to-frame, 866
 length, 362
 spatial, 837
 temporal, 866
 collision detection, 14
 color, 8, 272–290
 ambient, 392
 buffer, *see* buffer, color
 grading, 289–290
 matching, 272–274
 mode, 1009
 deep color, 1010
 high color, 1009–1010
 true color, 1009–1010
 perception, 278

- color appearance model, 278
color space
 ACEScg, 278
 Adobe 1998, 277
 DCL-P3, 277
 IC_TCP, 276, 287
 Rec. 2020, 277, 281
 Rec. 709, 277, 281
 sRGB, 277, 281
 working, 278
color-matching functions, 272–273
colorimetry, 272–279
command buffer, 812–814
common-shader core, 35
communication, 1023
compositing, 159
compression
 asymmetry, 196
 buffer, *see* buffer, compression
 texture, *see* texturing, compression
 vertex, *see* vertex, compression
computational photography, 549, 573
compute shader, 14, 40, 41, 51, 54, 245, 256, 259, 288, 514, 518, 535, 536, 569, 578, 582, 611, 677, 778, 784, 795, 798, 812, 851, 879, 888, 893, 895, 896, 901, 903, 907, 911, 912, 914, 986, 1043
compute unit, 1003, 1035
concatenation, *see* transform, concatenation of
cone tracing, 455, 467, 584
 voxel, 495, 504
conservation of energy, 312
conservative depth, 1016
conservative rasterization, *see* rasterization, conservative
constructive interference, *see* light, interference, constructive
constructive solid geometry, 750
continuity, *see also* curves and surfaces
 C^0 , 728, 741, 745
 C^1 , 728, 742
 C^n , 728
 G^1 , 728, 742
 G^n , 728
continuous signal, 131
contour, 686
 edge detection, 665–669
 halo, 659
 image, 660–665
 line, 655
 loop, 667
 procedural geometry, 657–660
 shading normal, 656–657
 shell, 658–659
contouring artifacts, *see* banding artifacts
control cage, 756
control mesh, 756
control points, 720
control polygon, 754
convex hull, 950
 Bézier curve, 723
 Bézier patch, 738
 Bézier triangle, 741
 Loop, 761
convex partitioning, 684
convex polyhedron, 946, 950
convex region, 685
convolution, 135
Cook-Torrance model, 314
cookie, 221, 230, 434
coordinate system
 left-handed, 92, 95
 right-handed, 92
corner cutting, 753
counterclockwise vertex order, 63, 692
coverage, 995
coverage mask, A-buffer, 155
CPU-limited, 786
cracking, 689, 769
 Bézier triangle, 747
 fractional tessellation, 769
 polygon edge, 689, 714
 quadtree, 774
 tessellation, 771
crawlies, 130
crease, 763
critical angle, 326
cross product, 7
CrossFire X, 1013
CRT, 161
Crysis, 220, 457, 458, 559
Crysis 3, 631
CSAA, *see* antialiasing, coverage sampling
CSG, 750
CSM, *see* shadow, map, cascaded
cube map, 173, 190
cube mapping, *see* environment mapping, cubic
cube texture, 190
CubeMapGen, 415
cubic convolution, 178
cubic curve, *see* curves, cubic
cucularis, 434
CUDA, 54, 1040
culling, 830–851
 backface, 800, 831–835
 orientation consistency, 63
 clustered backface, 833–835
 detail, 839–840

culling (*continued*)
 early-z, 53, 801, 849, 851, 1016
 frontface, 832
 hierarchical z-buffering, 846–850
 hierarchical view frustum, 807, 835–837, 981
 image-space, 843, 844, 846
 object-space, 843
 occlusion, 822, 840–850
 occlusion query, 844–845
 portal, 837–839
 ray-space, 843
 view frustum, 807, 835–837, 981
 z, 846
 z_{\max} , 1015
 z_{\min} , 1015
curve segment, 729–730
curved surfaces, *see* surfaces
curves
 B-spline, 732–734, 754, 756
 Bézier, 720–725
 bounded Bézier, 725–726
 Catmull-Rom spline, 731
 continuity, 726–728
 cubic, 721, 724, 729
 degree, 721
 GPU rendering, 725–726
 Hermite, 729–730
 Kochanek-Bartels, 730–732
 parametric, 718–734
 piecewise, 726
 quadratic, 721, 722–724
 quartic, 721
 S-shaped, 728, 771
 spline, 729, 781
 subdivision, 753–756
 tension parameter, 730

D65, *see* illuminant D65
DAG, *see* directed acyclic graph
dart, 763
data race condition, 51
data reduction, *see* simplification
data-level parallelism, 1003
data-oriented design, 791
de Casteljau
 Bézier curves, 721
 Bézier patches, 736
 Bézier triangles, 740
DEAA, *see* antialiasing, distance-to-edge
decals, 202, 888–890, 901
decimation, *see* simplification
deep color mode, 1010
deferred context, 813
deferred lighting, 892
deferred shading, 547, 883–890, 1022, 1028
deferred texturing, 905–908
denoising, 519
dependent texture read, *see* texture, dependent read
depth
 buffer, *see* buffer, z-buffer
 reversed, 100
 complexity, 801, 841
 peeling, 152, 154–155, 252, 625, 893
 sprite, *see under* impostor
depth of field, 523, 525, 527–536, 835
derivative, *see* gradient of pixel
Destiny, 129, 130, 453, 815
Destiny 2, 571, 572, 1041
Destiny: The Taken King, 128
destructive interference, *see* light, interference, destructive
determinant of a matrix, 7
Deus Ex: Mankind Divided, 908
dielectric, 321
difference of Gaussians, 665
diffraction, 303, 360–361
diffuse color, 314, 348
diffuse term, 306
diffusion, 634
 normal-map, 635
 screen-space, 636–638
 texture-space, 635
digital differential analyzer, 506
digital visual interface, 1011
dihedral angle, 654, 660, 695
dimension reduction, 955
direct memory access, *see* DMA
Direct3D, 21n
DirectCompute, 40
directed acyclic graph, 586, 829
direction, principal, 672
directional occlusion, 465
 dynamic, 467–468
 precomputed, 466
 shading, 468–472
DirectX, 38–41
DirectX 11, 813
DirectX 12, 814
discrete geometry LOD, *see* level of detail, discrete geometry
discrete ordinate methods, 493
discrete oriented polytope, *see* k-DOP
discretized signal, 131
Disney Infinity 3.0, 372
displaced subdivision, *see* surfaces, subdivision, displaced

- displacement mapping, 167, 219, 765, 770
display
 encoding, 160–165
 engine, 1011
 flare, 285
 head-mounted, 916
 interface, 1011
 list, 812
 primary, 276
 varifocal, 923
display rate, 1
display-referred, 283
DisplayPort, 1011
distance field, 677
distortion, lens, 921
distribution of normals, *see* NDF
distribution of visible normals, 333
dithering, 1010
DLAA, *see* antialiasing, directionally localized
DMA, 1034
Dolby Vision, 282
DOM, *see* discrete ordinate methods
domain, 719
 rectangular, 736
 triangular, 740
domain shader, 44
DOOM (2016), 246, 540, 629, 823, 869, 883, 901
dot product, 7
dots per inch, 817
double buffer, *see* buffer, double
downsampling, 136, 518, 525
DRAM, 791
draw call, 35
Dreams, 577, 1045
driver, *see* graphics driver
dual paraboloid mapping, *see* environment
 mapping, parabolic
dual source-color blending, 53
dueling frusta, 242
Dust 514, 493
DVI, 1011
DXR, 1044
DXTC, *see under* texturing, compression
dynamic buffer, 793
dynamic super resolution, 139
EAC, 194
ear clipping, 685
early-z culling, *see under* culling
edge, 654–656, *see also* line
 border, 654
 boundary, 654, 661, 692, 709
 bridge, 686
 collapse, *see under* simplification
contour, 654–656
crease, 654, 695, 709, 747
detection, 661, 663
feature, 654
function, 994–996
hard, 654
join, 686
keyholed, 686
material, 654
preservation, 695
ridge, 654, 660
silhouette, 654–655
stitching, 689
suggestive contour, 655
valley, 654, 660
effective surface, 350
electrical optical transfer function, 161, 283
EM, *see* environment mapping
energy efficiency, 1024
Enlighten, 482
enveloping, *see* transform, vertex blending
environment mapping, 404–433
 cubic, 410–412, 425
 irradiance, 424–433
 latitude-longitude, 406–408
 localized, 499–502
 octahedral, 413
 parabolic, 413
 prefiltered, 415–420, 471, 502, 503
 sphere, 408–410
EOTF, *see* electrical optical transfer function
EQAA, *see* antialiasing, enhanced quality
Ericsson texture compression, *see* texturing,
 compression, ETC
ESM, *see* shadow, map, exponential
ETC, *see under* texturing, compression
Euler angles, 59, 70, 73, 82
Euler transform, *see* transform, Euler
Euler-Mascheroni constant, 802
Euler-Poincaré formula, 699, 706
EVS, *see* exact visible set
EVSM, *see* shadow, map, exponential
EWA, 189
exact visible set, 831
execution unit, 1003
exitance, 442, 474
explicit surface, *see* surfaces, explicit
exposure, 285, 288–289
extraordinary vertex, 758
eye space, 15
eye-dome lighting, 575
faceter, 682
fairness, 761

falloff function, 114, 381
fan, *see* triangle, fan
Far Cry, 453, 476
Far Cry 3, 478, 481
Far Cry 4, 420, 481
far plane, 93, 99, 981
Feline, 189
fence, 938
FIFA, 616
FIFO, 808, 809, 1023
fill rate, 788
film frame rate, 536
filter, 130–137, 515
 bilateral, 462, 518–520
 box, 134, 165, 517, 518
 bright-pass, 527
 cross bilateral, *see* filter, joint bilateral
 disk, 518
 edge-preserving, 520
 Gaussian, 136, 189, 515, 517, 572, 665
 joint bilateral, 249, 519
 kernel, 517
 low-pass, 135, 136
 nearest neighbor, 134
 rotation-invariant, 515
 running-average, 523
 separable, 516, 517, 520, 532
 sinc, 135–136, 515
 steerable, 525
 support, 517
 tent, 134
 triangle, 134
fin, 646, 668
Final Fantasy XV, 620
fireflies, *see under* aliasing
Firewatch, 104
first principal direction, 672
fixed-function pipeline, 27
fixed-view effects, 546–547
flat shading, 120
FLIPQUAD, 146
floor, 769
flow control, 36
 dynamic, 36
 static, 36
flush, 1005
FMA, 1026, 1033
fog, 598, 600–602, 608
force feedback, 14
form factor, 442
forward mapping, 531
forward shading, 883
forward+ shading, *see* tiled, forward shading
Forza Horizon 2, 141, 899
Forza Motorsport 7, 2, 412
foveated rendering, 931–932
FPS, 1, 13, 789, 817
fragment, 22, 49
fragment shader, 23, 49, 125, *see also* pixel shader
frame rate, 1, 808
 constant, 865
frame-to-frame coherence, 866
framebuffer, 25
frames per second, 13
FreeSync, 1011
FreeType, 676
Fresnel effect, 319
Fresnel equations, 316
Fresnel reflectance, 316–327, 330, 331, 348, 351, 405, 420, 421, 426, 498, 626, 631, 632, 643, 892
 Schlick approximation, 320, 321, 326, 347, 351, 598
front buffer, *see* buffer, front
front plane, 93n
Frostbite game engine, 111, 113, 115, 116, 287, 290, 312, 325, 616, 804, 811, 851, 878, 890, 893, 903
froxel, 611
frustum, 11, 17–18, 981
 plane extraction, 983–984
 tracing, 261
frustum/object intersection, *see specific objects under* intersection testing
FSAA, *see* antialiasing, full-scene
full screen pass, 514
fur, 640–641, 646–649
FX Composer, 44
FXAA, *see* antialiasing, fast approximate
G-sync, 1011
 G^1 -continuity, *see* continuity
gamma correction, 160–165, 184
gamut, 276, 323
 sRGB, 323
gas, ideal, 297
gather operation, 532
Gauss map, 667
Gaussian, anisotropic spherical, 398, 498
GBAA, *see* antialiasing, geometry buffer
GCN, *see under* hardware
genus, 699
geodesic curve, 81
geometric mean, 864
geometry
 clipmap, 872–873
 patch, 775

- processing, *see under* pipeline
shader, 18–19, 47–48, 647, 668, 677, 702, 786, 798
stage, *see* pipeline, geometry processing
geomorph LOD, *see* level of detail, geomorph
GigaThread engine, 1032
gimbal lock, 73
glare effects, 524
global illumination, 315, 438
`glPolygonOffset`, 236, 657, 673
GLSL, 35, 39
`gluLookAt`, 67
`gluPerspective`, 99
 G^n -continuity, 728
gobo, 173, 221, 230, 434
golden thread, 547
Gooch shading, 103, 663
Gouraud shading, 118
GPA, 785
GPU, 13, 29, *see also* hardware computing, 54
GPU Boost, 789
GPU PerfStudio, 785
GPUView, 785
gradient of pixel, 51, 185
graftals, 672
Grand Theft Auto V, 525
graphics driver, 786, 793, 1012
graphics processing unit, *see* GPU
grayscale, conversion to, 278
great arc, 81
great circle, 81
green-screening, 160
GRID2, 258
GTX 1080, *see under* hardware
guard-band clipping, 998
- H*-basis, 404
hair, 257, 640–646, 649
half vector, 336
half-edge, 692
Half-Life 2, 402, 403, 476, 478, 499
Half-Life 2 basis, 403
half-space, 6, 946
halo, 524
Halo 3, 475
haloing, 675
Halton sequence, 144
hard real time, 865
hardware
 GameCube, 867
 GCN, 1035–1039
 GeForce 256, 29
 GeForce3, 38
GTX 1080, 1029–1035
Mali architecture, 1020, 1024–1029
NVIDIA Pascal, 1029–1035
Pixel-Planes, 8n, 1026
PixelFlow, 1022
PLAYSTATION, 936
PLAYSTATION 3, 39, 700
PLAYSTATION 4, 867, 1007, 1035
Pomegranate, 1022
Talisman, 189, 551
Vega, 1035–1039
Voodoo 1, 1
Wii, 27, 39
Xbox, 1035
Xbox 360, 39
Xbox One, 867
harmonic series, 802
Hausdorff distance, 708, 875
H-basis, 475
HBM2, 1034, 1038
HDMI, 1011
HDR, 193, 271, 281–283, 405
 display, 1011
HDR10, 281
head, 70, 72
heads-up display, 561, 917, 932, 933
heat diffusion, 535
heightfield, 564–566, *see also* bump mapping
 terrain, 877
Hellgate: London, 609
Helmholtz reciprocity, 312, 351
hemisphere lighting, 431
hemispherical basis, *see* basis, hemispherical
hemispherical harmonics, 404
Henyyey-Greenstein phase function, 598–599, 620
Hermite curves, *see* curves, Hermite
Hermite interpolation, *see* interpolation,
 Hermite
Hertz, 13
hidden line removal, 668–669
hidden line rendering, *see* line, hidden
hierarchical image caching, *see* impostor
hierarchical spatial data structure, *see* spatial data structure
hierarchical view frustum culling, *see* culling,
 hierarchical view frustum
hierarchical z-buffering, *see under* culling
high color mode, *see* color, mode, high color
high dynamic range, *see* HDR
high-definition multimedia interface, 1011
High-Level Shading Language, *see* HLSL
highlight, 119
highlight selection, 673
histogram, 245

histogram renormalization, 196
 hither, 93n
 HiZ, 252, 1015, 1038
 HLG, 281
 HLSL, 35, 39
 homogeneous notation, 6, 58, 62, 173
 homogenization, 62, 92
 horizon angle, 460
 horizon mapping, 460, 466
 hourglass, 684
 HRAA, *see* antialiasing, hybrid reconstruction
 HTC Vive, *see* Vive
 HTILE, 1038
 HUD, 561, 917, 932, 933
 hue, 276
 hull shader, 44
 Hunt effect, 285
 Huygens-Fresnel principle, 360
 Hybrid Log-Gamma, *see* HLG
 hysteresis, 861
 HZB culling, *see* culling, hierarchical z-buffering
 IBR, *see* image-based rendering
 illuminant D65, 270, 274
 image
 geometry, 566, 876
 processing, 513–522, 665
 pyramid, 846, 847
 state, 283
 image-based lighting, 406, 414–424, 435
 image-based rendering, 269, 545
 immediate context, 813
 implicit surface, *see* surfaces, implicit
 importance sampling, 385, 445, 451, 503
 impostor, 561–564, 866
 depth sprite, 564–565
 layered depth image, 565
 index buffer, 702–705
 index of refraction, 298
 complex, 298
 indirect draw command, 851
inFAMOUS Second Son, 91, 572
 inflection, 728
 inner product, 398
 input assembler, 42
 inside test, 996
 instance, 15, 829
 instancing, 42, 797
 instruction set architecture, 35
 instruction-level parallelism, 1003
Instruments, 785, 792
 integral
 double product, 464, 470
 triple product, 470
 intensity, 269
 interactivity, 1
 interface, *see* hardware
 interference, *see under* light
 interleaved sampling, 145
 intermediate language, 35
 interpolation, 781, 998–1001
 barycentric, 963
 bicubic, 178
 bilinear, 178–180, 182, 735–736
 centroid, 141
 Hermite, 729–732
 linear, 720
 perspective-correct, 22, 49, 1000
 quadrilinear, 189
 repeated, 740
 bilinear, 736
 linear, 720–722
 trilinear, 186
 interpupillary distance, 923
 intersection testing, 941–991
 AABB/AABB, 978–979
 box/plane, 970–972
 box/ray, 959–962
 ray slope, 961–962
 slabs method, 959–961
 BV/BV, 976–981
 convex polyhedron/ray, 961
 crossings test, 967–970
 dimension reduction, 955
 frustum, 981–987
 frustum/box, 986–987
 frustum/ray, 961
 frustum/sphere, 984–986
 hardware-accelerated, 942–943
 interval overlap method, 972–974
 k-DOP/k-DOP, 979–980
 k-DOP/ray, 961
 line/line, 987–990
 OBB/OBB, 980–981
 picking, 942
 plane/box, 970–972
 plane/ray, 966
 plane/sphere, 970
 polygon/ray, 966–970
 polyhedron/polyhedron, 987
 ray/box, 959–961
 rejection test, 948
 rules of thumb, 954–955
 separating axis, 946
 separating axis test, 947, 974, 979, 980, 986–987
 sphere/box, 977–978
 sphere/ray, 955–959

- sphere/sphere, 976–977
three planes, 990
triangle/box, 974–975
triangle/ray, 962–966
triangle/triangle, 972–974
interval overlap method, *see under* intersection testing
intrinsic functions, 36
inverse displacement mapping, *see* texturing, parallax occlusion mapping
inverse z, 100
IOR, *see* index of refraction
irradiance, 268, 294, 425
 precomputed, 474
 spherical harmonics, 475
 volume, 487
irradiance mapping, *see* environment mapping, irradiance
irregular vertex, 758
isocube, 412
isosurface, 584, 682, 753
isotropic scaling, 62
 $J_{za_z b_z}$, 276
jaggies, *see under* aliasing
jittering, *see under* antialiasing
joint, 720, 726, 728, 731
Jordan curve theorem, 967
judder, 935
Just Cause 2, 114, 882
Just Cause 3, 883, 899, 900
 k -ary tree, 820
 k -d tree, *see under* spatial data structure
 k -DOP, 945–946, 961, 976, 990
 creation, 949
Kentucky Route Zero, 121
Killzone: Shadow Fall, 116, 523
Killzone 2, 885
Kite, 493
Kochanek-Bartels curves, *see* curves, Kochanek-Bartels
LAB, 276
Lambertian shading, *see* BRDF, Lambertian
The Last of Us, 476
late depth test, 1016
late latching, 938
latency, 1, 30, 791, 807–810, 920–921, 935, 1004–1006, 1013
 occlusion query, 845
Latin hypercube sampling, 143
latitude, 407, 944
layered depth image, *see under* impostor
LCD, 676
LDI, *see* impostor, layered depth image
LEAN mapping, 370
left-handed, *see under* coordinate system
lens flare, 524–526
level of detail, 44, 580, 706, 717, 807, 852–866
 alpha, 857–858
 bias, 186, *see also* texturing
 blend, 856
 continuous, 706, 859, 860
 discrete geometry, 854–856
 fractional tessellation, 768
 generation, 853
 geomorph, 859–860
 hysteresis, 861
 PN triangle, 747
 popping, 710, 854, 856, 858
 projected area-based, 861–864
 range-based, 860–861
 selection, 853, 860–864
 simplification, 710
 subdivision surface, 756
 switching, 853, 854–860
 time-critical, 865–866
level set, 583
LIDAR, 573
light
 ambient, 391–392
 attenuation mask, 230
 baking, 798
 bandwidth, 362
 bleeding, 255
 field, 269
 interference
 constructive, 296, 298
 destructive, 296
 thin-film, 361–363
 inverse-square attenuation, 111
 leak, 238, 255, 256
 map, 484
 meter, 271
 monochromatic, 293
 polarized, linearly, 293
 polychromatic, 293
 prepass, 892
 probe, 414, 490, 901
 propagation volumes, 493
 cascaded, 494
 scattering, *see* scattering
 shafts, 602, 604, 608, 631
 source, 106–117, 798
 area, 116–117, 224, 228, 377–391
 card, 387, 388, 427
 directional, 109–110

- light (*continued*)
 source (*continued*)
 disk, 379, 381, 388, 430, 435
 fill, 431
 omni, *see* light, source, point
 planar, 388
 point, 111–114
 polygonal, 389
 punctual, 110–116
 spherical, 381–384, 386, 387, 430
 spot, 114–115
 tube, 387
 volume, 224
 transport
 linearity, 438, 479
 meshless, 484
 modular, 484
 notation, 439–440
 unpolarized, 294
 velocity, phase, 294
 visible, 268
 light map, 227
 light-field rendering, 549
 lightcuts, 431
 lighting probe, 490
 limit
 curve, 754, 756
 surface, 760
 line, 19, 673–675, *see also* edge
 haloing, 675
 hidden, 674–675
 integral convolution, 538
 triangle edge rendering, 673–674
 line/line intersection, *see* intersection testing,
 line/line
 linear blend skinning, 84
 linear interpolation, 720
 linear speedup, 810
 linear transform, *see* transform, linear
 linearly transformed cosines, 390
 LiSPSM, *see* shadow, map, light space
 perspective
LittleBigPlanet, 488
 load balance, 1023
 lobe
 anisotropic, 422–424
 asymmetric, 422–424
 local frame, 343
 local illumination, 315
 local lighting model, 438
 LOD, *see* level of detail
 log, 8
 longitude, 407, 944
 lookup table, 173
 loop, 686
 Loop subdivision, *see* surfaces, subdivision,
 Loop
 loose octree, *see under* spatial data structure
 lossy compression, 194
Lost Planet, 647
 lozenge, 946
 LPV, *see* light, propagation volumes
 Lumiblur, 740, 1044
 Lumigraph, 549
 luminance, 197, 271, 273, 278
 LUT, *see* lookup table
 LUV, 276
 Möbius strips, 693
 Mach banding, 1010
 macroscale, 208, 367
 magnification, *see under* texturing
 main axes, 8
 Mali, *see* hardware, Mali architecture
 manifold, 694
 Mantle, 40
 marching cubes, 583, 683, 753
 marching tetrahedra, 753
 mask, 759
 masked hierarchical depth buffer, 849
 masking
 function, 333
 perceptual, 278
 masking-shadowing function, 334, 335
 material, 125
 glossy, 382–386
 instance, 126
 template, 126
 matrix, *see also* transform
 adjoint, 68
 change of basis, 63, 67, 75
 column-major, 60
 determinant, 63
 orientation, 60, 70
 orthogonal, 69, 72, 80
 rotation, 70
 row-major, 60, 95
 trace, 61, 80
 transpose, 7, 63
 matte, 159
 mean width, 954
 media, 310
 mediated reality, 917
 medium
 absorptive, 298
 homogeneous, 298
 megatexture, 867
 memory
 allocation, 793
 architecture, 1006–1007

- bandwidth, 1006
controller, 1038
dynamic random access, 791
hierarchy, 791
optimization, *see* optimization, memory
UMA, 1007
unified, 1007
wall, 791
merging of pixels, 24–25
merging stage, 24–25, 53
mesh
 cache-oblivious, 700–701
 parameterization, 173
 segmentation, 683
 smoothing, 694–696
 solidity, 693–694
 triangle, 691, 699–701
 universal, 700–701
Meshlab, 695, 716
mesoscale, 208–209, 367
message-passing architecture, *see*
 multiprocessing, message-passing
metaball, 48, 683, 751
Metal, 40, 814
metal, 323
Metal Gear Solid V: Ground Zeroes, 289
metameric failure, 280
metamers, 273
microfacets, 331–336
microgeometry, 304, 327–330
 masking, 328
 shadowing, 328
micropolygon, 26
microscale, 208, 367
Mie scattering, *see* scattering, Mie
Minecraft, 579, 842
minification, *see under* texturing
mipmap chain, 184
mipmapping, *see under* texturing, minification
mirror transform, *see* transform, reflection
Mirror’s Edge Catalyst, 616
mixed reality, 917
MLAA, *see* antialiasing, morphological
MMU, 1024
model space, 15
modeler, 682–683
 solid, 682
 surface, 683
modified butterfly subdivision, *see* surfaces,
 subdivision
modified Gram-Schmidt, 344
Monte Carlo integration, 385, 418, 419, 423,
 444, 451, 459, 507
 noise, 445, 511
Moore’s Law, 1042
morph targets, *see under* transform
morphing, *see under* transform
Morton sequence, 1018
mosaicing, *see* texturing, tiling
motion blur, 536–542, 835
MPEG-4, 712
MRT, 50
MSAA, *see* antialiasing, multisampling
multi-view, 928
multicore, 806
multiprocessing, 805–814, 1023
 dynamic assignment, 810
 message-passing, 806
 parallel, 809–810
 pipeline, 806–809
 static assignment, 810
 symmetric, 806
 task, 811–812
 task-based, 806
multiprocessor, 1003
 shared memory, 806, 1003
 streaming, *see* streaming, multiprocessor
multisampling, *see under* antialiasing
multitexturing, *see* texturing
multum in parvo, 183
N-patch, *see* surfaces, PN triangle
N-rooks sampling, 143
nailboard, *see* impostor, depth sprite
nanogeometry, 359
NDF, 332, 337–346, 367, 498
 anisotropic, 343–346
 Beckmann, 338
 Blinn-Phong, 339, 340
 filtering, 367–372
 generalized Trowbridge-Reitz, *see* NDF,
 GTR
 GGX, 340–342, 369
 GTR, 342
 isotropic, 338–343
 shape-invariance, 339
 Trowbridge-Reitz, *see* NDF, GGX
near plane, 93, 99, 862, 981
nearest neighbor, *see under* filter and texturing,
 magnification and texturing,
 minification
Need for Speed, 616
Newell’s formula, 685
node, 819–821
 internal, 819
 leaf, 819
 root, 819
node hierarchy, 828
noise, 872
noise function, *see* texturing, noise

non-photorealistic rendering, 651–673
 noncommutativity, 65, 77
 normal
 cone, 833–835
 incidence, 317
 map, *see under* bump mapping
 transform, *see* transform, normal
 normal distribution function, *see* NDF
 normal-masking independence, 334
 normalized device coordinates, 19, 94, 98, 100
 NPR, *see* non-photorealistic rendering
N Sight, 785
 NURBS, 781
 NVIDIA Pascal, *see under* hardware
 Nyquist limit, *see under* sampling
 OBB, 945, 946, 976
 OBB/object intersection, *see specific objects under* intersection testing
 object-based shading, 908–912
 obscurrence, 449, 450, 454, 457
 volumetric, 459
 occluder, 844
 occluding power, 844
 occlusion culling, *see* culling, occlusion
 occupancy, 32, 127, 801, 886, 898, 1005
 occupancy function, 459
 octahedral mapping, 413
 octave, 198
 octree, *see under* spatial data structure
 octree texture, 190
 Oculus Rift, 915, 916, 923, 935
 OETF, *see* optical electric transfer function
Okami, 653
 opacity, 149
 Open3DGC, 712
 OpenCL, 54
 OpenCTM, 712
 OpenGL, 39–41
 extensions, 40
 OpenGL ES, 41, 194
 OpenGL Shading Language, 35
 OpenSubdiv, 777–779
 optical electric transfer function, 161
 optics
 geometrical, 303
 physical, 359
 wave, 359
 optimization
 application stage, 790–793
 code, 790–793
 geometry processing, 798–800
 lighting, 798–800
 memory, 791–793

merging, 805
 mobile, 814
 pipeline, 783–815
 pixel processing, 800–804
 pixel shader, 803
 rasterization, 800
The Orange Box, 288
The Order: 1886, 91, 357, 365, 370, 477, 498, 896
 ordinary vertex, 758
 Oren and Nayar model, 354
 orientation, *see under* polygon
 oriented bounding box, *see* OBB
 orienting the camera, 67
 over operator, 150–151, 856
 overblurring, 186
 overclock, 787
 overdraw, *see under* pixel
 packed pixel format, 1010
 padding, 792
 painter's algorithm, 551, 824
 painterly rendering, 652
 pan, 538
 parabola, 721
 parabolic mapping, 413
 parallax, 548
 mapping, 167, 214–220
 occlusion mapping, *see under* texturing
 parallel
 architectures, 1020
 graphics, 1019
 processing, *see* multiprocessing, parallel
 projection, *see* projection, orthographic
 parallelism, 810
 spatial, 806
 temporal, 806
 parametric curves, *see* curves, parametric
 parametric surfaces, *see* surfaces, parametric
 participating media, 310
 absorption, 590
 extinction, 590, 593, 595, 610, 616, 624, 639, 643
 optical depth, 593, 595
 phase function, 590, 623, 626, 638, 644
 geometric, *see* scattering, geometric
 Mie, *see* scattering, Mie
 Rayleigh, *see* scattering, Rayleigh
 particle
 soft, 558–559
 system, 567–572
 Pascal, *see* hardware, NVIDIA Pascal
 patch, 736
 path tracing, 26, 444, 510, 1043, 1044

- PCF, *see* percentage-closer filtering
PCI Express, 1006
Pearl Harbor, 446
pen and ink, 652
pending buffer, 1013
penumbra, *see under* shadow
per-triangle operations, 14
per-vertex operations, 14
percentage-closer filtering, 247–250, 849
perceptual quantizer, *see* PQ
performance measurement, 788–790
perp dot product, 6, 987, 989
persistence, 935
perspective
 division, 19
 projection, *see* projection, perspective
 warping, 241
perspective-correct interpolation, *see*
 interpolation
Peter Panning, 238
Phong lighting equation, *see* BRDF, Phong
Phong shading, 118
Phong tessellation, *see under* surfaces
photogrammetry, 573, 682
photometric curve, 271, 273, 278
photometry, 271
photopic, 271
photorealistic rendering, 545, 651
PhyreEngine, 893
pick window, *see* intersection testing, picking
picking, 942, 943, 957
piecewise Bézier curves, *see* curves, piecewise
ping-pong buffers, 520, 525
pipeline, 11–27, 783–815
 application stage, 12, 13–14, 783
 fixed-function, 27
 flush, 1005
 functional stages, 13
 geometry processing, 12, 14–21, 783
 parallelism, 1003
 pixel processing, 12, 22–25, 783
 rasterization, 12, 21–22, 783, 993–998
 software, 806
 speedup, 12
 stage, 12–13
Pirates of the Caribbean, 454
pitch, 70, 72
PIX, 785
pixel, 21
 local storage, 1027
 overdraw, 701, 801
 processing, *see under* pipeline
 shader, 23, 49–52
 synchronization, 156
Pixel-Planes, *see under* hardware
pixelation, 178
PixelFlow, 1022
pixels per inch, 817
pixels per second, 788
plane, 6
 axis-aligned, 8
 coordinate, 8
plane masking, 836
plane/object intersection, *see specific objects*
 under intersection testing
PLAYSTATION, *see under* hardware
point cloud, 572–578, 683
point rendering, 572–578
point-based visibility, 842
pointer indirection, 792
Poisson disk, 249
Pokémon GO, 917
polycube maps, 171
polygon
 bowtie, 684
 consolidation, 691
 contour, 686
 convex, 685
 edge cracking, *see* cracking, polygon edge
 edge stitching, 689
 hourglass, 684
 loop, 686
 merging, 691
 mesh, 691
 orientation, 691–693
 sorting, 824
 soup, 691
 star-shaped, 686
 T-vertex, 689–690
polygon-aligned BSP tree, *see* spatial data
 structure, BSP tree
polygonal techniques, 853
polygonalization, 583, 683
polymorph engine, 1031
polypostor, 562
POM, 217
popping, *see under* level of detail
port, 1006
portal culling, *see* culling, portal
pose, 921, 924, 938
post-processing, 514
posterization, 652, 1010
potentially visible set, 831
power form, 724
power gating, 1028
PowerTune, 789
PowerVR, 196
PQ, 281

- pre-lighting, 892
- pre-order traversal, 835
- precision, 712–715
 - color, 186, 1010
 - depth, 236
 - floating point, 713
 - mobile, 814
 - subpixel, 689
- precomputed radiance transfer, 471, 478, 479, 481
 - local deformable, 481
- predictive rendering, 280
- prefilter, 414
- primitive generator, 44
- primitive shader, 1037
- Prince of Persia*, 658
- principal component analysis, 480, 484
- probability, geometric, 953–954
- procedural modeling, 222, 672, 682
- procedural texturing, *see* texturing, procedural processor
 - pixel, *see* pixel, shader
 - vertex, *see* vertex, shader
- progressive refinement, 510, 547
- projection, 16–18, 92–102
 - 3D polygon to 2D, 966
 - 3D triangle to 2D, 962
 - bounding volume, 861–864
 - cylindrical, 172
 - orthographic, 17–18, 59, 93–95
 - parallel, *see* projection, orthographic
 - perspective, 17, 59, 96–102, 1014
 - planar, 172
 - spherical, 172
- projective texturing, *see* texturing, projective
- proxy object, 819
- PRT, *see* precomputed radiance transfer
- PSM, *see* shadow, map, perspective
- Ptex, 191
- purple fringing, 628
- purple line, 274
- PVRTC, *see under* texturing, compression
- PVS, *see* potentially visible set
- PxrSurface*, 343, 359, 363, 364
- QEM, 708
- quad, 51, 801, 994
- quad overshading, 787, 853, 863, 910, 994
- quadratic curve, *see* curves, quadratic
- quadratic equation, 957
- quadric error metric, 708
- quadtree, *see under* spatial data structure
- Quake*, 37, 474
- Quake II*, 474
- Quake III*, 37, 402
- quantization, scalar, 714
- Quantum Break*, 496
- quartic curve, *see* curves, quartic
- quaternion, 72, 76–84
 - addition, 77
 - conjugate, 77, 78
 - definition, 76
 - dual, 87
 - identity, 77
 - imaginary units, 76
 - inverse, 77
 - laws of multiplication, 78
 - logarithm, 78
 - matrix conversion, 79–81
 - multiplication, 77
 - norm, 77, 78
 - power, 78
 - slerp, 81–83
 - spherical linear interpolation, 81–82
 - spline interpolation, 82–83
 - transforms, 79–84
 - unit, 78, 79
- Quickhull, 950
- Quincunx, *see* antialiasing, Quincunx
- quintic curve, 181
- radiance, 269–270, 273, 425
 - distribution, 269
 - incoming, 315
- radiant
 - exitance, *see* exitance
 - flux, 268
 - intensity, 269
- radiometry, 267
- radiosity, 442–443
 - normal mapping, 402–404
 - progressive, 483
- RAGE*, 867
- Rainbow Six Siege*, 887
- range-based fog, *see* fog
- raster engine, 1031
- raster operation, *see* ROP
- rasterization, *see under* pipeline
 - conservative, 22, 139, 259, 582, 1001
 - inner, 1001
 - outer, 1001
 - overestimated, 1001
 - underestimated, 1001
 - rasterizer order view, 52, 139, 156
 - rasterizer stage, *see* pipeline, rasterization
- Ratatouille*, 638
- rational linear interpolation, 720

- ray, 943–944
 casting, 443
 function, 437
marching, 199, 216–220, 262, 566, 570, 594, 607, 608, 614, 616, 618, 620–622, 639, 642, 648, 752, 753, 1048
tracing, 26, 259, 261, 443–445, 530, 586, 802, 953, 1006, 1044–1047
 architecture, 1039
 isosurface, 584
 voxel, 580
ray/object intersection, *see specific objects under* intersection testing
Rayleigh scattering, *see* scattering, Rayleigh reciprocity, 312
reconstruction, 131, 133–136
reduce, 245, 896
reflectance
 anisotropic, 328
 directional-hemispherical, 313
 equation, 311, 437
 hemispherical-directional, 313
 isotropic, 328
 spectral, 279
reflectance lobe, *see under* BRDF
reflection, 314, 315, 623, 626, 630
 environment mapping, 413
 equation, *see* reflectance, equation
 external, 317
 internal, 317, 325
 total, 326
 law of, 504
 mapping, 405
 planar, 504–505, 839
 probe, 499
 localized, 500
 proxy, 500
 screen-space, 505–509
 transform, *see* transform, reflection
refraction, 149, 302, 626–630, 631–633, 638, 639
 image-space, 630
refractive index, 298
refresh rate, 1
 vertical, 1011
register combiners, 38
register pressure, 127, 801, 904, 1005
regular vertex, 758
relief texture mapping, *see* texturing, relief
relighting, 547
render target, 50
RenderDoc, 785
rendering
 equation, 437–438
 spectrum, 545–546
 state, 794
RenderMan, 37, 39
repeated linear interpolation, *see* interpolation, repeated, linear
reprojection, 143, 522–523, 936
resampling, 136–137
resolve, 142
retopology, 712
retrace, vertical, 25, 1012
retroreflection, 330
reverse mapping, 532
reversed z, 100
Reyes, 908–912
RGB, 176
 color cube, 275
 color mode, *see* color, mode, true color
 to grayscale, 278
RGBA, 150, 159, 1010
 texture, 176
RGSS, *see* antialiasing, rotated grid
right-hand rule, 692
right-handed, 92
rigid-body transform, *see* transform, rigid-body
ringing, 256, 401, 428, 570
roll, 70, 72
ROP, 24, 25, 1010, 1032–1033
roping, 165
rotation, *see under* transform
roughness, 304
ROV, *see* rasterizer order view
RSM, *see* shadow, map, reflective

S3TC, 192
saccade, 931
SAH, *see* surface area heuristic
sample, 22
sampling, 130–137, 143, *see also* antialiasing
 band-limited signal, 133
 centroid, 141
 continuous signal, 131
 discretized signal, 131
 Nyquist limit, 133, 182, 186
 pattern, 143
 stochastic, 145, 149
 stratified, 144
 theorem, 133
SAT, *see* intersection testing, separating axis test
saturation, 276
SBRDF, 310
scalable link interface, 1013
scaling, *see under* transform
scan conversion, 21
scanline interleave, 1013
scatter operation, 531

scattering, 297, 589–599
 backward, 597, 598, 599
 forward, 597, 598, 599, 607, 638
 geometric, 596, 599
 Mie, 298, 596, 597–599, 614, 620
 multiple, 607, 615, 616, 621–622, 633,
 643–646
 Rayleigh, 298, 596–597, 613, 614
 single, 589, 592, 610, 614, 618, 633, 638
 subsurface, *see* subsurface scattering
 Tyndall, 298
 scene graph, *see under* spatial data structure
 scene-referred, 283
 Schlick phase function, 599
 scoreboard, 1031
 scotopic, 271
 screen
 coordinates, 20
 mapping, 20
 space coverage, 772, 862
 scRGB, 282
 SDR, 281
 SDSM, *see* shadow, map, sample distribution
 second-order equation, 957
 sectioning, 19
 segmentation, 683
 semiconductor, 324
 separating axis test, *see under* intersection
 testing
 separating hyperplane theorem, 946
 SGI algorithm, *see* triangle, strip
 shade tree, 37
 shader
 cores, 30
 storage buffer object, *see* unordered access
 view
 unified, *see* unified shader architecture
 Shader Model, 38
 Shadertoy, 199, 222, 753, 1048
 shading, 16
 clustered, *see* clustered shading
 deferred, *see* deferred shading
 equation, 16
 flat, 120
 forward, 883
 Gouraud, 118
 hard, 652
 language, 35
 model, 103–106
 Lambertian, 109
 Phong, 118
 pixel, 23, *see also* pixel shader
 tiled, *see* tiled, shading
 toon, 652–654
 vertex, *see* vertex, shader

shadow, 223–265
 acne, 236
 anti-shadow, 227
 buffer, 234
 contact hardening, 251
 on curved surfaces, 229–230
 depth map, 234
 hard, 223
 map, 230, 234–252, 594, 604
 adaptive volumetric, 258
 bias, 236–239
 cascaded, 242–247
 convolution, 255
 deep, 257–259, 638
 dual, 238
 exponential, 256–257
 filtered, 252–257
 imperfect, 492
 irregular, 259–264
 light space perspective, 241
 minmax, 252
 moment, 256
 omnidirectional, 234
 opacity, 257, 612
 parallel-split, 242
 perspective, 241
 reflective, 491, 493
 sample distribution, 245
 second-depth, 238
 sparse, 246, 263
 translucent, 639
 trapezoidal, 241
 variance, 252–255
 volumetric, 644
 penumbra, 224, 228
 percentage-closer soft, 250–252
 planar, 225–229
 soft, 228–229
 projection, 225–227
 screen-space, 262
 soft, 224–225, 227–229, 247–252, 442
 umbra, 224
 volume, 230–233
 shadowing-masking function, *see*
 masking-shadowing function
 shape blending, *see* transform, morph targets
 shared memory multiprocessor, *see*
 multiprocessor, shared memory
 shear, *see under* transform
 shell, 646
 shell mapping, 220, 659
 shortest arc, 81
 shower door effect, 670
Shrek 2, 491
 signed distance field, 454, 579, 677

- signed distance function, 577, 750
 spherical, 466
- silhouette, 765, 773
 loop, 667
- SIMD, 31, 1003, 1005, 1035
- SIMD lane, 31, 1002
- simplification, 706–712, 853
 cost function, 707–709
 edge collapse, 706–708
 level of detail, 710
 optimal placement, 707
 reversibility, 706
- SIMT, 1002
- simulation sickness, 920
- single buffer, *see* buffer, single
- skeleton-subspace deformation, *see* transform,
 vertex blending
- skinning, *see* transform, vertex blending
- sky, *see* atmosphere and clouds
- skybox, 547–549, 556, 628, 632
- slab, 945
- slerp, *see under* quaternion
- SLI, 1013
- slicemap, 581
- SMAA, *see* antialiasing, subpixel morphological
- small batch problem, 796
- smart composition, 1028
- Smith masking function, 334, 335, 339, 341–343,
 355, 358
- smoothstep, 115, 181
- SMOOTHVISION, 145
- SMP, 806
- Snell's law, 302, 326
- softbox, 388, 434
- software pipelining, *see* multiprocessing
- solid, 693
- solid angle, 268
 differential, 311
- sort, 822
 space, 1020
- sort-everywhere, 1022
- sort-first, 1020
- sort-last, 1020, 1033
 fragment, 1021
 image, 1021, 1022
- sort-middle, 1020, 1024
- space subdivision, 819
- space-filling curve, 1018
- spacewarp, 935, 937
- sparse texture, *see* texturing, sparse
- sparse voxel octree, 494, 579
- spatial data structure, 818–830
 aspect graph, 831
 bounding volume hierarchy, 510, 819–821
 942
- BSP tree, 819, 822–824
 axis-aligned, 822–823
 polygon-aligned, 823–824
- cache-aware, 827–828
- cache-oblivious, 827–828
- hierarchical, 818
- irregular, 819
- k-d tree, 822–823
- loose octree, 826–827
- octree, 819, 824–827, 846
- quadtree, 825, 874
 restricted, 774, 877
- regular, 819
- scene graph, 828–830, 840, 861
 LOD, 861
- spatial locality, 791
- spatial relationship, 438
- spatialization, 830
- SPD, *see* spectral power distribution
- spectral power distribution, 270, 272
- spectrum, 268, 274
- specular
 highlight, 119
 lobe, *see under* BRDF
 term, 306
- sphere, 682
 formula, 944, 956
 mapping, *see* environment mapping, sphere
- sphere/object intersection, *see specific objects*
 under intersection testing
- spherical
 basis, *see* basis, spherical
 coordinates, 407, 944
 function, 392–404
 Gaussian, *see* basis, spherical, Gaussian
 harmonics, 398–401, 427–431, 456, 480,
 488
 gradients, 488
 linear interpolation, *see under* quaternion
- SPIR-V, 40
- splat, 573–574
- spline curves, *see* curves, spline
- spline surfaces, *see* surfaces, spline
- split and dice, 774–775
- Split/Second*, 898
- Spore*, 678, 710
- sprite, 531, 550–551, *see also* impostor
 layered, 550–551
- SRAA, *see* antialiasing, subpixel reconstruction
- sRGB, 161, 162, 165, 196, 322, 323
- SSBO, *see* unordered access view
- SSE, 977–979
- stage
 stalling, 809
 starving, 12, 809

stalling, 809
 standard dynamic range, *see* SDR
Star Ocean 4, 286
Star Wars Battlefront, 647
 star-shaped polygon, 686
Starcraft II, 459
 starving, *see under* stage
 state
 changes, 794
 sorting, 807
 static buffer, 794
 stationary subdivision, *see* surfaces, subdivision, stationary
 stencil, 759
 stencil buffer, *see* buffer, stencil
 steradian, 268, 269
 stereo rendering, 927–931
 stereo vision, 922–924
 stereopsis, 922
 Stevens effect, 285
 stitching, 689
 stream output, 19, 48–49, 571, 705
 streaming, 871–872
 multiprocessor, 1003, 1029
 texture, *see* texturing, streaming
 stride, 702
 strip, *see* triangle, strip
 stroke, 672
 stylized rendering, *see* non-photorealistic rendering
 subdivision curves, *see* curves, subdivision
 subdivision surfaces, *see* surfaces, subdivision
 subpixel addressing, 689
 subsurface albedo, 348–349
 subsurface scattering, 305–307, 445, 607
 global, 306, 632–640
 local, 306, 347–355
 subtexture, *see* texturing
 summed-area table, *see under* texturing, minification
 superscalar, 14
 supershader, 128
 surface area heuristic, 953
 surface extraction, 583
 surfaces
 acne, 236
 B-spline, 749, 762
 Bézier patch, 735–738
 Bézier triangle, 740–741, 745
 biquadratic, 736
 continuity, 741–742
 explicit, 944
 sphere, 944
 triangle, 944, 963

implicit, 749–753, 944
 blending, 751
 derivatives, 751
 sphere, 956
 NURBS, 781
 parametric, 171, 734–747
 Phong tessellation, 735, 740, 748–749
 PN triangle, 46, 735, 740, 744–747, 748, 749
 spline, 689, 761
 subdivision, 756–767
 adaptive quadtree, 718, 779–780
 approximating, 758
 Catmull-Clark, 761–763
 displaced, 765–766
 feature adaptive, 777–779
 limit position, 760
 limit surface, 760
 limit tangents, 760
 Loop, 758–761, 763, 765–767
 mask, 759
 modified butterfly, 761
 stationary, 756
 stencil, 759
 tensor product, 735
 tessellation, 735
 surfel, 573
 surround, 285
 SVBRDF, 310
 swap buffer, *see* buffer, swap
 swizzling, 1018
 synchronization with monitor, 790, 1012, 1013
 TAM, *see* tonal art map
 tangent
 frame, 209
 map, 344
 patch, 775
 space, *see under* basis
 vector, 209, 729
 TBN, 209
Team Fortress 2, 654, 677, 678, 940
 tearing, 1012
 technical illustration, 651, 673
 temporal
 aliasing, *see* aliasing, temporal
 coherence, 866
 delay, 1
 locality, 791
 temporary register, 36
 tensor product surfaces, 735
 terrain chunked LOD, 874–877
 tessellation, 683–690, 767–780, 853
 adaptive, 770–775
 control shader, 44

- domain shader, 44
 - evaluation shader, 44
 - factors, 45
 - fractional, 768–770, 860
 - hull shader, 44
 - levels, 45
 - stage, 18, 44–46, 677
 - surface, 735
 - tessellator, 44
 - uniform, 767
 - tetrahedralization, 489
 - texel, 169
 - Texram, 189
 - text, 675–677, 725
 - texture
 - array, 191
 - atlas, 190
 - bandwidth, 1006
 - cache, *see* cache
 - coordinates, 169
 - cube map, 190
 - dependent read, 38, 177, 220, 406
 - matrix, 174n, 410
 - periodicity, 175
 - space, 169
 - volume, 189–190
 - volumetric, 646
 - texture processing cluster, 1031
 - texture-space shading, 910
 - texturing, 23, 167–222
 - albedo color map, 201
 - alpha mapping, 176, 202–208, 551
 - animation, 200, 203
 - bindless, 192
 - border, 174
 - cellular, 199
 - charts, 485
 - clamp, 174
 - clipmap, 867
 - compression, 192–198, 486, 503
 - ASTC, 196, 1029
 - BC, 192–193
 - DXTC, 192–193
 - EAC, 194
 - ETC, 194–195, 1029
 - lossy, 194
 - normal, 195
 - PVRTC, 195–196
 - S3TC, 192
 - corresponder function, 169, 174–175
 - decalcing, 202
 - detail, 180
 - diffuse color map, 201
 - distortion, 687–688
 - image, 176–198
 - image size, 177
 - level of detail bias, 186
 - light mapping, 484
 - magnification, 177, 178–181
 - bilinear interpolation, 178
 - cubic convolution, 178
 - nearest neighbor, 178
 - minification, 177, 182–189
 - anisotropic filtering, 187–188
 - bilinear interpolation, 182
 - Elliptical Weighted Average, 189
 - level of detail, 185
 - mipmapping, 183–186
 - nearest neighbor, 182
 - quadrilinear interpolation, 189
 - summed-area table, 186–188
 - trilinear interpolation, 186
 - mipmapping, 485
 - mirror, 174
 - mirror once, 175
 - noise, 198, 549
 - one-dimensional, 173
 - parallax occlusion mapping, 167, 216–220
 - parameterization, 485, 486
 - pipeline, 169–176
 - procedural, 198–200
 - projective, 221, 688
 - projector function, 169–174
 - relief, 216–220, 222, 565–566, 630, 646, 853, 854
 - repeat, 174
 - seams, 486
 - shells, 485
 - sparse, 246, 263, 867–871
 - streaming, 870–871
 - subtexture, 184
 - swizzling, 1018
 - texture coordinates, 169
 - tiling, 795
 - transcoding, 870–871
 - value transform function, 169
 - vertex, 43, 186
 - virtual, 867–871
 - wrap, 174
- TFAN, 712
That Dragon, Cancer, 121
- thin-film interference, *see* light, interference, thin-film
- thread
 - divergence, 32, 260
 - group, 54, 518
 - shader, 31
- thread-level parallelism, 1003

- Threading Building Blocks*, 812
 three plane intersection, *see* intersection testing,
 three planes
 three-dimensional printing, *see* 3D printing
three.js, 41, 50, 189, 407, 485, 568, 628, 1048
 thresholding, 656
 throughput, 30, 783, 808
 tile, 995
 local storage, 156
 screen, 1007, 1021
 table, 1008
 texture, 795
 tiled
 caching, 1033
 deferred shading, 894, 896, 904, 914
 forward shading, 895–896, 903, 904, 914
 rasterization, *see* pipeline, rasterization
 shading, 893–898
 triangle traversal, 996
 tiling, 795
 time-critical rendering, 865
 timer query, 785
 timewarp, 935–937
 timing, 955
 TIN, 705, 877
 Toksvig mapping, 369
Tom Clancy's The Division, 478
Tomb Raider (2013), 114, 116
Tomorrow Children, The, 496, 497
 tonal art map, 671
 tone mapping, 283–289
 global, 285
 local, 285
 toon rendering, *see* shading, toon
 top-left rule, 995
 topology, 712
 Torrance-Sparrow model, 334
 tracking, 916, 921
 transaction elimination, 1028
 transcoding, *see under* texturing
 transfer function, 161, 478
 volume, 605
 transform, 57, *see also* matrix
 affine, 58, 68
 angle-preserving, 66
 concatenation of, 65–66
 constraining, 73
 decomposition, 73–74
 Euler, 70–73
 extracting parameters, 72–73
 gimbal lock, 73
 feedback, 49
 inverse, 59, 61–64, 66, 69, 75
 adjoint method, 69
 Cramer's rule, 69, 964
 Gaussian elimination, 69
 LU decomposition, 69
 length-preserving, 66
 linear, 57–58
 mirror, *see* transform, reflection
 model, 15–16
 morph targets, 89–91
 morphing, 87–91
 normal, 68–69
 orthographic, *see under* projection
 perspective, *see under* projection
 quaternion, 80
 reflection, 63, 692, 832
 rigid-body, 60, 66–67, 74, 84
 rotation, 60–61
 about an arbitrary axis, 74–76
 from one vector to another, 83–84
 around a point, 61
 scaling, 62–63
 anisotropic, 62
 isotropic, 62
 nonuniform, 62
 uniform, 62
 shear, 63–64
 translation, 59
 vertex blending, 84–87, 90, 102, 1006
 view, 15–16
 volume-preserving, 64
 translation, 59
 transparency, 148–160
 order-independent, 154–159
 screen-door, 149, 858
 sorting, 152, 823
 stochastic, 149
 weighted average, 156–158
 weighted sum, 157
 transparency adaptive antialiasing, 207
 tree
 balanced, 820
 binary, 820
 k-ary tree, 820
 trees (forest), 202, 559–560
 triangle
 fan, 686, 696–697
 formula, 944, 963
 list, 696
 indexed, 703
 setup, 22, 997–998
 sorting, 152–153, 802–803
 soup, 691
 strip, 697–699
 indexed, 703
 sequential, 698
 traversal, 22, 996–997
 tiled, 996

- triangle/object intersection, *see specific objects under intersection testing*
triangulated irregular network, 705, 877
triangulation, 683–686
 Delaunay, 684
trilight, 432
trilinear interpolation, 186
triple buffer, 1013
tristimulus values, 273
true color mode, *see color, mode, true color*
TSM, *see shadow, map, trapezoidal*
turbulence, 198
T-vertex, *see under polygon*
TXAA, 142
Tyndall scattering, 298
- UAV, *see unordered access view*
ubershader, 128
UBO, 795
UMA, *see unified memory architecture*
umbral, 224
Uncharted 2, 286, 357
Uncharted 3, 879
Uncharted 4, 290, 356–359, 492
Uncharted: Drake's Fortune, 893
under operator, 153
underclock, 787
unified memory architecture, 1007
unified shader architecture, 35, 786
uniform buffer object, 795
uniform tessellation, 767
Unity engine, 128, 287, 476, 482, 489, 740, 930
unordered access view, 51–52, 87, 155, 192, 896, 1016
Unreal Engine, 104, 113, 114, 116, 126, 128–130, 143, 287, 325, 364, 383, 493, 495, 556, 572, 611, 740, 899, 930, 1048
up direction, 70
upsampling, 136
- valence, 699, 758
Valgrind, 792
van Emde Boas layout, 827–828
VAO, 703
variance mapping, 370
VDC, *see video display controller*
vector irradiance, 379–380, 389
vector norm, 7
Vega, *see under hardware*
vergence, 923, 932
vertex
 array, *see vertex, buffer*
 array object, 703
 blending, *see under transform*
 buffer, 701–705, 793
- cache, *see cache, vertex clustering*, 709
compression, 712–715
correspondence, 87
pulling, 703
shader, 15–16, 42–43
 animation, 43
 effects, 43
 skinning, 87
 stream, 702
vertical refresh rate, 1011
vertical retrace, *see retrace, vertical*
vertical synchronization, *see synchronization with monitor*
vertices per second, 788
VGA, 1011
video display controller, 1011
video graphics array, 1011
video memory, 1006, 1011
view frustum culling, *see culling, view frustum*
view space, 15, 26
view transform, *see transform, view*
view-independent progressive meshing, 706
VIPM, 706
virtual point light, 491
virtual reality, 523, 912, 915–940
 compositor, 924
 optics, 921–922
visibility
 buffer, *see buffer, visibility*
 cone, 470, 471
 function, 446
 test, 843
visual appearance, 103
Vive, 915, 916, 917, 922, 925, 934
von Mises-Fisher distribution, 397
Von Neumann bottleneck, 791
voxel, 578–586
voxelization, 580–582, 610–612, 974
VPL, *see virtual point light*
VSM, *see shadow, map, variance*
vsync, *see synchronization with monitor*
VTune, 792
Vulkan, 40, 814
- Wang tiles, 175
Ward model, 314
warp, 31
watercolor, 652, 665
watertight model, 693
watt, 268
wave
 electromagnetic, 293
 transverse, 293
wavefront, 31, 1035

- wavelength, 267, 293
wavelets, 199
WebGL, 41, 50, 122, 125, 129, 189, 201, 208,
 407, 485, 568, 628, 631, 713, 796, 805,
 829, 1048
welding vertices, 691
white point, 274
Wii, *see under* hardware
winding direction, 692
winding number, 968
window coordinates, 20
wireframe, 674, 675
The Witcher 3, 2, 263, 420, 526, 534, 873, 1049
world space, 15
wrap, *see* texturing, repeat
wrap lighting, 382, 633
Xbox, *see under* hardware
XR, 915
Y'CbCr, 892
yaw, 70n
YCoCg, 197–198, 804–805
yon, 93n
z-buffer, *see under* buffer
z-fighting, 1014
z-prepass, 803, 881, 882, 901, 1016
z-pyramid, 846
Zaxxon, 17
 z_{\max} -culling, *see* culling, z_{\max}
 z_{\min} -culling, *see* culling, z_{\min}
zonal harmonics, 401, 428, 430, 470